

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 1 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-1A	GZ-1B	GZ-1C	GZ-2A	GZ-2B	GZ-2C	GZ-3A	GZ-3B	GZ-3C	GZ-46			
				Depth (ft bgs):	0.5-1	1-1.5	3.5-4	0.5-1	1-1.5	3.5-4	0.5-1.0	1-1.5	3.5-4	4.5-5			
				Date:	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	1/6/2006			
Consultant: GZA																	
Soil Type: Fill																	
<b>Volatile Organic Compounds (mg/kg):</b>																	
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--			
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--			
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--			
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																	
<b>Polychlorinated Biphenyls (mg/kg):</b>																	
Aroclor 1016	1	10	0.005		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	ND<0.60			
Aroclor 1221	1	10	0.005		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	ND<0.60			
Aroclor 1232	1	10	0.005		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	ND<0.60			
Aroclor 1242	1	10	0.005		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	ND<0.60			
Aroclor 1248	1	10	0.005		<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	4.2			
Aroclor 1254	1	10	0.005		<0.50	<0.50	<0.50	1.5	<0.50	<0.50	0.53	3.6	3.2	ND<0.60			
Aroclor 1260	1	10	0.005		1.2	<0.50	<0.50	2.2	<0.50	<0.50	3	2.6	ND<0.60				
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--	--	--			
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--	--	--			
Total PCBs	1	10	0.005		1.2	0	0	3.7	0	0	0.53	8.2	10	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																	
Arsenic	500	2,500	2,500		--	--	--	3,500	ND<50	250	--	--	--	62,000			
<b>Total Metals (mg/kg):</b>																	
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--			
<b>General Chemistry:</b>																	
pH	--	--	--		--	--	--	--	--	--	--	--	--	--			
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--			

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 2 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-46	GZ-4A	GZ-4B	GZ-4C	GZ-47	GZ-47	GZ-5A	GZ-48	GZ-48	GZ-6A				
				Depth (ft bgs):	5.5-6.5	0.5-1	I-2	3.5-4	4-4.5	6-7	0.25-0.5	4-5	1/6/2006	1/6/2006				
				Date:	1/6/2006	12/9/2005	12/9/2005	12/9/2005	1/6/2006	1/6/2006	1/6/2006	1/6/2006	Consultant:	GZA	GZA			
				Soil Type:	Rock	Fill	Fill	Fill	Clay	Clay	Clay	Clay	Soil Type:	GZA	GZA			
<b>Volatile Organic Compounds (mg/kg):</b>																		
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--	--			
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--	--			
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--	--			
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																		
<b>Polychlorinated Biphenyls (mg/kg):</b>																		
Aroclor 1016	1	10	0.005		ND< 0.30	<0.50	<325	ND< 3 0	ND<397	ND< 0.30	<0.50	ND< 0.40	ND< 0.40	<0.50				
Aroclor 1221	1	10	0.005		ND< 0.30	<0.50	<325	ND< 3 0	ND<397	ND< 0.30	<0.50	ND< 0.40	ND< 0.40	<0.50				
Aroclor 1232	1	10	0.005		ND< 0.30	<0.50	<325	ND< 3 0	ND<397	ND< 0.30	<0.50	ND< 0.40	ND< 0.40	<0.50				
Aroclor 1242	1	10	0.005		ND< 0.30	<0.50	<325	ND< 3 0	1600	0.99	<0.50	ND< 0.40	ND< 0.40	<0.50				
Aroclor 1248	1	10	0.005		ND< 0.30	<0.50	2800	220	ND<397	ND< 0.30	<0.50	0.81	ND< 0.40	<0.50				
Aroclor 1254	1	10	0.005		ND< 0.30	<0.50	<325	ND< 3 0	1300	ND< 0.30	0.97	ND< 0.40	ND< 0.40	<0.50				
Aroclor 1260	1	10	0.005		ND< 0.30	<0.50	2700	240	1500	1	1.1	0.58	0.5	<0.50				
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--	--	--				
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--	--	--				
Total PCBs	1	10	0.005		0	0	5500	460	4400	1.99	2.07	1.39	0.5	0				
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																		
Arsenic	500	2,500	2,500		ND<54	--	--	--	4100	ND<59	--	ND<70	1200	--				
<b>Total Metals (mg/kg):</b>																		
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--				
<b>General Chemistry:</b>																		
pH	--	--	--		--	--	--	--	--	--	--	--	--	--				
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--				

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 3 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-7A	GZ-8A	GZ-9A	AOC5-SS-SB01-37	AOC5-SS-SB01-38	AOC5-SS-SB01-39	AOC21-SS-SB01-82			
				Depth (ft bgs):	0.5-1	0-0.5	0.5-1	1-1.5	3.5-4	4.5-5	1-1.5			
				Date:	12/9/2005	12/9/2005	12/9/2005	12/4/2006	12/4/2006	12/4/2006	12/6/2006			
Consultant: GZA Soil Type: Fill														
<b>Volatile Organic Compounds (mg/kg):</b>														
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--			
Acetone	500	1,000	140		--	--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--			
Toluene	500	1,000	67		--	--	--	--	--	--	--			
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1221	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1232	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1242	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1248	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1254	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1260	1	10	0.005		<0.50	<0.50	<0.50	ND	ND	ND	ND			
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--			
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--			
Total PCBs	1	10	0.005		0	0	0	0	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>														
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--			
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--			
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--			
<b>General Chemistry:</b>														
pH	--	--	--		--	--	--	--	--	--	--			
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--			

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 4 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	AOC21-SS-SB01-83	AOC21-SS-SB01-84	AOC21-SS-SB02-85	AOC21-SS-SB02-85A(1)	AOC21-SS-SB02-86	AOC21-SS-SB02-87			
				Depth (ft bgs):	3.5-4	4.5-5	1-1.5	1-1.5	3.5-4	4.5-5			
				Date:	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006			
Consultant: W&C													
Soil Type: Fill													
<b>Volatile Organic Compounds (mg/kg):</b>													
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--			
Acetone	500	1,000	140		--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--			
Toluene	500	1,000	67		--	--	--	--	--	--			
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND	ND			
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND	ND			
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND	ND			
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND	ND			
Aroclor 1248	1	10	0.005		29	3	ND	ND	ND	ND			
Aroclor 1254	1	10	0.005		ND	ND	ND	ND	ND	ND			
Aroclor 1260	1	10	0.005		49	2	ND	ND	ND	ND			
Aroclor 1262	1	10	0.005		--	--	--	--	--	--			
Aroclor 1268	1	10	0.005		--	--	--	--	--	--			
Total PCBs	1	10	0.005		78	5	0	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
500	2,500	2,500			--	--	--	--	--	--			
<b>Total Metals (mg/kg):</b>													
Arsenic	10	10	--		--	--	--	--	--	--			
Hexavalent Chromium	100	100	--		--	--	--	--	--	--			
<b>General Chemistry:</b>													
pH	--	--	--		--	--	--	--	--	--			
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--			

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 5 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	AOC21-SS-SB03-88	AOC21-SS-SB03-89	AOC21-SS-SB03-90	AOC21-SS-SB03-90A(1)	AOC21-SS-SB04-91
				Depth (ft bgs):	1-1.5	3.5-4	4.5-5	4.5-5	1-1.5
				Date:	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butone (MEK)	500	1,000	80		--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	ND	<b>5.8</b>	J	ND
Aroclor 1254	1	10	0.005		ND	ND	<b>1.7</b>	J	ND
Aroclor 1260	1	10	0.005		ND	ND	ND	ND	0.39
Aroclor 1262	1	10	0.005		--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--
Total PCBs	1	10	0.005		0	0	<b>7.5</b>	J	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
Arsenic	500	2,500	2,500		--	--	--	--	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 6 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC21-SS-SB04-92	AOC21-SS-SB04-93	AOC21-SS-SB05-94	AOC21-SS-SB05-95	AOC21-SS-SB05-96	AOC21-SS-SB05-97
					3.5-4	4.5-5	1-1.5	2.5-3	3.5-4	4.5-5
					12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	<b>680</b>	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		<b>180</b>	ND	ND	ND	<b>170</b>	0.67
Aroclor 1254	1	10	0.005		ND	ND	ND	ND	ND	ND
Aroclor 1260	1	10	0.005		<b>220</b>	<b>100</b>	ND	0.4	<b>200</b>	0.53
Aroclor 1262	1	10	0.005		--	--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--	--
Total PCBs	1	10	0.005		<b>400</b>	<b>780</b>	0	0.4	<b>370</b>	<b>1.2</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 7 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC21-SS-SB06-98	1-1.5	2.5-3	3.5-4	4.5-5	1-1.5	2.5-3	
					12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006	
					W&C	W&C	W&C	W&C	W&C	W&C	W&C	
<b>Volatile Organic Compounds (mg/kg):</b>												
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	15	130		ND	0.42	13	
Aroclor 1254	1	10	0.005		0.6	ND	ND		ND	ND	ND	ND
Aroclor 1260	1	10	0.005		1.6	44	280		ND	0.84	37	
Aroclor 1262	1	10	0.005		--	--	--		--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--		--	--	--	--
Total PCBs	1	10	0.005		2.2	59	410		0	1.26	50	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--
100	100	--			--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>												
Arsenic	10	10	--		--	--	--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--
<b>General Chemistry:</b>												
pH	--	--	--		--	--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 8 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	3.5-4	4.5-5	HA-AOC21-B201-S1	HA-AOC21-B201-S2	HA-AOC21-B201-S3	HA-AOC21-B201-S4
					Depth (ft bgs):	Date:	12/6/2006	12/6/2006	6/29/2010	6/29/2010
				Consultant:	W&C	W&C	H&A	H&A	H&A	H&A
				Soil Type:	Fill	Fill	Q	Q	Q	Q
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		ND	ND	<0.133	<0.343	<0.97	<93
Aroclor 1221	1	10	0.005		ND	ND	<0.133	<0.343	<0.97	<93
Aroclor 1232	1	10	0.005		ND	ND	<0.133	<0.343	<0.97	<93
Aroclor 1242	1	10	0.005		ND	ND	<0.133	<0.343	<0.97	<93
Aroclor 1248	1	10	0.005		10	0.6	<0.0889	1.47	4.66	661
Aroclor 1254	1	10	0.005		ND	ND	0.27	<0.343	5.85	515
Aroclor 1260	1	10	0.005		29	ND	0.759	1.89	12.8	720
Aroclor 1262	1	10	0.005		--	--	<0.0444	<0.114	<0.324	<31
Aroclor 1268	1	10	0.005		--	--	<0.0444	<0.114	<0.324	<31
Total PCBs	1	10	0.005		39	0.6	1.029	3.36	23.31	1896
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
Hexavalent Chromium	10	10	--		--	--	--	--	--	--
100	100	--		--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 9 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC21-B201-S5	HA-AOC21-B201-S6	HA-AOC21-B201 (4-6)	HA-AOC21-B201-S7	HA-AOC21-B201-S8	HA-AOC21-B202-S1
					2-3 6/29/2010 H&A Fill	3-4 6/29/2010 H&A Fill	4-6 6/29/2010 Fill/Weathered Rock	4-4.5 6/29/2010 H&A Weathered Rock	4.5-7 6/29/2010 H&A Weathered Rock	0.0-0.5 6/29/2010 H&A Fill
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<2.8	<2.88	--	<0.26	<0.0205	<0.236
Aroclor 1221	1	10	0.005		<2.8	<2.88	--	<0.26	<0.0205	<0.236
Aroclor 1232	1	10	0.005		<2.8	<2.88	--	<0.26	<0.0205	<0.236
Aroclor 1242	1	10	0.005		<2.8	<2.88	--	<0.26	<0.0205	<0.236
Aroclor 1248	1	10	0.005		21.5	67.8	--	3.13	0.225	<0.158
Aroclor 1254	1	10	0.005		16.5	42.2	--	1.74	<0.0205	<0.236
Aroclor 1260	1	10	0.005		29.5	78.4	--	3.41	0.255	0.529
Aroclor 1262	1	10	0.005		<0.933	<0.96	--	<0.0868	<0.0068	<0.0788
Aroclor 1268	1	10	0.005		<0.933	<0.96	--	<0.0868	<0.0068	<0.0788
Total PCBs	1	10	0.005		67.5	188.4	--	8.28	0.48	0.529
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	70	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 10 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 0.5-1 Date: 6/29/2010 Consultant: H&A Soil Type: Fill	Sample ID: HA-AOC21-B202-S2	HA-AOC21-B202-S3	HA-AOC21-B202-S4	HA-AOC21-B202-S5	HA-AOC21-B202-S6	HA-AOC21-B202-S7
					1-2	2-3	3-4	4-5	5-6	
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.411	<1.11	<0.0212	<0.0244	<0.123	<0.0267
Aroclor 1221	1	10	0.005		<0.411	<1.11	<0.0212	<0.0244	<0.123	<0.0267
Aroclor 1232	1	10	0.005		<0.411	<1.11	<0.0212	<0.0244	<0.123	<0.0267
Aroclor 1242	1	10	0.005		<0.411	<1.11	<0.0212	<0.0244	<0.123	<0.0267
Aroclor 1248	1	10	0.005		<b>4.83</b>	<0.743	0.375	0.156	1.43	0.0773
Aroclor 1254	1	10	0.005		<b>3.11</b>	<b>3.14</b>	0.381	0.107	0.739	0.0598
Aroclor 1260	1	10	0.005		<b>4.49</b>	<b>7.27</b>	0.124	0.102	0.571	0.13
Aroclor 1262	1	10	0.005		<0.137	<0.372	<0.00706	<0.00814	<0.0411	<0.00891
Aroclor 1268	1	10	0.005		<0.137	<0.372	<0.00706	<0.00814	<0.0411	<0.00891
Total PCBs	1	10	0.005		<b>12.43</b>	<b>10.41</b>	0.88	0.365	<b>2.74</b>	<b>0.2671</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 11 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: HA-AOC21-B202(4-6) 4-6 Date: 6/29/2010 Consultant: H&A Soil Type: Fill/Natural	HA-AOC21-B202-S8 6-7 Date: 6/29/2010 Consultant: H&A Soil Type: Natural		HA-AOC21-B203-S1 0.0-0.5 Date: 6/29/2010 Consultant: H&A Soil Type: Fill		HA-AOC21-B203-S2 0.5-1 Date: 6/29/2010 Consultant: H&A Soil Type: Fill		HA-AOC21-B203-S3 1-2 Date: 6/29/2010 Consultant: H&A Soil Type: Fill		HA-AOC21-B203-S4 2-3 Date: 6/29/2010 Consultant: H&A Soil Type: Fill	
					Q									
<b>Volatile Organic Compounds (mg/kg):</b>														
2-Butone (MEK)	500	1,000	80		0.18	J	--	--	--	--	--	--	--	
Acetone	500	1,000	140		0.76	J	--	--	--	--	--	--	--	
cis-1,2-Dichloroethene	500	1,000	14		--		--	--	--	--	--	--	--	
Toluene	500	1,000	67		0.0044	J	--	--	--	--	--	--	--	
Vinyl Chloride	0.32	3	0.4		0.013	J	--	--	--	--	--	--	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		--		<0.0246	<0.138	<0.0397	<0.239	<0.454			
Aroclor 1221	1	10	0.005		--		<0.0246	<0.138	<0.0397	<0.239	<0.454			
Aroclor 1232	1	10	0.005		--		<0.0246	<0.138	<0.0397	<0.239	<0.454			
Aroclor 1242	1	10	0.005		--		<0.0246	<0.138	<0.0397	<0.239	<0.454			
Aroclor 1248	1	10	0.005		--		<0.0164	<0.0923	<b>1.06</b>	<0.16	<0.303			
Aroclor 1254	1	10	0.005		--		<0.0246	0.41	0.816	0.686	<b>2.09</b>			
Aroclor 1260	1	10	0.005		--		<0.0164	<b>1.09</b>	<b>1.51</b>	<b>1.1</b>	<b>4.19</b>			
Aroclor 1262	1	10	0.005		--		<0.00821	<0.0461	<0.0132	<0.0798	<0.151			
Aroclor 1268	1	10	0.005		--		<0.00821	<0.0461	<0.0132	<0.0798	<0.151			
Total PCBs	1	10	0.005		--		0	<b>1.504</b>	<b>3.386</b>	<b>1.786</b>	<b>6.28</b>			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>														
	500	2,500	2,500		<b>13000<sup>10</sup></b>		--	--	--	--	--	--	--	
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--		--	--	--	--	--	--	--	
Hexavalent Chromium	100	100	--		--		--	--	--	--	--	--	--	
<b>General Chemistry:</b>														
pH	--	--	--		--		--	--	--	--	--	--	--	
Oxidation/Reduction Potential (mV)	--	--	--		--		--	--	--	--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; U: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 12 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC21-B203-S5	HA-AOC21-B203-S6	HA-AOC21-B203-S7	HA-AOC21-B203 (5-7)	HA-AOC21-B203-S8	HA-AOC21-B203-S9
					3-4 6/29/2010 H&A Fill	4-5 6/29/2010 H&A Fill	5-6 6/29/2010 H&A Fill	5-7 6/29/2010 H&A Fill	6-7 6/29/2010 H&A Fill	7-8 6/29/2010 H&A Natural
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0223	<0.0237	<0.0271	--	<0.0243	<0.0228
Aroclor 1221	1	10	0.005		<0.0223	<0.0237	<0.0271	--	<0.0243	<0.0228
Aroclor 1232	1	10	0.005		<0.0223	<0.0237	<0.0271	--	<0.0243	<0.0228
Aroclor 1242	1	10	0.005		<0.0223	<0.0237	<0.0271	--	<0.0243	<0.0228
Aroclor 1248	1	10	0.005		0.304	<0.0158	<0.0181	--	<0.0162	<0.0152
Aroclor 1254	1	10	0.005		0.191	<0.0237	<0.0271	--	<0.0243	<0.0228
Aroclor 1260	1	10	0.005		0.364	<0.0158	<0.0181	--	<0.0162	<0.0152
Aroclor 1262	1	10	0.005		<0.00745	<0.00789	<0.00904	--	<0.0081	<0.00759
Aroclor 1268	1	10	0.005		<0.00745	<0.00789	<0.00904	--	<0.0081	<0.00759
Total PCBs	1	10	0.005		0.859	0	0	--	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	1,100	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 13 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	HA-AOC21-B204(4-6)	HA-AOC21-B204-S1	HA-AOC21-B204-S2	HA-AOC21-B204-S3	HA-AOC21-B205-S1	HA-AOC21-B205-S2
					Depth (ft bgs):	4-6	5-6	6-7	7-8	0.0-0.5
				Date:	6/29/2010	6/29/2010	6/29/2010	6/29/2010	6/29/2010	6/29/2010
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	Fill/Natural	Q	Natural	Natural	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		--	<0.418	<0.0365	<0.0249	<0.211	<0.0223
Aroclor 1221	1	10	0.005		--	<0.418	<0.0365	<0.0249	<0.211	<0.0223
Aroclor 1232	1	10	0.005		--	<0.418	<0.0365	<0.0249	<0.211	<0.0223
Aroclor 1242	1	10	0.005		--	<0.418	<0.0365	<0.0249	<0.211	<0.0223
Aroclor 1248	1	10	0.005		--	3.55	0.115	<0.0166	0.427	<0.0149
Aroclor 1254	1	10	0.005		--	1.18	0.0883	<0.0249	0.292	<0.0223
Aroclor 1260	1	10	0.005		--	1.11	0.274	<0.0166	0.548	0.019
Aroclor 1262	1	10	0.005		--	<0.139	<0.0122	<0.00829	<0.0703	<0.00745
Aroclor 1268	1	10	0.005		--	<0.139	<0.0122	<0.00829	<0.0703	<0.00745
Total PCBs	1	10	0.005		--	5.84	0.4773	0	1.267	0.019
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		1,600	J	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 14 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC21-B205-S3	HA-AOC21-B205-S4	HA-AOC21-B205-S5	HA-AOC21-B205-S6	HA-AOC21-B205-S7	HA-AOC21-B205-S8	
					1-2 6/29/2010 H&A Fill	2-3 6/29/2010 H&A Fill	3-4 6/29/2010 H&A Fill	4-5 6/29/2010 H&A Fill	5-6 6/29/2010 H&A Natural	6-7 6/29/2010 H&A Natural	
<b>Volatile Organic Compounds (mg/kg):</b>											
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>											
<b>Polychlorinated Biphenyls (mg/kg):</b>											
Aroclor 1016	1	10	0.005		<0.233	<0.115	<25.1	<30.4	<0.191	<0.0358	
Aroclor 1221	1	10	0.005		<0.233	<0.115	<25.1	<30.4	<0.191	<0.0358	
Aroclor 1232	1	10	0.005		<0.233	<0.115	<25.1	<30.4	<0.191	<0.0358	
Aroclor 1242	1	10	0.005		<0.233	<0.115	<25.1	<30.4	<0.191	<0.0358	
Aroclor 1248	1	10	0.005		0.781	<0.0766	<16.7	558	0.901	<0.0239	
Aroclor 1254	1	10	0.005		0.774	0.484	45.7	407	0.578	<0.0358	
Aroclor 1260	1	10	0.005		1.9	1.38	96.2	932	1.17	0.074	
Aroclor 1262	1	10	0.005		<0.0778	<0.0383	<8.36	<10.1	<0.0637	<0.0119	
Aroclor 1268	1	10	0.005		<0.0778	<0.0383	<8.36	<10.1	<0.0637	<0.0119	
Total PCBs	1	10	0.005		3.455	1.864	141.9	1897	2.649	0.074	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>											
Arsenic	500	2,500	2,500		--	--	--	--	860	--	
<b>Total Metals (mg/kg):</b>											
Arsenic	10	10	--		--	--	--	--	--	--	
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	
<b>General Chemistry:</b>											
pH	--	--	--		--	--	--	--	--	--	
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 15 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	HA-AOC21-B206-S1	HA-AOC21-B206-S2	HA-AOC21-B206-S3	HA-DUP1-062910	HA-AOC21-B206-S4	HA-DUP2-062910
					Depth (ft bgs): 0.0-0.5	Date: 6/29/2010	0.5-1	1-1.5	6/29/2010	6/29/2010
				Consultant: H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type: Fill	Fill	Fill	Fill	Fill	Q	Q
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.081	<0.0207	<0.466	<1.14	<86.8	<444
Aroclor 1221	1	10	0.005		<0.081	<0.0207	<0.466	<1.14	<86.8	<444
Aroclor 1232	1	10	0.005		<0.081	<0.0207	<0.466	<1.14	<86.8	<444
Aroclor 1242	1	10	0.005		<0.081	<0.0207	<0.466	<1.14	<86.8	<444
Aroclor 1248	1	10	0.005		<0.054	0.104	4.37	5.43	718 J	2470 J
Aroclor 1254	1	10	0.005		0.27	0.11	3.31	4.3	403 J	1980 J
Aroclor 1260	1	10	0.005		0.706	0.184	7.13	8.34	656 J	3160 J
Aroclor 1262	1	10	0.005		<0.027	<0.0069	<0.155	<0.382	<28.9	<148
Aroclor 1268	1	10	0.005		<0.027	<0.0069	<0.155	<0.382	<28.9	<148
Total PCBs	1	10	0.005		0.976	0.398	14.81	18.07	1777 J	7610 J
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 16 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC21-B206-S5	HA-AOC21-B206-S6	HA-AOC21-B206-S7	HA-AOC21-B206-S8	HA-AOC21-B301-S1	HA-AOC21-B301-S2
					3-4 6/29/2010 H&A Fill	4-5 6/29/2010 H&A Fill	5-6 6/29/2010 H&A Natural	6-7 6/29/2010 H&A Natural	0-0.5 10/12/2010 H&A	0.5-1 10/12/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<42.7	<0.141	<0.0244	<0.0234	<0.062	<0.0873
Aroclor 1221	1	10	0.005		<42.7	<0.141	<0.0244	<0.0234	<0.062	<0.0873
Aroclor 1232	1	10	0.005		<42.7	<0.141	<0.0244	<0.0234	<0.062	<0.0873
Aroclor 1242	1	10	0.005		<42.7	<0.141	<0.0244	<0.0234	<0.062	<0.0873
Aroclor 1248	1	10	0.005		121	<0.094	<0.0162	<0.0156	<0.0413	1.02
Aroclor 1254	1	10	0.005		73.6	0.912	<0.0244	<0.0234	<0.062	0.532
Aroclor 1260	1	10	0.005		123	0.741	<0.0162	<0.0156	0.113	0.739
Aroclor 1262	1	10	0.005		<14.2	<0.047	<0.00812	<0.0078	<0.0207	<0.0291
Aroclor 1268	1	10	0.005		<14.2	<0.047	<0.00812	<0.0078	<0.0207	<0.0291
Total PCBs	1	10	0.005		317.6	1.653	0	0	0.113	2.291
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 17 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 1-2 Date: 10/12/2010 Consultant: H&A Soil Type:	Sample ID: HA-AOC21-B301-S3	HA-AOC21-B301-S4	HA-AOC21-B302-S1	HA-AOC21-B302-S2	HA-AOC21-B302-S3	HA-AOC21-B302-S4
					2-3	0-0.5	0.5-1	1-2	2-3	10/12/2010
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.469	<0.0212	<0.0834	<0.023	<1.17	<0.124
Aroclor 1221	1	10	0.005		<0.469	<0.0212	<0.0834	<0.023	<1.17	<0.124
Aroclor 1232	1	10	0.005		<0.469	<0.0212	<0.0834	<0.023	<1.17	<0.124
Aroclor 1242	1	10	0.005		<0.469	<0.0212	<0.0834	<0.023	<1.17	<0.124
Aroclor 1248	1	10	0.005		<0.312	<0.0141	<0.0556	0.293	11.8	0.631
Aroclor 1254	1	10	0.005		2.66	0.0692	<0.0834	0.222	6.15	<0.124
Aroclor 1260	1	10	0.005		5.29	0.189	0.378	0.45	6.19	0.99
Aroclor 1262	1	10	0.005		<0.156	<0.00705	<0.0278	<0.00768	<0.39	<0.0415
Aroclor 1268	1	10	0.005		<0.156	<0.00705	<0.0278	<0.00768	<0.39	<0.0415
Total PCBs	1	10	0.005		7.95	0.2582	0.378	0.965	24.14	1.621
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 18 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B302-S5 3-4 10/12/2010 H&A	HA-AOC21-B303-S1 0-0.5 10/12/2010 H&A	HA-AOC21-B303-S2 0.5-1 10/12/2010 H&A	Q	HA-AOC21-B303-S3 1-2 10/12/2010 H&A	HA-AOC21-B303-S4 2-3 10/12/2010 H&A	HA-AOC21-B303-S5 3-4 10/12/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>											
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>											
<b>Polychlorinated Biphenyls (mg/kg):</b>											
Aroclor 1016	1	10	0.005		<0.0225	<0.0405	<0.0405	<4.59	<0.119	<0.236	
Aroclor 1221	1	10	0.005		<0.0225	<0.0405	<0.0405	<4.59	<0.119	<0.236	
Aroclor 1232	1	10	0.005		<0.0225	<0.0405	<0.0405	<4.59	<0.119	<0.236	
Aroclor 1242	1	10	0.005		<0.0225	<0.0405	<0.0405	<4.59	<0.119	<0.236	
Aroclor 1248	1	10	0.005		0.132	<0.027	0.186	<b>36.1</b>	0.477	<b>1.52</b>	
Aroclor 1254	1	10	0.005		0.114	0.187	J 0.187	<b>25</b>	0.525	<0.236	
Aroclor 1260	1	10	0.005		0.303	0.179	0.284	<b>43.5</b>	0.879	<b>1.07</b>	
Aroclor 1262	1	10	0.005		<0.00752	<0.0135	<0.0135	<1.53	<0.0397	<0.0788	
Aroclor 1268	1	10	0.005		<0.00752	<0.0135	<0.0135	<1.53	<0.0397	<0.0788	
Total PCBs	1	10	0.005		0.549	0.366	0.657	<b>104.6</b>	<b>1.881</b>	<b>2.59</b>	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>											
<b>Total Metals (mg/kg):</b>											
Arsenic	10	10	--		--	--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--
<b>General Chemistry:</b>											
pH	--	--	--		--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
9. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 19 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 4-5 Date: 10/12/2010 Consultant: H&A Soil Type:	Sample ID: HA-AOC21-B303-S6	HA-AOC21-B304-S1	HA-AOC21-B304-S2	HA-AOC21-B304-S3	HA-AOC21-B304-S4	HA-AOC21-B304-S5
					0-0.5 10/12/2010 H&A	0.5-1 10/12/2010 H&A	1-2 10/12/2010 H&A	2-3 10/12/2010 H&A	3-4 10/12/2010 H&A	
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0287	<0.0822	<0.0866	<0.492	<0.126	<0.0254
Aroclor 1221	1	10	0.005		<0.0287	<0.0822	<0.0866	<0.492	<0.126	<0.0254
Aroclor 1232	1	10	0.005		<0.0287	<0.0822	<0.0866	<0.492	<0.126	<0.0254
Aroclor 1242	1	10	0.005		<0.0287	<0.0822	<0.0866	<0.492	<0.126	<0.0254
Aroclor 1248	1	10	0.005		0.0422	<0.0548	<0.0578	<0.328	<0.0837	<0.017
Aroclor 1254	1	10	0.005		<0.0287	<0.0822	<0.0866	<0.492	<0.126	<0.0254
Aroclor 1260	1	10	0.005		0.0371	<b>1.5</b>	<b>1.23</b>	<b>8.72</b>	<b>1.46</b>	0.0683
Aroclor 1262	1	10	0.005		<0.00956	<0.0274	<0.0289	<0.164	<0.0419	<0.00848
Aroclor 1268	1	10	0.005		<0.00956	<0.0274	<0.0289	<0.164	<0.0419	<0.00848
Total PCBs	1	10	0.005		0.0793	<b>1.5</b>	<b>1.23</b>	<b>8.72</b>	<b>1.46</b>	0.0683
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
500	2,500	2,500			--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 20 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B304-S7 5-6 10/12/2010 H&A	HA-AOC21-B305-S1 0.5 10/13/2010 H&A	HA-AOC21-B305-S2 0.5-1 10/13/2010 H&A	HA-AOC21-B305-S3 1-2 10/13/2010 H&A	HA-AOC21-B305-S4 2-3 10/13/2010 H&A	HA-AOC21-B305-S5 3-4 10/13/2010 H&A
					5-6 10/12/2010 H&A	0.5 10/13/2010 H&A	0.5-1 10/13/2010 H&A	1-2 10/13/2010 H&A	2-3 10/13/2010 H&A	3-4 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		--	<0.0828	<0.224	<0.0236	<0.024	<0.5
Aroclor 1221	1	10	0.005		--	<0.0828	<0.224	<0.0236	<0.024	<0.5
Aroclor 1232	1	10	0.005		--	<0.0828	<0.224	<0.0236	<0.024	<0.5
Aroclor 1242	1	10	0.005		--	<0.0828	<0.224	<0.0236	<0.024	<0.5
Aroclor 1248	1	10	0.005		--	<0.0552	<b>2.85</b>	0.234	<0.016	<b>7.29</b>
Aroclor 1254	1	10	0.005		--	<0.0828	<0.224	<0.0236	<0.024	<0.5
Aroclor 1260	1	10	0.005		--	0.547	<b>2.8</b>	0.268	0.0662	<b>12.9</b>
Aroclor 1262	1	10	0.005		--	<0.0276	<0.0746	<0.0788	<0.0799	<0.167
Aroclor 1268	1	10	0.005		--	<0.0276	<0.0746	<0.0788	<0.0799	<0.167
Total PCBs	1	10	0.005			0.547	<b>5.65</b>	0.502	0.0662	<b>20.19</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		<b>4000</b>	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 21 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: HA-DUP2-101310 AOC21-B305-S5	Depth (ft bgs): 0-0.5 10/13/2010	HA-AOC21-B306-S1 0-0.5 10/13/2010	HA-AOC21-B306-S2 0.5-1 10/13/2010	HA-AOC21-B306-S3 1-2 10/13/2010	HA-AOC21-B306-S4 2-3 10/13/2010
				Date: 10/13/2010	Consultant: H&A				
				Soil Type:					
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butone (MEK)	500	1,000	80		--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		<0.452	<0.103	<0.0443	<0.483	<0.123
Aroclor 1221	1	10	0.005		<0.452	<0.103	<0.0443	<0.483	<0.123
Aroclor 1232	1	10	0.005		<0.452	<0.103	<0.0443	<0.483	<0.123
Aroclor 1242	1	10	0.005		<0.452	<0.103	<0.0443	<0.483	<0.123
Aroclor 1248	1	10	0.005		<b>7.53</b>	<0.0684	0.183	<0.322	0.775
Aroclor 1254	1	10	0.005		<0.452	<b>1.35</b>	0.168	<b>4.81</b>	0.728
Aroclor 1260	1	10	0.005		<b>11.3</b>	<b>2.17</b>	0.174	<b>10.9</b>	<b>1.41</b>
Aroclor 1262	1	10	0.005		<0.15	<0.0342	<0.0148	<0.161	<0.0411
Aroclor 1268	1	10	0.005		<0.15	<0.0342	<0.0148	<0.161	<0.0411
Total PCBs	1	10	0.005		<b>18.83</b>	<b>3.52</b>	0.525	<b>15.71</b>	<b>2.913</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
	500	2,500	2,500		--	--	--	--	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 22 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B306-S5 3-4 10/13/2010 H&A	HA-AOC21-B306-S6 4-5 10/13/2010 H&A	HA-AOC21-B307-S1 4-5 10/13/2010 H&A	HA-AOC21-B307-S2 5-6 10/13/2010 H&A	HA-AOC21-B308-S1 0-0.5 10/13/2010 H&A	HA-AOC21-B308-S2 0.5-1 10/13/2010 H&A
					HA-AOC21-B306-S5 3-4 10/13/2010 H&A	HA-AOC21-B306-S6 4-5 10/13/2010 H&A	HA-AOC21-B307-S1 4-5 10/13/2010 H&A	HA-AOC21-B307-S2 5-6 10/13/2010 H&A	HA-AOC21-B308-S1 0-0.5 10/13/2010 H&A	HA-AOC21-B308-S2 0.5-1 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.11	<1.42	<0.0231	<0.0272	<0.0818	<0.0232
Aroclor 1221	1	10	0.005		<0.11	<1.42	<0.0231	<0.0272	<0.0818	<0.0232
Aroclor 1232	1	10	0.005		<0.11	<1.42	<0.0231	<0.0272	<0.0818	<0.0232
Aroclor 1242	1	10	0.005		<0.11	<1.42	<0.0231	<0.0272	<0.0818	<0.0232
Aroclor 1248	1	10	0.005		0.882	<b>18.8</b>	<0.0154	<0.0181	<0.0545	<0.0155
Aroclor 1254	1	10	0.005		0.591	<b>6.61</b>	<0.0231	<0.0272	<0.0818	0.192
Aroclor 1260	1	10	0.005		1.37	<b>3.92</b>	0.0312	<0.0181	0.445	0.405
Aroclor 1262	1	10	0.005		<0.0367	<0.474	<0.0077	<0.00906	<0.0273	<0.0075
Aroclor 1268	1	10	0.005		<0.0367	<0.474	<0.0077	<0.00906	<0.0273	<0.0075
Total PCBs	1	10	0.005		<b>2.843</b>	<b>29.33</b>	0.0312	0	0.445	0.597
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
Hexavalent Chromium	10	10	--		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; U: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 23 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B308-S3 1-2	HA-AOC21-B308-S4 2-3	HA-AOC21-B308-S5 3-4	HA-AOC21-B308-S6 4-5	HA-AOC21-B309-S1 0-0.5	HA-AOC21-B309-S2 0.5-1
					10/13/2010 H&A	10/13/2010 H&A	10/13/2010 H&A	10/13/2010 H&A	10/12/2010 H&A	10/12/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.023	<0.0244	<0.0268	<0.256	<0.314	<0.0626
Aroclor 1221	1	10	0.005		<0.023	<0.0244	<0.0268	<0.256	<0.314	<0.0626
Aroclor 1232	1	10	0.005		<0.023	<0.0244	<0.0268	<0.256	<0.314	<0.0626
Aroclor 1242	1	10	0.005		<0.023	<0.0244	<0.0268	<0.256	<0.314	<0.0626
Aroclor 1248	1	10	0.005		<0.0154	<0.0163	<0.0179	<b>3.88</b>	<0.209	<0.0417
Aroclor 1254	1	10	0.005		<0.023	<0.0244	0.27	<0.256	<b>1.03</b>	<0.0626
Aroclor 1260	1	10	0.005		0.213	<0.0163	0.323	<b>2.35</b>	<b>2.15</b>	<0.0417
Aroclor 1262	1	10	0.005		<0.00768	<0.00815	<0.00894	<0.00852	<0.105	<0.0209
Aroclor 1268	1	10	0.005		<0.00768	<0.00815	<0.00894	<0.0852	<0.105	<0.0209
Total PCBs	1	10	0.005		0.213	0	0.593	<b>6.23</b>	<b>3.18</b>	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
Hexavalent Chromium	10	10	--		--	--	--	--	--	--
100	100	--		--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; U: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 24 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B309-S3 1-2	HA-AOC21-B309-S4 2-3	HA-AOC21-B309-S5 3-4	HA-AOC21-B309-S6 4-5	HA-DUP2-101210 10/12/2010	HA-AOC21-B309-S7 5-6 10/12/2010
					10/12/2010 H&A	10/12/2010 H&A	10/12/2010 H&A	10/12/2010 H&A	10/12/2010 H&A	10/12/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0216	<0.0217	<0.0216	<0.0228	<0.0468	<0.0233
Aroclor 1221	1	10	0.005		<0.0216	<0.0217	<0.0216	<0.0228	<0.0468	<0.0233
Aroclor 1232	1	10	0.005		<0.0216	<0.0217	<0.0216	<0.0228	<0.0468	<0.0233
Aroclor 1242	1	10	0.005		<0.0216	<0.0217	<0.0216	<0.0228	<0.0468	<0.0233
Aroclor 1248	1	10	0.005		<0.0144	<0.0145	<0.0144	<0.0152	0.0908	<0.0155
Aroclor 1254	1	10	0.005		<0.0216	<0.0217	<0.0216	0.0386	0.0486	<0.0233
Aroclor 1260	1	10	0.005		<0.0144	<0.0145	<0.0144	0.0177	0.0325	<0.0155
Aroclor 1262	1	10	0.005		<0.0072	<0.00723	<0.00721	<0.00759	<0.0156	<0.00776
Aroclor 1268	1	10	0.005		<0.0072	<0.00723	<0.00721	<0.00759	<0.0156	<0.00776
Total PCBs	1	10	0.005		0	0	0	0.0563	0.1719	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 25 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 6-7 Date: 10/12/2010 Consultant: H&A Soil Type:	Sample ID: HA-AOC21-B309-S8	HA-AOC21-B401-S1	HA-AOC21-B401-S2	HA-AOC21-B401-S3	HA-AOC21-B401-S4	HA-AOC21-B401-S5
					0-0.5	0.5-1	1-2	2-3	3-4	
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0239	<1.23	<0.0621	<0.024	<0.0232	<0.0221
Aroclor 1221	1	10	0.005		<0.0239	<1.23	<0.0621	<0.024	<0.0232	<0.0221
Aroclor 1232	1	10	0.005		<0.0239	<1.23	<0.0621	<0.024	<0.0232	<0.0221
Aroclor 1242	1	10	0.005		<0.0239	<1.23	<0.0621	<0.024	<0.0232	<0.0221
Aroclor 1248	1	10	0.005		<0.0159	<0.819	<0.0414	0.309	0.153	<0.0148
Aroclor 1254	1	10	0.005		<0.0239	<b>2.51</b>	0.485	0.233	0.184	<0.0221
Aroclor 1260	1	10	0.005		<0.0159	<b>4.66</b>	<b>1.5</b>	0.408	0.426	<0.0148
Aroclor 1262	1	10	0.005		<0.00796	<0.41	<0.0207	<0.008	<0.00775	<0.00738
Aroclor 1268	1	10	0.005		<0.00796	<0.41	<0.0207	<0.008	<0.00775	<0.00738
Total PCBs	1	10	0.005		0	<b>7.17</b>	<b>1.985</b>	0.95	0.763	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 26 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B401 (4-6') 4-6 10/12/2010 H&A	HA-AOC21-B402-S1 0-0.5 10/12/2010 H&A	HA-AOC21-B402-S2 0.5-1 10/12/2010 H&A	HA-AOC21-B402-S3 1-2 10/12/2010 H&A	HA-AOC21-B402-S4 2-3 10/12/2010 H&A	HA-AOC21-B402-S5 3-4 10/12/2010 H&A
					Q	J				
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		--	<0.31	<0.423	<57	<0.107	<0.024
Aroclor 1221	1	10	0.005		--	<0.31	<0.423	<57	<0.107	<0.024
Aroclor 1232	1	10	0.005		--	<0.31	<0.423	<57	<0.107	<0.024
Aroclor 1242	1	10	0.005		--	<0.31	<0.423	<57	<0.107	<0.024
Aroclor 1248	1	10	0.005		--	<0.207	<b>2.57</b>	<b>467</b>	<b>1.04</b>	0.158
Aroclor 1254	1	10	0.005		--	<b>2.23</b>	<b>2.17</b>	<b>269</b>	0.543	0.096
Aroclor 1260	1	10	0.005		--	<b>2.81</b>	<b>4.13</b>	<b>331</b>	0.621	0.0918
Aroclor 1262	1	10	0.005		--	<0.103	<0.141	<19	<0.0356	<0.00799
Aroclor 1268	1	10	0.005		--	<0.103	<0.141	<19	<0.0356	<0.00799
Total PCBs	1	10	0.005		<b>5.04</b>	<b>8.87</b>	<b>1067</b>	<b>2.204</b>	0.3458	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		<b>1800</b>	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 27 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 4-5 Date: 10/12/2010 Consultant: H&A Soil Type:	Sample ID: HA-AOC21-B402-S6	HA-AOC21-B402-S7	HA-AOC21-B402-S8	HA-AOC21-B403-S1	HA-AOC21-B403-S2	HA-AOC21-B403-S3
					5-6	6-7	0-0.5	0.5-1	1-2	
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0424	--	--	<0.0802	<0.445	<0.447
Aroclor 1221	1	10	0.005		<0.0424	--	--	<0.0802	<0.445	<0.447
Aroclor 1232	1	10	0.005		<0.0424	--	--	<0.0802	<0.445	<0.447
Aroclor 1242	1	10	0.005		<0.0424	--	--	<0.0802	<0.445	<0.447
Aroclor 1248	1	10	0.005		<0.0283	--	--	<0.0535	<0.297	0.986
Aroclor 1254	1	10	0.005		<0.0424	--	--	0.374	1.03	<0.447
Aroclor 1260	1	10	0.005		<0.0283	--	--	0.879	2.61	1.99
Aroclor 1262	1	10	0.005		<0.0141	--	--	<0.0267	<0.148	<0.149
Aroclor 1268	1	10	0.005		<0.0141	--	--	<0.0267	<0.148	<0.149
Total PCBs	1	10	0.005		0	--	--	1.253	3.64	2.976
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		21000	4300	<15	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 28 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): 2-3 Date: 10/12/2010 Consultant: H&A Soil Type:	Sample ID: HA-AOC21-B403-S4	HA-AOC21-B404-S1	HA-AOC21-B404-S2	HA-AOC21-B404-S3	HA-AOC21-B404-S4	HA-DUP1-101210
					0-0.5	0.5-1	1-2	2-3	HA-AOC21-B404-S4	HA-DUP1-101210
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.121	<0.0793	<0.042	<2.31	<0.223	<4.41
Aroclor 1221	1	10	0.005		<0.121	<0.0793	<0.042	<2.31	<0.223	<4.41
Aroclor 1232	1	10	0.005		<0.121	<0.0793	<0.042	<2.31	<0.223	<4.41
Aroclor 1242	1	10	0.005		<0.121	<0.0793	<0.042	<2.31	<0.223	<4.41
Aroclor 1248	1	10	0.005		0.575	<0.0529	<0.028	34.8	<0.148	82.2
Aroclor 1254	1	10	0.005		0.454	0.332	0.15	15.6	0.712	47.1
Aroclor 1260	1	10	0.005		0.724	0.752	0.183	14.1	1.09	32.5
Aroclor 1262	1	10	0.005		<0.0403	<0.0264	<0.014	<0.77	<0.0742	<1.47
Aroclor 1268	1	10	0.005		<0.0403	<0.0264	<0.014	<0.77	<0.0742	<1.47
Total PCBs	1	10	0.005		1.753	1.084	0.333	64.5	1.802	161.8
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
Arsenic	500	2,500	2,500		--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 29 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B404-S5 3-4 10/12/2010 H&A	HA-AOC21-B404-S6 4-5 10/12/2010 H&A	HA-AOC21-B404-S7 5-6 10/12/2010 H&A	HA-AOC21-B405-S1 0-0.5 10/13/2010 H&A	HA-AOC21-B405-S2 0.5-1 10/13/2010 H&A	HA-AOC21-B405-S3 1-2 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<244	<0.326	--	<0.0841	<0.0442	<0.0249
Aroclor 1221	1	10	0.005		<244	<0.326	--	<0.0841	<0.0442	<0.0249
Aroclor 1232	1	10	0.005		<244	<0.326	--	<0.0841	<0.0442	<0.0249
Aroclor 1242	1	10	0.005		<244	<0.326	--	<0.0841	<0.0442	<0.0249
Aroclor 1248	1	10	0.005		<b>4820</b>	<b>1.16</b>	--	<0.0561	<0.0294	<0.0166
Aroclor 1254	1	10	0.005		<b>2020</b>	0.565	--	<0.0841	<0.0442	<0.0249
Aroclor 1260	1	10	0.005		<b>1610</b>	0.49	--	0.67	0.115	0.151
Aroclor 1262	1	10	0.005		<b>&lt;81.4</b>	<0.108	--	<0.028	<0.0147	<0.00831
Aroclor 1268	1	10	0.005		<b>&lt;81.4</b>	<0.108	--	<0.028	<0.0147	<0.00831
Total PCBs	1	10	0.005		<b>8450</b>	<b>2.215</b>	--	0.67	0.115	0.151
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
	500	2,500	2,500		--	--	<b>6300</b>	--	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 30 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B405-S4 2-3 10/13/2010 H&A	HA-AOC21-B405-S5 3-4 10/13/2010 H&A	HA-AOC21-B405 (6-8) 6-8 10/13/2010 H&A	HA-AOC21-B406-S1 0-0.5 10/12/2010 H&A	HA-AOC21-B406-S2 0.5-1 10/12/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butene (MEK)	500	1,000	80		--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		<0.022	<0.124	--	<0.0224	<0.0228
Aroclor 1221	1	10	0.005		<0.022	<0.124	--	<0.0224	<0.0228
Aroclor 1232	1	10	0.005		<0.022	<0.124	--	<0.0224	<0.0228
Aroclor 1242	1	10	0.005		<0.022	<0.124	--	<0.0224	<0.0228
Aroclor 1248	1	10	0.005		<0.0147	<0.0826	--	<0.0149	<0.0152
Aroclor 1254	1	10	0.005		<0.022	0.469	--	<0.0224	<0.0228
Aroclor 1260	1	10	0.005		0.0392	0.897	--	<0.0149	<0.0152
Aroclor 1262	1	10	0.005		<0.00735	<0.0413	--	<0.00746	<0.0076
Aroclor 1268	1	10	0.005		<0.00735	<0.0413	--	<0.00746	<0.0076
Total PCBs	1	10	0.005		0.0392	<b>1.366</b>	0	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
Arsenic	500	2,500	2,500		--	--	<18	--	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 31 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B406-S3 1-2 10/12/2010 H&A	HA-AOC21-B406-S4 2-3 10/12/2010 H&A	HA-AOC21-B406-S5 3-4 10/12/2010 H&A	HA-AOC21-B407-S1 0-0.5 10/13/2010 H&A	HA-AOC21-B407-S2 0.5-1 10/13/2010 H&A	HA-AOC21-B407-S3 1-2 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.023	<0.0248	<0.0267	<0.132	<0.13	<0.0225
Aroclor 1221	1	10	0.005		<0.023	<0.0248	<0.0267	<0.132	<0.13	<0.0225
Aroclor 1232	1	10	0.005		<0.023	<0.0248	<0.0267	<0.132	<0.13	<0.0225
Aroclor 1242	1	10	0.005		<0.023	<0.0248	<0.0267	<0.132	<0.13	<0.0225
Aroclor 1248	1	10	0.005		<0.0154	<0.0166	<0.0178	<0.0878	<0.0864	<0.015
Aroclor 1254	1	10	0.005		<0.023	<0.0248	<0.0267	<b>1.09</b>	<0.13	0.0604
Aroclor 1260	1	10	0.005		<0.0154	<0.0166	<0.0178	<b>2.23</b>	<0.0864	0.1
Aroclor 1262	1	10	0.005		<0.00768	<0.00828	<0.00889	<0.0439	<0.0432	<0.0075
Aroclor 1268	1	10	0.005		<0.00768	<0.00828	<0.00889	<0.0439	<0.0432	<0.0075
Total PCBs	1	10	0.005		0	0	0	<b>3.32</b>	0	0.1604
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 32 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B407-S4 2-3 10/13/2010 H&A	HA-DUP1-101310 AOC21-B407-S4 3-4 10/13/2010 H&A	HA-AOC21-B407-S5 3-4 10/13/2010 H&A	HA-AOC21-B407 (6-8) 6-8 10/13/2010 H&A	HA-AOC21-B408-S1 0-1 10/14/2010 H&A	HA-AOC21-B408-S2 1-2 10/14/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0254	<0.0237	<0.0266	--	<0.0627	<0.0229
Aroclor 1221	1	10	0.005		<0.0254	<0.0237	<0.0266	--	<0.0627	<0.0229
Aroclor 1232	1	10	0.005		<0.0254	<0.0237	<0.0266	--	<0.0627	<0.0229
Aroclor 1242	1	10	0.005		<0.0254	<0.0237	<0.0266	--	<0.0627	<0.0229
Aroclor 1248	1	10	0.005		0.332	<0.0158	<0.0177	--	<0.0418	<0.0152
Aroclor 1254	1	10	0.005		<0.0254	<0.0237	0.034	--	0.64	<0.0229
Aroclor 1260	1	10	0.005		0.172	0.0487	0.0729	--	1.75	0.0873
Aroclor 1262	1	10	0.005		<0.00846	<0.00789	<0.00886	--	<0.0209	<0.00763
Aroclor 1268	1	10	0.005		<0.00846	<0.00789	<0.00886	--	<0.0209	<0.00763
Total PCBs	1	10	0.005		0.504	0.0487	0.1069	--	2.39	0.0873
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
500	2,500	2,500			--	--	--	<16	--	--
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 33 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: HA-AOC21-B408 (4-6) 4-6 Date: 10/14/2010 Consultant: H&A Soil Type:	HA-AOC21-B408(6-7) 6-7 10/14/2010 H&A	HA-AOC5/21-B301-S1 0-0.5 10/13/2010 H&A	HA-AOC5/21-B301-S2 0.5-1 10/13/2010 H&A	HA-AOC5/21-B301-S3 1-2 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>								
2-Butene (MEK)	500	1,000	80	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--
Toluene	500	1,000	67	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>								
<b>Polychlorinated Biphenyls (mg/kg):</b>								
Aroclor 1016	1	10	0.005	--	--	<0.0445	<1.08	<5.24
Aroclor 1221	1	10	0.005	--	--	<0.0445	<1.08	<5.24
Aroclor 1232	1	10	0.005	--	--	<0.0445	<1.08	<5.24
Aroclor 1242	1	10	0.005	--	--	<0.0445	<1.08	<5.24
Aroclor 1248	1	10	0.005	--	--	<0.0296	11.6	92.1
Aroclor 1254	1	10	0.005	--	--	0.435	10.3	47.5
Aroclor 1260	1	10	0.005	--	--	0.733	12.4	51.5
Aroclor 1262	1	10	0.005	--	--	<0.0148	<0.36	<1.75
Aroclor 1268	1	10	0.005	--	--	<0.0148	<0.36	<1.75
Total PCBs	1	10	0.005	--	--	1.168	34.3	191.1
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>								
	500	2,500	2,500	16000	17	--	--	--
<b>Total Metals (mg/kg):</b>								
Arsenic	10	10	--	--	--	--	--	--
Hexavalent Chromium	100	100	--	--	--	--	--	--
<b>General Chemistry:</b>								
pH	--	--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
9. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 34 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC5/21-B301-S4 2-3	HA-AOC5/21-B301-S5 3-4	HA-AOC5/21-B301-S6 4-5	HA-AOC5/21-B301-S7 5-6	HA-AOC5/21-B301 (4-6) 4-6
					10/13/2010 H&A	10/13/2010 H&A	10/13/2010 H&A	10/13/2010 H&A	10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butone (MEK)	500	1,000	80		--	--	--	--	0.035
Acetone	500	1,000	140		--	--	--	--	0.042
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	0.0014
Toluene	500	1,000	67		--	--	--	--	<0.0015
Vinyl Chloride	0.32	3	0.4		--	--	--	--	<0.002
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		<5.45	<4.98	<1.24	<0.0263	--
Aroclor 1221	1	10	0.005		<5.45	<4.98	<1.24	<0.0263	--
Aroclor 1232	1	10	0.005		<5.45	<4.98	<1.24	<0.0263	--
Aroclor 1242	1	10	0.005		<5.45	<4.98	<1.24	<0.0263	--
Aroclor 1248	1	10	0.005		119	67.7	13.4	0.147	--
Aroclor 1254	1	10	0.005		79.1	43.1	6.66	<0.0263	--
Aroclor 1260	1	10	0.005		164	71.6	10.5	0.137	--
Aroclor 1262	1	10	0.005		<1.82	<1.66	<0.413	<0.00876	--
Aroclor 1268	1	10	0.005		<1.82	<1.66	<0.413	<0.00876	--
Total PCBs	1	10	0.005		362.1	182.4	30.56	0.284	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
500	2,500	2,500			--	--	--	--	230
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; U: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 35 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC5/21-B301 (4-6) 4-6 10/13/2010 H&A Reanalysis	HA-AOC5/21-B301 (8-10) 8-10 10/13/2010 H&A	HA-AOC5/21-B302-S1 0-0.5 10/13/2010 H&A	HA-AOC5/21-B302-S2 0.5-1 10/13/2010 H&A	HA-AOC5/21-B302-S3 1-2 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butene (MEK)	500	1,000	80		0.036	--	--	--	--
Acetone	500	1,000	140		<0.045	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		0.0018	--	--	--	--
Toluene	500	1,000	67		<0.0019	--	--	--	--
Vinyl Chloride	0.32	3	0.4		<0.0025	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		--	--	<0.0429	<0.039	<0.22
Aroclor 1221	1	10	0.005		--	--	<0.0429	<0.039	<0.22
Aroclor 1232	1	10	0.005		--	--	<0.0429	<0.039	<0.22
Aroclor 1242	1	10	0.005		--	--	<0.0429	<0.039	<0.22
Aroclor 1248	1	10	0.005		--	--	<0.0286	<0.026	<0.147
Aroclor 1254	1	10	0.005		--	--	0.0795	0.0893	<b>1.86</b>
Aroclor 1260	1	10	0.005		--	--	0.144	0.126	<b>3.74</b>
Aroclor 1262	1	10	0.005		--	--	<0.0143	<0.013	<0.0733
Aroclor 1268	1	10	0.005		--	--	<0.0143	<0.013	<0.0733
Total PCBs	1	10	0.005		--	--	0.2235	0.2153	<b>5.6</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
	500	2,500	2,500		--	<16	--	--	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 36 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: HA-AOC5/21-B302-S4 Depth (ft bgs): 2-3 Date: 10/13/2010 Consultant: H&A Soil Type:	HA-AOC5/21-B302-S5 3-4 10/13/2010 H&A	HA-AOC5/21-B302-S6 4-5 10/13/2010 H&A	HA-AOC5/21-B302 (4-6) 4-6 10/13/2010 H&A	HA-AOC5/21-B302 (4-6) 4-6 10/13/2010 H&A Reanalysis	
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butene (MEK)	500	1,000	80		--	--	--	0.031	0.045
Acetone	500	1,000	140		--	--	--	<0.054	<0.056
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	0.0074	0.0026
Toluene	500	1,000	67		--	--	--	<0.0022	0.0034
Vinyl Chloride	0.32	3	0.4		--	--	--	0.019	0.026
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		<25	<0.125	<1.32	--	--
Aroclor 1221	1	10	0.005		<25	<0.125	<1.32	--	--
Aroclor 1232	1	10	0.005		<25	<0.125	<1.32	--	--
Aroclor 1242	1	10	0.005		<25	<0.125	<1.32	--	--
Aroclor 1248	1	10	0.005		231	0.752	17.6	--	--
Aroclor 1254	1	10	0.005		183	0.535	9.39	--	--
Aroclor 1260	1	10	0.005		278	0.669	7.02	--	--
Aroclor 1262	1	10	0.005		<8.32	<0.0415	<0.44	--	--
Aroclor 1268	1	10	0.005		<8.32	<0.0415	<0.44	--	--
Total PCBs	1	10	0.005		692	1.956	34.01	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
500	2,500	2,500			--	--	--	2500	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

- Notes:
1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
  2. GB PMC: Pollutant Mobility Criteria for "GB" area
  3. mg/kg: milligrams per kilogram
  4. \* Criteria is for hexavalent chromium
  5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
  6. ND: Compound not detected above laboratory reporting limits
  7. -- not applicable or not analyzed for
  8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
  9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
  10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 37 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC5/21-B302-S7 5-6 10/13/2010 H&A	HA-AOC5/21-B302-S8 6-7 10/13/2010 H&A	HA-DUP4-101310 AOC5/21-B302-S8 10/13/2010 H&A	HA-AOC5/21-B302-S10 8-10 10/13/2010 H&A	HA-DUP3-101310 HA-AOC5/21_B302-S10 10/13/2010 H&A	HA-AOC5/21-B302-S11 10-12 10/13/2010 H&A
					HA-AOC5/21-B302-S7 5-6 10/13/2010 H&A	HA-AOC5/21-B302-S8 6-7 10/13/2010 H&A	HA-DUP4-101310 AOC5/21-B302-S8 10/13/2010 H&A	HA-AOC5/21-B302-S10 8-10 10/13/2010 H&A	HA-DUP3-101310 HA-AOC5/21_B302-S10 10/13/2010 H&A	HA-AOC5/21-B302-S11 10-12 10/13/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005		<0.0393	<0.0344	<0.0297	--	--	--
Aroclor 1221	1	10	0.005		<0.0393	<0.0344	<0.0297	--	--	--
Aroclor 1232	1	10	0.005		<0.0393	<0.0344	<0.0297	--	--	--
Aroclor 1242	1	10	0.005		<0.0393	<0.0344	<0.0297	--	--	--
Aroclor 1248	1	10	0.005		0.143	<0.023	<0.0198	--	--	--
Aroclor 1254	1	10	0.005		0.0726	<0.0344	<0.0297	--	--	--
Aroclor 1260	1	10	0.005		0.0591	<0.023	<0.0198	--	--	--
Aroclor 1262	1	10	0.005		<0.0131	<0.0115	<0.00991	--	--	--
Aroclor 1268	1	10	0.005		<0.0131	<0.0115	<0.00991	--	--	--
Total PCBs	1	10	0.005		0.2747	0	0	--	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
500	2,500	2,500			--	--	--	<15	<16	<17
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--		--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--		--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; U: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 38 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant: Soil Type:	HA-AOC21-B501-S1 0-0.2 10/21/2010 H&A	HA-AOC21-B502-S1 0-0.5 10/21/2010 H&A	HA-AOC21-B502-S2 0.5-0.8 10/21/2010 H&A	HA-AOC21-B503-S1 0-0.5 10/21/2010 H&A	HA-DUP1-102110 AOC21-B503-S1 10/21/2010 H&A
<b>Volatile Organic Compounds (mg/kg):</b>									
2-Butene (MEK)	500	1,000	80		--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>									
<b>Polychlorinated Biphenyls (mg/kg):</b>									
Aroclor 1016	1	10	0.005		<0.246	<60.8	<556	<0.0281	<0.113
Aroclor 1221	1	10	0.005		<0.246	<60.8	<556	<0.0281	<0.113
Aroclor 1232	1	10	0.005		<0.246	<60.8	<556	<0.0281	<0.113
Aroclor 1242	1	10	0.005		<0.246	<60.8	<556	<0.0281	<0.113
Aroclor 1248	1	10	0.005		<0.164	<b>357</b>	<b>3950</b>	<0.0187	0.784
Aroclor 1254	1	10	0.005		<0.246	<60.8	<556	<0.0281	<0.113
Aroclor 1260	1	10	0.005		<b>2.14</b>	<b>703</b>	<b>6740</b>	0.502	0.513
Aroclor 1262	1	10	0.005		<0.0819	<20.3	<185	<0.00936	<0.0378
Aroclor 1268	1	10	0.005		<0.0819	<20.3	<185	<0.00936	<0.0378
Total PCBs	1	10	0.005		<b>2.14</b>	<b>1060</b>	<b>10690</b>	0.502	<b>1.297</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>									
Arsenic	500	2,500	2,500		--	--	--	--	--
<b>Total Metals (mg/kg):</b>									
Arsenic	10	10	--		--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--
<b>General Chemistry:</b>									
pH	--	--	--		--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 39 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: HA-AOC21-B503-S2 0.5-1 Date: 10/21/2010 Consultant: H&A Soil Type:	HA-AOC21-B503-S3 1-1.7 Date: 10/21/2010 Consultant: H&A	801-S1 0.5-1 6/27/2011 H&A L1109464-09	801-S2 1-2 6/27/2011 H&A L1109464-10 R2	801-S3 2-3 6/27/2011 H&A L1109463-01	801-S4 3-4 6/27/2011 H&A L1109463-02	801-S5 4-5 6/27/2011 H&A L1109463-03
<b>Volatile Organic Compounds (mg/kg):</b>										
2-Butene (MEK)	500	1,000	80	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--
Toluene	500	1,000	67	--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>										
<b>Polychlorinated Biphenyls (mg/kg):</b>										
Aroclor 1016	1	10	0.005	<1.19	<1.22	ND(0.0876)	ND(0.0209)	ND(0.0286)	ND(0.023)	ND(0.0233)
Aroclor 1221	1	10	0.005	<1.19	<1.22	ND(0.0876)	ND(0.0209)	ND(0.0286)	ND(0.023)	ND(0.0233)
Aroclor 1232	1	10	0.005	<1.19	<1.22	ND(0.0876)	ND(0.0209)	ND(0.0286)	ND(0.023)	ND(0.0233)
Aroclor 1242	1	10	0.005	<1.19	<1.22	ND(0.0876)	ND(0.0209)	ND(0.0286)	ND(0.023)	ND(0.0233)
Aroclor 1248	1	10	0.005	7.7	<b>7.64</b>	ND(0.0584)	ND(0.0139)	0.0206	ND(0.0153)	0.11
Aroclor 1254	1	10	0.005	4.22	4.9	J ND(0.0876)	0.0211	ND(0.0286)	0.11	ND(0.0233)
Aroclor 1260	1	10	0.005	6.04	3.5	0.34	0.035	0.0766	0.185	0.232
Aroclor 1262	1	10	0.005	<0.398	<0.407	ND(0.0292)	ND(0.00696)	ND(0.00953)	ND(0.00765)	ND(0.00778)
Aroclor 1268	1	10	0.005	<0.398	<0.407	ND(0.0292)	ND(0.00696)	ND(0.00953)	ND(0.00765)	ND(0.00778)
Total PCBs	1	10	0.005	<b>17.96</b>	<b>16.04</b>	0.34	0.0561	0.0972	0.295	0.342
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>										
<b>Total Metals (mg/kg):</b>										
Arsenic	10	10	--	--	--	--	--	--	--	--
Hexavalent Chromium	100	100	--	--	--	--	--	--	--	--
<b>General Chemistry:</b>										
pH	--	--	--	--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 40 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	801-S6	802-S1	802-S2	802-S3	DUP2062711	802-S4	802-S5	803-S1	803-S2	
				Depth (ft bgs):	5-6	0.5-1	1-2	2-3	802-S3	3-4	4-5	0.5-1	1-2	
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011		
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A		
				Soil Type:	L1110853-01	L1109463-05	L1109463-06	L1109463-07	L1109463-10 R1	L1109463-08	L1109463-09 R1	L1109461-01	L1109461-02	
<b>Volatile Organic Compounds (mg/kg):</b>														
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>					--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0343)	ND(0.0824)	ND(0.0231)	ND(0.0232)	ND(0.0223)	ND(0.0238)	ND(0.0241)	ND(0.0422)	ND(0.0237)	
Aroclor 1221	1	10	0.005		ND(0.0343)	ND(0.0824)	ND(0.0231)	ND(0.0232)	ND(0.0223)	ND(0.0238)	ND(0.0241)	ND(0.0422)	ND(0.0237)	
Aroclor 1232	1	10	0.005		ND(0.0343)	ND(0.0824)	ND(0.0231)	ND(0.0232)	ND(0.0223)	ND(0.0238)	ND(0.0241)	ND(0.0422)	ND(0.0237)	
Aroclor 1242	1	10	0.005		ND(0.0343)	ND(0.0824)	ND(0.0231)	ND(0.0232)	ND(0.0223)	ND(0.0238)	ND(0.0241)	ND(0.0422)	ND(0.0237)	
Aroclor 1248	1	10	0.005		ND(0.0229)	ND(0.0549)	ND(0.0154)	ND(0.0155)	ND(0.0149)	ND(0.0158)	ND(0.0161)	0.111	ND(0.0158)	
Aroclor 1254	1	10	0.005		ND(0.0343)	ND(0.0824)	ND(0.0231)	ND(0.0232)	ND(0.0223)	ND(0.0238)	ND(0.0241)	ND(0.0422)	ND(0.0237)	
Aroclor 1260	1	10	0.005		ND(0.0229)	<b>1.56</b>	ND(0.0154)	ND(0.0155)	ND(0.0149)	ND(0.0158)	ND(0.0161)	0.504	0.0219	
Aroclor 1262	1	10	0.005		ND(0.0114)	ND(0.0275)	ND(0.0077)	ND(0.00774)	ND(0.00745)	ND(0.00792)	ND(0.00804)	ND(0.0141)	ND(0.00791)	
Aroclor 1268	1	10	0.005		ND(0.0114)	ND(0.0275)	ND(0.0077)	ND(0.00774)	ND(0.00745)	ND(0.00792)	ND(0.00804)	ND(0.0141)	ND(0.00791)	
Total PCBs	1	10	0.005		0	<b>1.56</b>	0	0	0	0	0	0.615	0.0219	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	--	--	
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	
<b>General Chemistry:</b>														
pH	--	--	--		--	--	--	--	--	--	--	--	--	
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 41 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	803-S3	803-S4	803-S5	804-S1	804-S2	804-S3	804-S4	804-S5	805-S1	
				Depth (ft bgs):	2-3	3-4	4-5	0.5-1	1-2	2-3	3-4	4-5	0.5-1	
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	
				Consultant:	H&A									
				Soil Type:	L1109461-03	L1109461-04	L1109461-05	L1109461-06	L1109461-07	L1109461-08	L1109461-09	L1109461-10	L1109557-01	
<b>Volatile Organic Compounds (mg/kg):</b>														
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>					--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0241)	ND(0.0259)	ND(0.0304)	ND(0.0624)	ND(0.0241)	ND(0.0264)	ND(0.0257)	ND(0.0264)	ND(0.122)	
Aroclor 1221	1	10	0.005		ND(0.0241)	ND(0.0259)	ND(0.0304)	ND(0.0624)	ND(0.0241)	ND(0.0264)	ND(0.0257)	ND(0.0264)	ND(0.122)	
Aroclor 1232	1	10	0.005		ND(0.0241)	ND(0.0259)	ND(0.0304)	ND(0.0624)	ND(0.0241)	ND(0.0264)	ND(0.0257)	ND(0.0264)	ND(0.122)	
Aroclor 1242	1	10	0.005		ND(0.0241)	ND(0.0259)	ND(0.0304)	ND(0.0624)	ND(0.0241)	ND(0.0264)	ND(0.0257)	ND(0.0264)	ND(0.122)	
Aroclor 1248	1	10	0.005		ND(0.016)	ND(0.0173)	ND(0.0203)	ND(0.0416)	ND(0.0161)	ND(0.0176)	ND(0.0171)	ND(0.0176)	ND(0.0816)	
Aroclor 1254	1	10	0.005		ND(0.0241)	ND(0.0259)	ND(0.0304)	ND(0.0624)	ND(0.0241)	ND(0.0264)	ND(0.0257)	ND(0.0264)	0.165	
Aroclor 1260	1	10	0.005		ND(0.016)	ND(0.0173)	ND(0.0203)	0.186	ND(0.0161)	ND(0.0176)	ND(0.0171)	ND(0.0176)	0.341	
Aroclor 1262	1	10	0.005		ND(0.00803)	ND(0.00864)	ND(0.0101)	ND(0.0208)	ND(0.00804)	ND(0.00881)	ND(0.00857)	ND(0.0088)	ND(0.0408)	
Aroclor 1268	1	10	0.005		ND(0.00803)	0.0112	ND(0.0101)	ND(0.0208)	0.0189	ND(0.00881)	ND(0.00857)	ND(0.0088)	ND(0.0408)	
Total PCBs	1	10	0.005		0	0.0112	0	0.186	0.0189	0	0	0	0.506	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	--
<b>General Chemistry:</b>														
pH	--	--	--		--	--	--	--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 42 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	805-S2	805-S3	805-S4	805-S5	806 (4-6)	806-S1	806-S2	806-S3	DUP2062811			
				Depth (ft bgs):	1-2	2-3	3-4	4-5	4-6	0.5-1	1-2	2-3	2-3			
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011			
				Consultant:	H&A											
				Soil Type:	L1109557-02	L1109557-03	L1109557-04	L1109557-05	L1109562-01	L1109559-01	L1109559-02	L1109559-03	L1109561-01			
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0209)	ND(0.025)	ND(0.0249)	ND(0.0241)	--	ND(0.0216)	ND(0.0231)	ND(0.0238)	ND(0.0223)			
Aroclor 1221	1	10	0.005		ND(0.0209)	ND(0.025)	ND(0.0249)	ND(0.0241)	--	ND(0.0216)	ND(0.0231)	ND(0.0238)	ND(0.0223)			
Aroclor 1232	1	10	0.005		ND(0.0209)	ND(0.025)	ND(0.0249)	ND(0.0241)	--	ND(0.0216)	ND(0.0231)	ND(0.0238)	ND(0.0223)			
Aroclor 1242	1	10	0.005		ND(0.0209)	ND(0.025)	ND(0.0249)	ND(0.0241)	--	ND(0.0216)	ND(0.0231)	ND(0.0238)	ND(0.0223)			
Aroclor 1248	1	10	0.005		ND(0.0139)	ND(0.0167)	ND(0.0166)	ND(0.0161)	--	ND(0.0144)	ND(0.0154)	ND(0.0158)	ND(0.0149)			
Aroclor 1254	1	10	0.005		ND(0.0209)	ND(0.025)	ND(0.0249)	ND(0.0241)	--	ND(0.0216)	ND(0.0231)	ND(0.0238)	ND(0.0223)			
Aroclor 1260	1	10	0.005		ND(0.0139)	ND(0.0167)	ND(0.0166)	0.0177	--	ND(0.0144)	ND(0.0154)	ND(0.0158)	ND(0.0149)			
Aroclor 1262	1	10	0.005		ND(0.00696)	ND(0.00834)	ND(0.0083)	ND(0.00803)	--	ND(0.00719)	ND(0.00771)	ND(0.00792)	ND(0.00743)			
Aroclor 1268	1	10	0.005		ND(0.00696)	ND(0.00834)	ND(0.0083)	ND(0.00803)	--	ND(0.00719)	ND(0.00771)	ND(0.00792)	ND(0.00743)			
Total PCBs	1	10	0.005		0	0	0	0.0177	--	0	0	0	0.0987			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	500	2,500	2,500		--	--	--	--	ND(16)	--	--	--	--	--		
<b>Total Metals (mg/kg):</b>																
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--		
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 43 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	806-S4	806-S5	806-S6	807-S1	807-S2	807-S3	807-S4	807-S5	807-S6			
				Depth (ft bgs):	3-4	4-5	5-6	0.5-1	1-2	2-3	3-4	4-5	5-6			
				Date:	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011				
				Consultant:	H&A											
Soil Type:				L1109559-04	L1109559-05	L1109559-06	L1109559-07	L1109559-08	L1109559-09	L1109559-10	L1109560-09	L1109560-10				
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0253)	ND(0.0239)	ND(0.022)	ND(0.0665)	ND(0.0226)	ND(0.0225)	ND(0.023)	ND(0.0229)	ND(0.0245)			
Aroclor 1221	1	10	0.005		ND(0.0253)	ND(0.0239)	ND(0.022)	ND(0.0665)	ND(0.0226)	ND(0.0225)	ND(0.023)	ND(0.0229)	ND(0.0245)			
Aroclor 1232	1	10	0.005		ND(0.0253)	ND(0.0239)	ND(0.022)	ND(0.0665)	ND(0.0226)	ND(0.0225)	ND(0.023)	ND(0.0229)	ND(0.0245)			
Aroclor 1242	1	10	0.005		ND(0.0253)	ND(0.0239)	ND(0.022)	ND(0.0665)	ND(0.0226)	ND(0.0225)	ND(0.023)	ND(0.0229)	ND(0.0245)			
Aroclor 1248	1	10	0.005		ND(0.0169)	ND(0.0159)	ND(0.0147)	ND(0.0443)	ND(0.0151)	ND(0.015)	ND(0.0153)	ND(0.0153)	ND(0.0164)			
Aroclor 1254	1	10	0.005		ND(0.0253)	ND(0.0239)	ND(0.022)	ND(0.0665)	ND(0.0226)	0.349	ND(0.023)	ND(0.0229)	ND(0.0245)			
Aroclor 1260	1	10	0.005		ND(0.0169)	ND(0.0159)	ND(0.0147)	0.0667	0.0259	0.0951	0.0264	0.0182	ND(0.0164)			
Aroclor 1262	1	10	0.005		ND(0.00844)	ND(0.00796)	ND(0.00733)	ND(0.0222)	ND(0.00755)	ND(0.0075)	ND(0.00767)	ND(0.00764)	ND(0.00818)			
Aroclor 1268	1	10	0.005		ND(0.00844)	ND(0.00796)	ND(0.00733)	ND(0.0222)	ND(0.00755)	ND(0.0075)	ND(0.00767)	ND(0.00764)	ND(0.00818)			
Total PCBs	1	10	0.005		0	0	0	0.0667	0.0259	0.4441	0.0264	0.0182	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--		
<b>Total Metals (mg/kg):</b>																
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 44 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	806-S1	808-S2	808-S3	808-S4	809-S1	809-S2	809-S3	809-S4	810-S1			
				Depth (ft bgs):	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5			
				Date:	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011			
				Consultant:	H&A											
				Soil Type:	L1109557-06	L1109557-07	L1109557-08	L1109557-09	L1109557-10	L1109560-01	L1109560-02	L1109560-03	L1109560-04			
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0419)	ND(0.0227)	ND(0.0225)	ND(0.024)	ND(0.0226)	ND(0.0226)	ND(0.0236)	ND(0.0227)	ND(0.0426)			
Aroclor 1221	1	10	0.005		ND(0.0419)	ND(0.0227)	ND(0.0225)	ND(0.024)	ND(0.0226)	ND(0.0226)	ND(0.0236)	ND(0.0227)	ND(0.0426)			
Aroclor 1232	1	10	0.005		ND(0.0419)	ND(0.0227)	ND(0.0225)	ND(0.024)	ND(0.0226)	ND(0.0226)	ND(0.0236)	ND(0.0227)	ND(0.0426)			
Aroclor 1242	1	10	0.005		ND(0.0419)	ND(0.0227)	ND(0.0225)	ND(0.024)	ND(0.0226)	ND(0.0226)	ND(0.0236)	ND(0.0227)	ND(0.0426)			
Aroclor 1248	1	10	0.005		ND(0.0279)	ND(0.0151)	ND(0.015)	ND(0.016)	ND(0.0151)	ND(0.0151)	ND(0.0157)	ND(0.0152)	ND(0.0284)			
Aroclor 1254	1	10	0.005		ND(0.0419)	ND(0.0227)	0.033	ND(0.024)	ND(0.0226)	ND(0.0226)	ND(0.0236)	ND(0.0227)	ND(0.0426)			
Aroclor 1260	1	10	0.005		ND(0.0279)	0.0197	ND(0.015)	ND(0.016)	ND(0.0151)	ND(0.0151)	ND(0.0157)	ND(0.0152)	ND(0.0284)			
Aroclor 1262	1	10	0.005		ND(0.014)	ND(0.00756)	ND(0.0075)	ND(0.00799)	ND(0.00754)	ND(0.00753)	ND(0.00787)	ND(0.00758)	ND(0.0142)			
Aroclor 1268	1	10	0.005		ND(0.014)	ND(0.00756)	ND(0.0075)	ND(0.00799)	ND(0.00754)	ND(0.00753)	ND(0.00787)	ND(0.00758)	ND(0.0142)			
Total PCBs	1	10	0.005		0	0.0197	0.033	0	0	0	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--		
<b>Total Metals (mg/kg):</b>																
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 45 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	810-S2	810-S3	810-S4	811-C1	811-C2	811-C3	811 (1-1.3)	812-C1	812-C2			
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	Concrete	Concrete	Concrete	1-1.3	Concrete	Concrete			
				Date:	6/28/2011	6/28/2011	6/28/2011	7/5/2011	7/5/2011	7/5/2011	6/28/2011	7/5/2011	7/5/2011			
				Consultant:	H&A											
				Soil Type:	L1109560-05	L1109560-06	L1109560-07	L1109970-01	L1109970-02	L1109970-03	L1109561-02	L1109970-04	L1109970-05			
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0232)	ND(0.0229)	ND(0.0241)	ND(0.544)	ND(9.75)	ND(2.79)	ND(1.16)	ND(5.75)	ND(2.53)			
Aroclor 1221	1	10	0.005		ND(0.0232)	ND(0.0229)	ND(0.0241)	ND(0.544)	ND(9.75)	ND(2.79)	ND(1.16)	ND(5.75)	ND(2.53)			
Aroclor 1232	1	10	0.005		ND(0.0232)	ND(0.0229)	ND(0.0241)	ND(0.544)	ND(9.75)	ND(2.79)	ND(1.16)	ND(5.75)	ND(2.53)			
Aroclor 1242	1	10	0.005		ND(0.0232)	ND(0.0229)	ND(0.0241)	ND(0.544)	ND(9.75)	ND(2.79)	ND(1.16)	ND(5.75)	ND(2.53)			
Aroclor 1248	1	10	0.005		ND(0.0155)	ND(0.0152)	ND(0.0161)	ND(0.362)	187	9.19	ND(0.773)	ND(3.84)	22.9			
Aroclor 1254	1	10	0.005		ND(0.0232)	ND(0.0229)	ND(0.0241)	6.43	ND(9.75)	ND(2.79)	10.6	45.2	ND(2.53)			
Aroclor 1260	1	10	0.005		0.0496	0.0566	ND(0.0161)	ND(0.362)	49.8	12.5	18.8	ND(3.84)	11.8			
Aroclor 1262	1	10	0.005		ND(0.00774)	ND(0.00762)	ND(0.00805)	ND(0.181)	ND(3.25)	ND(0.93)	ND(0.387)	ND(1.92)	ND(0.842)			
Aroclor 1268	1	10	0.005		ND(0.00774)	ND(0.00762)	ND(0.00805)	ND(0.181)	ND(3.25)	ND(0.93)	ND(0.387)	ND(1.92)	ND(0.842)			
Total PCBs	1	10	0.005		0.0496	0.0566	0	6.43	236.8	21.69	29.4	45.2	34.7			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--		
<b>Total Metals (mg/kg):</b>																
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 46 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	812 (1-1.4)	813-C1	813-C2	813 (0.8-1.3)	813 (1.3-1.7)	DUP4062811	814-C1	814-C2	814 (0.9-1.2)			
				Depth (ft bgs):	1-1.4	Concrete	Concrete	0.8-1.3	1.3-1.7	813 (1.3-1.7)	Concrete	Concrete	0.9-1.2			
				Date:	6/28/2011	7/5/2011	7/5/2011	6/28/2011	6/28/2011	6/28/2011	7/5/2011	7/5/2011	6/28/2011			
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A			
				Soil Type:	L1109561-03	L1109970-06	L1109970-07 R1	L1109561-04	L1109561-05	L1109561-07	L1109970-08	L1109970-09	L1109561-06			
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(1.15)	ND(10.8)	ND(0.216)	ND(0.118)	ND(0.0236)	ND(0.0226)	ND(13.3)	ND(0.261)	ND(0.0257)			
Aroclor 1221	1	10	0.005		ND(1.15)	ND(10.8)	ND(0.216)	ND(0.118)	ND(0.0236)	ND(0.0226)	ND(13.3)	ND(0.261)	ND(0.0257)			
Aroclor 1232	1	10	0.005		ND(1.15)	ND(10.8)	ND(0.216)	ND(0.118)	ND(0.0236)	ND(0.0226)	ND(13.3)	ND(0.261)	ND(0.0257)			
Aroclor 1242	1	10	0.005		ND(1.15)	ND(10.8)	ND(0.216)	ND(0.118)	ND(0.0236)	ND(0.0226)	ND(13.3)	ND(0.261)	ND(0.0257)			
Aroclor 1248	1	10	0.005		ND(0.769)	ND(7.17)	<b>1.38</b>	ND(0.0789)	ND(0.0157)	0.0817	ND(8.87)	<b>1.52</b>	0.177			
Aroclor 1254	1	10	0.005		<b>20.6</b>	<b>55.9</b>	ND(0.216)	0.675	ND(0.0236)	ND(0.0226)	<b>82.7</b>	ND(0.261)	ND(0.0257)			
Aroclor 1260	1	10	0.005		<b>29.8</b>	ND(7.17)	<b>2.27</b>	0.932	0.0252	0.0768	ND(8.87)	<b>2.14</b>	0.298			
Aroclor 1262	1	10	0.005		ND(0.384)	ND(3.59)	ND(0.0721)	ND(0.0394)	ND(0.00787)	ND(0.00753)	ND(4.44)	ND(0.0871)	ND(0.00858)			
Aroclor 1268	1	10	0.005		ND(0.384)	ND(3.59)	ND(0.0721)	ND(0.0394)	ND(0.00787)	ND(0.00753)	ND(4.44)	ND(0.0871)	ND(0.00858)			
Total PCBs	1	10	0.005		<b>50.4</b>	<b>55.9</b>	<b>3.65</b>	<b>1.607</b>	0.0252	0.1585	<b>82.7</b>	<b>3.66</b>	0.475			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--		
<b>Total Metals (mg/kg):</b>																
Hexavalent Chromium	10	10	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 47 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	815-C1	815-C2	815 (0.9-1.3)	815 (1.3-1.9)	816 (2-3)	816-S1	816-S2	816-S3	817 (4-6)	
				Depth (ft bgs):	Concrete	Concrete	0.9-1.3	1.3-1.9	2-3	0.5-1	1-2	2-3	4-6	
				Date:	7/5/2011	7/5/2011	6/28/2011	6/28/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011		
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
				Soil Type:	L1109970-10	L1109970-11	L1109561-08	L1109561-09	L1109460-01	L1109466-07	L1109466-08	L1109466-09	L1109460-02	
<b>Volatile Organic Compounds (mg/kg):</b>														
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>					--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.103)	ND(0.346)	ND(0.0237)	ND(0.0227)	--	ND(0.213)	ND(0.0234)	ND(0.0251)	--	--
Aroclor 1221	1	10	0.005		ND(0.103)	ND(0.346)	ND(0.0237)	ND(0.0227)	--	ND(0.213)	ND(0.0234)	ND(0.0251)	--	--
Aroclor 1232	1	10	0.005		ND(0.103)	ND(0.346)	ND(0.0237)	ND(0.0227)	--	ND(0.213)	ND(0.0234)	ND(0.0251)	--	--
Aroclor 1242	1	10	0.005		ND(0.103)	ND(0.346)	ND(0.0237)	ND(0.0227)	--	ND(0.213)	ND(0.0234)	ND(0.0251)	--	--
Aroclor 1248	1	10	0.005		ND(0.0685)	ND(0.231)	0.192	0.084	--	ND(0.142)	ND(0.0156)	ND(0.0167)	--	--
Aroclor 1254	1	10	0.005		<b>1.82</b>	ND(0.346)	ND(0.0237)	ND(0.0227)	--	0.489	ND(0.0234)	ND(0.0251)	--	--
Aroclor 1260	1	10	0.005		ND(0.0685)	ND(0.231)	0.295	0.164	--	<b>1.32</b>	ND(0.0156)	ND(0.0167)	--	--
Aroclor 1262	1	10	0.005		ND(0.0342)	ND(0.115)	ND(0.00791)	ND(0.00756)	--	ND(0.071)	ND(0.00782)	ND(0.00837)	--	--
Aroclor 1268	1	10	0.005		ND(0.0342)	ND(0.115)	ND(0.00791)	ND(0.00756)	--	ND(0.071)	ND(0.00782)	ND(0.00837)	--	--
Total PCBs	1	10	0.005		<b>1.82</b>	0	0.487	0.248	--	<b>1.809</b>	0	0	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	ND(16)	--	--	--	--	300
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	--
<b>General Chemistry:</b>														
pH	--	--	--		--	--	--	--	--	--	--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 48 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	817-S1	817-S2	817-S3	DUP1-062711	817-S4	817-S5	817-S6	818 (3-4)	818-S1			
				Depth (ft bgs):	0.5-1	1-2	2-3	817 S3	3-4	4-5	5-6	3-4	0.5-1			
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011			
Consultant:				H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A			
Soil Type:				L1109466-10	L1109465-01	R1L1109465-02	R2L1109465-06	R1L1109465-03	R2L1109465-04	R1	L1110850-01	L1109460-03	L1109465-07			
<b>Volatile Organic Compounds (mg/kg):</b>																
2-Butene (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--		
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--		
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--		
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>					--	--	--	--	--	--	--	--	--	--		
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0217)	ND(0.0216)	ND(0.0217)	ND(0.0221)	ND(0.0226)	ND(0.0237)	ND(0.0424)	--	ND(0.0211)			
Aroclor 1221	1	10	0.005		ND(0.0217)	ND(0.0216)	ND(0.0217)	ND(0.0221)	ND(0.0226)	ND(0.0237)	ND(0.0424)	--	ND(0.0211)			
Aroclor 1232	1	10	0.005		ND(0.0217)	ND(0.0216)	ND(0.0217)	ND(0.0221)	ND(0.0226)	ND(0.0237)	ND(0.0424)	--	ND(0.0211)			
Aroclor 1242	1	10	0.005		ND(0.0217)	ND(0.0216)	ND(0.0217)	ND(0.0221)	ND(0.0226)	ND(0.0237)	ND(0.0424)	--	ND(0.0211)			
Aroclor 1248	1	10	0.005		0.0281	ND(0.0144)	ND(0.0144)	ND(0.0147)	ND(0.0151)	0.0664	ND(0.0282)	--	ND(0.0141)			
Aroclor 1254	1	10	0.005		ND(0.0217)	ND(0.0216)	ND(0.0217)	ND(0.0221)	ND(0.0226)	ND(0.0237)	ND(0.0424)	--	ND(0.0211)			
Aroclor 1260	1	10	0.005		0.23	ND(0.0144)	ND(0.0144)	ND(0.0147)	ND(0.0151)	0.205	ND(0.0282)	--	0.038			
Aroclor 1262	1	10	0.005		ND(0.00724)	ND(0.00719)	ND(0.00722)	ND(0.00736)	ND(0.00753)	ND(0.00789)	ND(0.0141)	--	ND(0.00704)			
Aroclor 1268	1	10	0.005		ND(0.00724)	ND(0.00719)	ND(0.00722)	ND(0.00736)	ND(0.00753)	ND(0.00789)	ND(0.0141)	--	ND(0.00704)			
Total PCBs	1	10	0.005		0.2581	0	0	0	0	0.2714	0	--	0.038			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	110	--			
<b>Total Metals (mg/kg):</b>																
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--		
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	--		
<b>General Chemistry:</b>																
pH	--	--	--		--	--	--	--	--	--	--	--	--	--		
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--		

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 49 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	818-S2	818-S3	818-S4	819-S1	819-S2	819-S3	819-S4	819 (4-5)	820-S1				
				Depth (ft bgs):	1-2	2-3	3-4	0.5-1	1-2	2-3	3-4	4-5	0.5-1				
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011				
Consultant: H&A																	
Soil Type: L1109465-08 R1L1109465-09 R1 L1109465-10 L1109464-01 L1109464-02 R1L1109464-03 R1L1109464-04 R2 L1109460-04 L1109464-05 R1																	
<b>Volatile Organic Compounds (mg/kg):</b>																	
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--			
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--			
Toluene	500	1,000	67		--	--	--	--	--	--	--	--	--	--			
Vinyl Chloride	0.32	3	0.4		--	--	--	--	--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																	
<b>Polychlorinated Biphenyls (mg/kg):</b>																	
Aroclor 1016	1	10	0.005		ND(0.0219)	ND(0.0228)	ND(0.0242)	ND(0.24)	ND(0.121)	ND(0.0237)	ND(0.0233)	--	ND(0.0233)				
Aroclor 1221	1	10	0.005		ND(0.0219)	ND(0.0228)	ND(0.0242)	ND(0.24)	ND(0.121)	ND(0.0237)	ND(0.0233)	--	ND(0.0233)				
Aroclor 1232	1	10	0.005		ND(0.0219)	ND(0.0228)	ND(0.0242)	ND(0.24)	ND(0.121)	ND(0.0237)	ND(0.0233)	--	ND(0.0233)				
Aroclor 1242	1	10	0.005		ND(0.0219)	ND(0.0228)	ND(0.0242)	ND(0.24)	ND(0.121)	ND(0.0237)	ND(0.0233)	--	ND(0.0233)				
Aroclor 1248	1	10	0.005		ND(0.0146)	ND(0.0152)	ND(0.0161)	ND(0.16)	0.541	0.0375	ND(0.0156)	--	ND(0.0156)				
Aroclor 1254	1	10	0.005		ND(0.0219)	ND(0.0228)	ND(0.0242)	0.498	ND(0.121)	ND(0.0237)	ND(0.0233)	--	ND(0.0233)				
Aroclor 1260	1	10	0.005		ND(0.0146)	ND(0.0152)	0.0233	<b>1.28</b>	<b>1.04</b>	0.0408	ND(0.0156)	--	0.35				
Aroclor 1262	1	10	0.005		ND(0.00731)	ND(0.0076)	ND(0.00806)	ND(0.0798)	ND(0.0403)	ND(0.00789)	ND(0.00778)	--	ND(0.00778)				
Aroclor 1268	1	10	0.005		ND(0.00731)	ND(0.0076)	ND(0.00806)	ND(0.0798)	ND(0.0403)	ND(0.00789)	ND(0.00778)	--	ND(0.00778)				
Total PCBs	1	10	0.005		0	0	0.0233	<b>1.778</b>	<b>1.581</b>	0.0783	0	--	0.35				
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																	
500	2,500	2,500			--	--	--	--	--	--	--	80	--				
<b>Total Metals (mg/kg):</b>																	
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--			
Hexavalent Chromium	100	100	--		--	--	--	--	--	--	--	--	--	--			
<b>General Chemistry:</b>																	
pH	--	--	--		--	--	--	--	--	--	--	--	--	--			
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--	--	--	--	--	--	--			

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed
8. Concentrations shown in bold type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
10. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE I - AOC21 PCBs IN SOIL AREA 1  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 50 of 50

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	820-S2	820-S3	820-S4	820 (4-5)
				Depth (ft bgs):	1-2	2-3	3-4	4-5
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011
<b>Soil Type: L1109464-06 R1L1109464-07 R1L1109464-08 R1 L1109460-05</b>								
<b>Volatile Organic Compounds (mg/kg):</b>								
2-Butone (MEK)	500	1,000	80		--	--	--	--
Acetone	500	1,000	140		--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--
Toluene	500	1,000	67		--	--	--	--
Vinyl Chloride	0.32	3	0.4		--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>					--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>								
Aroclor 1016	1	10	0.005		ND(0.0241)	ND(0.0254)	ND(0.026)	--
Aroclor 1221	1	10	0.005		ND(0.0241)	ND(0.0254)	ND(0.026)	--
Aroclor 1232	1	10	0.005		ND(0.0241)	ND(0.0254)	ND(0.026)	--
Aroclor 1242	1	10	0.005		ND(0.0241)	ND(0.0254)	ND(0.026)	--
Aroclor 1248	1	10	0.005		ND(0.0161)	ND(0.0169)	ND(0.0173)	--
Aroclor 1254	1	10	0.005		ND(0.0241)	ND(0.0254)	ND(0.026)	--
Aroclor 1260	1	10	0.005		0.169	0.0325	ND(0.0173)	--
Aroclor 1262	1	10	0.005		ND(0.00804)	ND(0.00847)	ND(0.00865)	--
Aroclor 1268	1	10	0.005		ND(0.00804)	ND(0.00847)	ND(0.00865)	--
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0.169</b>	<b>0.0325</b>	<b>0</b>	<b>--</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	ND(18)
<b>Total Metals (mg/kg):</b>								
Arsenic	10	10	--		--	--	--	--
Hexavalent Chromium	100	100	--		--	--	--	--
<b>General Chemistry:</b>								
pH	--	--	--		--	--	--	--
Oxidation/Reduction Potential (mV)	--	--	--		--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
9. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	GZ-13A	GZ-13B	GZ-14A	GZ-28A	GZ-28B	GZ-28C	GZ-29	GZ-29	GZ-30	GZ-30	GZ-31	GZ-31	
					Depth (ft bgs):	0.5-1	1-2	0.5-1	0-0.5	1-2	3.5-4	0-0.5	2.5-3	0-1	3.5-4	0.5-1	3.5-4
					Date:	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	12/9/2005	1/6/2006	1/6/2006	1/6/2006	1/6/2006	
<b>Volatile Organic Compounds (mg/kg):</b>																	
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--	--	--	--	
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--	--	--	
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--	--	--	
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--	--	--	
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--	--	--	--	
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--	--	--	
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--	--	--	--	
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--	--	--	--	
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--	--	--	--	
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--	--	--	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																	
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	0.47	--	--	--	--	
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	2.3	--	--	--	--	
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	1.8	--	--	--	--	
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	2.4	--	--	--	--	
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	1.6	--	--	--	--	
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	1.1	--	--	--	--	
Chrysene	84	780	1		--	--	--	--	--	--	--	3.2	--	--	--	--	
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	6.7	--	--	--	--	
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	1.5	--	--	--	--	
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	<0.371	--	--	--	--	
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	5.5	--	--	--	--	
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	5.4	--	--	--	--	
<b>Polychlorinated Biphenyls (mg/kg):</b>																	
Aroclor 1016	1	10	0.005		<0.50	<0.30	<0.50	<500	<0.40	<0.40	<0.50	<0.50	<1.6	<0.40	<0.40	<0.40	
Aroclor 1221	1	10	0.005		<0.50	<0.30	<0.50	<500	<0.40	<0.40	<0.50	<0.50	<1.6	<0.40	<0.40	<0.40	
Aroclor 1232	1	10	0.005		<0.50	<0.30	<0.50	<500	<0.40	<0.40	<0.50	<0.50	<1.6	<0.40	<0.40	<0.40	
Aroclor 1242	1	10	0.005		<0.50	<0.30	<0.50	<500	<0.40	<0.40	<0.50	<0.50	<1.6	<0.40	<0.40	<0.40	
Aroclor 1248	1	10	0.005		<0.50	1.6	<0.50	3900	1.6	<0.40	<0.50	<0.50	47	2.2	<0.40	<0.40	
Aroclor 1254	1	10	0.005		<0.50	<0.30	<0.50	2600	<0.40	<0.40	<0.50	<0.50	<1.6	ND < 0.40	<0.40	<0.40	
Aroclor 1260	1	10	0.005		<0.50	1.6	<0.50	3900	1.4	<0.40	1.2	<0.50	140	4	1.2	<0.40	
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--	--	--	--	--	
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--	--	--	--	--	
Total PCBs	1	10	0.005		0	3.2	0	10,400	3	0	1.2	0	187	6.2	1.2	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																	
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--	--	

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 2 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	GZ-32	GZ-32	GZ-33	GZ-33	GZ-34	GZ-34	GZ-35	GZ-35	GZ-36	GZ-36	GZ-37	GZ-37				
					Depth (ft bgs):	0-1	3.5-4	0.5-1	3.5-4	0.5-1	2.5-3	0-0.5	0.5-1	0.5-1	1.5-2	0.5-1	3-4			
					Date:	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006				
<b>Consultant:</b>																				
<b>Soil Type:</b>																				
<b>Volatile Organic Compounds (mg/kg):</b>																				
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	0.012				
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--				
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	0.032				
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	<0.007				
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	0.08				
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																				
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--				
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--				
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--				
<b>Polychlorinated Biphenyls (mg/kg):</b>																				
Aroclor 1016	1	10	0.005	ND < 6.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.40	<0.30	<0.30	<0.40	<0.30	<0.40	<0.40				
Aroclor 1221	1	10	0.005	ND < 6.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.40	<0.30	<0.30	<0.40	<0.30	<0.40	<0.40				
Aroclor 1232	1	10	0.005	ND < 6.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.40	<0.30	<0.30	<0.40	<0.30	<0.40	<0.40				
Aroclor 1242	1	10	0.005	ND < 6.9	<0.40	<0.40	<0.40	<0.40	<0.50	<0.40	<0.30	<0.30	<0.40	<0.30	<0.40	<0.40				
Aroclor 1248	1	10	0.005	ND < 6.9	<0.40	<b>1.7</b>	<0.40	<0.40	<0.50	<0.40	<0.30	<0.30	<0.40	<0.30	<0.40	<0.40				
Aroclor 1254	1	10	0.005	<b>38</b>	<0.40	<b>1.5</b>	<0.40	<0.40	<0.50	<0.40	<b>2.5</b>	<0.30	0.64	<0.30	<0.40	<0.40				
Aroclor 1260	1	10	0.005	<b>57</b>	<0.40	0.61	<0.40	0.45	<b>1.1</b>	<0.40	<b>1.4</b>	<0.30	0.68	<0.30	0.87					
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--	--				
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--	--				
Total PCBs	1	10	0.005	<b>95</b>	0	<b>3.81</b>	0	0.45	<b>1.1</b>	0	<b>3.9</b>	0	<b>1.32</b>	0	0.87					
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																				
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	<65				

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 3 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	GZ-38	GZ-38	GZ-39	GZ-39	GZ-40	GZ-40	GZ-41	GZ-41	GZ-42	GZ-42	GZ-43	GZ-43	GZ-43		
				Depth (ft bgs):	0.5-1	3-4	0.5-1	2-2.5	0.5-1	4.5-5	0.5-1	3-3.5	0.5-1.5	3.5-4	0.5-1	3.5-4			
				Date:	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006			
<hr/>																			
Consultant: GZA																			
Soil Type: Fill Clay																			
<b>Volatile Organic Compounds (mg/kg):</b>																			
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--			
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--			
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--			
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--			
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--			
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--			
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--			
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--			
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--			
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																			
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--			
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--			
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--			
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--			
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--			
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--			
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--			
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--			
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--			
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--			
<b>Polychlorinated Biphenyls (mg/kg):</b>																			
Aroclor 1016	1	10	0.005	<0.30	<0.30	<0.30	<0.30	<0.30	<0.40	<0.40	<0.30	<0.30	<0.40	<0.30	<0.30	<0.30			
Aroclor 1221	1	10	0.005	<0.30	<0.30	<0.30	<0.30	<0.30	<0.40	<0.40	<0.30	<0.30	<0.40	<0.30	<0.30	<0.30			
Aroclor 1232	1	10	0.005	<0.30	<0.30	<0.30	<0.30	<0.30	<0.40	<0.40	<0.30	<0.30	<0.40	<0.30	<0.30	<0.30			
Aroclor 1242	1	10	0.005	<0.30	0.92	<0.30	<0.30	<0.30	<0.40	<0.40	<0.30	<0.30	<0.40	<0.30	<0.30	<0.30			
Aroclor 1248	1	10	0.005	<0.30	<0.30	<0.30	<0.30	<0.30	<0.40	<0.40	<0.30	0.55	<0.40	<0.30	<0.30	<0.30			
Aroclor 1254	1	10	0.005	<0.30	3	<0.30	<0.30	<0.30	<0.40	0.66	<0.30	0.64	<0.40	<0.30	<0.30	<0.30			
Aroclor 1260	1	10	0.005	<0.30	1.6	<0.30	<0.30	<0.30	<0.40	0.47	<0.30	0.35	<0.40	<0.30	<0.30	<0.30			
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--	--			
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--	--			
Total PCBs	1	10	0.005	0	5.52	0	0	0	1.13	0	1.54	0	0	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																			
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--			

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	GZ-44	GZ-44	GZ-45	GZ-45	GZ-59	GZ-60	GZ-61	GZ-62	GZ-63	GZ-64	AOC22-SS-SB01-56					
					I-2	3.5-4	0.5-1	3.5-4	0.5-1	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0.5-1					
					Date:	1/6/2006	1/6/2006	1/6/2006	1/6/2006	2/1/2006	2/1/2006	2/1/2006	2/1/2006	2/1/2006	12/5/2006					
<hr/>																				
Consultant: GZA																				
Soil Type: Fill/Clay																				
<b>Volatile Organic Compounds (mg/kg):</b>																				
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--				
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--				
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--				
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--				
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--				
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--				
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--				
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																				
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--				
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--				
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--				
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--				
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--				
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--				
<b>Polychlorinated Biphenyls (mg/kg):</b>																				
Aroclor 1016	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	ND				
Aroclor 1221	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	ND				
Aroclor 1232	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	ND				
Aroclor 1242	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	ND				
Aroclor 1248	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	<0.30	<0.40	<0.40	<0.40	<0.40	<0.40	ND				
Aroclor 1254	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	<0.40	1.1	0.54	4.3	1.1	<0.40	10					
Aroclor 1260	1	10	0.005	<0.30	<0.40	<0.30	<0.30	<0.40	0.58	<0.30	2.3	0.58	<0.40	ND						
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--					
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	--	--	--	--	--	--					
Total PCBs	1	10	0.005	0	0	0	0	0	1.68	0.54	8	1.68	0	10						
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																				
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--				

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 5 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC22-SS-SB01-57	AOC22-SS-SB02-58	AOC22-SS-SB03-59	AOC22-SS-SB03-60	AOC22-SS-SB04-61	AOC22-SS-SB04-62	AOC22-SS-SB05-63	
					1.5-2	1.5-2	0.5-1	1.5-2	0.5-1	1.5-2	0.5-1	
					12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1254	1	10	0.005	ND	ND	1.3	1.3	0.7	1.2	1.1		
Aroclor 1260	1	10	0.005	ND	1.5	ND	ND	ND	ND	ND	ND	ND
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	--	--	--
Total PCBs	1	10	0.005	0	1.5	1.3	1.3	0.7	1.2	1.1		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 6 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC22-SS-SB05-64	AOC22-SS-SB06-65	AOC22-SS-SB07-66	AOC22-SS-SB07-67	AOC22-SS-SB08-68	AOC22-SS-SB08-69	AOC22-SS-SB09-70	
					1.5-2 12/5/2006	1.5-2 12/5/2006	0.5-1 W&C Fill	1.5-2 12/5/2006	0.5-1 W&C Fill	1.5-2 12/5/2006	0.5-1 W&C Fill	
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1254	1	10	0.005		ND	ND	ND	ND	ND	1.9	ND	ND
Aroclor 1260	1	10	0.005		ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--
Total PCBs	1	10	0.005		0	0	0	0	1.9	0	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	10	10	--		--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC22-SS-SB10-71	AOC22-SS-SB10-72	AOC22-SS-SB11-73	OC22-SS-SB11-73A(1	AOC22-SS-SB12-74	AOC22-SS-SB12-75	AOC22-SS-SB13-76
					0.5-1	1.5-2	1.5-2	1.5-2	0.5-1	1.5-2	0.5-1
					12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006
<b>Volatile Organic Compounds (mg/kg):</b>											
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>											
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>											
Aroclor 1016	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005	ND	ND	ND	ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005	ND	21	13	20	ND	ND	ND	120
Aroclor 1254	1	10	0.005	0.75	ND	ND	ND	0.44	ND	ND	ND
Aroclor 1260	1	10	0.005	0.79	13	31	64	ND	ND	ND	ND
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	--	--
Total PCBs	1	10	0.005	1.54	34	44	84	0.44	0	120	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>											
Arsenic	10	10	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: AOC22-SS-SB13-77	AOC22-SS-SB14-78	AOC22-SS-SB14-79	AOC22-SS-SB15-80	AOC22-SS-SB15-81	HA-AOC22-B201-S1	HA-AOC22-B201-S2	
					1.5-2	0.5-1	1.5-2	0.5-1	1.5-2	0-0.5	0.5-1	
					12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006	6/30/2010	6/30/2010	
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005	ND	ND	ND	ND	ND	ND	<0.0222	<0.118	
Aroclor 1221	1	10	0.005	ND	ND	ND	ND	ND	ND	<0.0222	<0.118	
Aroclor 1232	1	10	0.005	ND	ND	ND	ND	ND	ND	<0.0222	<0.118	
Aroclor 1242	1	10	0.005	ND	ND	ND	ND	ND	ND	<0.0222	<0.118	
Aroclor 1248	1	10	0.005	ND	ND	ND	ND	ND	ND	<0.0148	<0.0784	
Aroclor 1254	1	10	0.005	ND	ND	ND	ND	4.5	ND	0.0964	1.22	
Aroclor 1260	1	10	0.005	ND	ND	ND	ND	7.3	ND	0.0814	0.443	
Aroclor 1262	1	10	0.005	--	--	--	--	--	--	<0.00742	<0.0392	
Aroclor 1268	1	10	0.005	--	--	--	--	--	--	<0.00742	<0.0392	
Total PCBs	1	10	0.005	0	0	0	11.8	0	0.1778	1.663		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC22-B201(0-1) HA-AOC22-B201-S3 HA-AOC22-B201(1-2) HA-AOC22-B201-S4 HA-AOC22-B201-S5 HA-AOC22-B201(2-4) HA-AOC22-B201-S6									
					0-1		1-2		2-3		3-4		4-5	
					6/30/2010	H&A	6/30/2010	H&A	6/30/2010	H&A	6/30/2010	H&A	6/30/2010	H&A
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	<0.0067	--		
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	0.039	--		
Acetone	500	1,000	140		--	--	--	--	--	--	0.15	--		
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	<0.0013	--		
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	<0.0013	--		
m+p Xylenes	500	1000	19.5		--	--	--	--	--	--	<0.0027	--		
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	<0.0067	--		
Tetrachloroethene	12	110	1		--	--	--	--	--	--	<0.0013	--		
Toluene	500	1,000	20		--	--	--	--	--	--	<0.002	--		
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	<0.002	--		
Trichloroethene	56	520	1		--	--	--	--	--	--	<0.0013	--		
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4		<1.8	--	<0.78	--	--	--	<0.44	--		
Acenaphthene	1,000	2,500	84		<1.8	--	<0.78	--	--	--	<0.44	--		
Acenaphthylene	1,000	2,500	84		<1.8	--	<0.78	--	--	--	<0.44	--		
Anthracene	1,000	2,500	400		<1.8	--	<0.78	--	--	--	<0.44	--		
Benzo(a)anthracene	1	7.8	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Benzo(a)pyrene	1	1	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Benzo(b)fluoranthene	1	7.8	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Benzo(ghi)perylene	1,000	2,500	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Benzo(k)fluoranthene	8.4	78	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Chrysene	84	780	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Dibenz(a,h)anthracene	1	1	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Fluoranthene	1,000	2,500	56		<1.8	--	<0.78	--	--	--	<0.44	--		
Fluorene	1,000	2,500	56		<1.8	--	<0.78	--	--	--	<0.44	--		
Indeno(1,2,3-cd)Pyrene	1	7.8	1		<1.8	--	<0.78	--	--	--	<0.44	--		
Naphthalene	1,000	2,500	56		<1.8	--	<0.78	--	--	--	<0.44	--		
Phenanthrene	1,000	2,500	40		<1.8	--	<0.78	--	--	--	<0.44	--		
Pyrene	1,000	2,500	40		<1.8	--	<0.78	--	--	--	<0.44	--		
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		--	<0.023	--	<0.473	<0.105	--	<0.124			
Aroclor 1221	1	10	0.005		--	<0.023	--	<0.473	<0.105	--	<0.124			
Aroclor 1232	1	10	0.005		--	<0.023	--	<0.473	<0.105	--	<0.124			
Aroclor 1242	1	10	0.005		--	<0.023	--	<0.473	<0.105	--	<0.124			
Aroclor 1248	1	10	0.005		--	<0.0154	--	<0.315	<0.0703	--	<0.0827			
Aroclor 1254	1	10	0.005		--	<0.023	--	<b>2.78</b>	<0.105	--	<0.124			
Aroclor 1260	1	10	0.005		--	<0.0154	--	<b>6.42</b>	0.756	--	<0.0827			
Aroclor 1262	1	10	0.005		--	<0.00768	--	<0.158	<0.0351	--	<0.0413			
Aroclor 1268	1	10	0.005		--	<0.00768	--	<0.158	<0.0351	--	<0.0413			
Total PCBs	1	10	0.005		0	0	0	<b>9.2</b>	0.756	0	0			
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500		--	--	--	--	--	<b>18,000 <sup>(b)</sup></b>	--			
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--		

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 10 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B202-S1	HA-AOC22-B202-S2	HA-AOC22-B202-S3	HA-AOC22-B202-S4	HA-AOC22-B203-S1	HA-AOC22-B203-S2	HA-AOC22-B203-S3	
					0-0.5	0.5-1	1-2	2-4	0-0.5	0.5-1	1-2	1-2	
					6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005		<0.0212	<0.455	<0.0229	<0.0233	<0.111	<0.115	<0.473		
Aroclor 1221	1	10	0.005		<0.0212	<0.455	<0.0229	<0.0233	<0.111	<0.115	<0.473		
Aroclor 1232	1	10	0.005		<0.0212	<0.455	<0.0229	<0.0233	<0.111	<0.115	<0.473		
Aroclor 1242	1	10	0.005		<0.0212	<0.455	<0.0229	<0.0233	<0.111	<0.115	<0.473		
Aroclor 1248	1	10	0.005		<0.0141	<b>4.58</b>	<0.0153	<0.0155	<b>2.52</b>	<b>2.09</b>	<b>7.42</b>		
Aroclor 1254	1	10	0.005		0.235	<b>2.96</b>	<0.0229	<0.0233	<0.111	<0.115	<0.473		
Aroclor 1260	1	10	0.005		0.187	J	<b>2.4</b>	<0.0153	<0.0155	0.813	<b>0.489</b>	<b>3.52</b>	
Aroclor 1262	1	10	0.005		<0.00707		<0.152	<0.00764	<0.00776	<0.0371	<0.0384	<0.158	
Aroclor 1268	1	10	0.005		<0.00707		<0.152	<0.00764	<0.00776	<0.0371	<0.0384	<0.158	
Total PCBs	1	10	0.005		0.422	J	<b>9.94</b>	0	0	<b>3.333</b>	<b>2.579</b>	<b>10.94</b>	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID: HA-AOC22-B203(0-2)	HA-AOC22-B203-S4	HA-AOC22-B203-S5	HA-DUP1-063010	HA-AOC22-B204-S1	HA-AOC22-B204-S2				
					Date: 6/30/2010	2-3	3-4	6/30/2010	HA-AOC22-B203-S5	0-0.5				
					Consultant: H&A	H&A	H&A	6/30/2010	H&A	0.5-1				
Soil Type: Fill Q Fill Q Fill Q Fill Q Fill Q														
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70		<0.0051	--	--	--	--	--				
2-Butone (MEK)	500	1,000	80		<0.01	--	--	--	--	--				
Acetone	500	1,000	140		0.043	--	--	--	--	--				
cis-1,2-Dichloroethene	500	1,000	14		0.0036	--	--	--	--	--				
Ethylbenzene	500	1,000	10.1		<0.001	--	--	--	--	--				
m+p Xylenes	500	1,000	19.5		<0.002	--	--	--	--	--				
Naphthalene	1,000	2,500	56		<0.0051	--	--	--	--	--				
Tetrachloroethene	12	110	1		<0.001	--	--	--	--	--				
Toluene	500	1,000	20		<0.0015	--	--	--	--	--				
trans-1,2-Dichloroethene	500	1,000	20		<0.0015	--	--	--	--	--				
Trichloroethene	56	520	1		0.0081	--	--	--	--	--				
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4		<3.8	--	--	--	--	--				
Acenaphthene	1,000	2,500	84		<3.8	--	--	--	--	--				
Acenaphthylene	1,000	2,500	84		<3.8	--	--	--	--	--				
Anthracene	1,000	2,500	400		<3.8	--	--	--	--	--				
Benzo(a)anthracene	1	7.8	1		<3.8	--	--	--	--	--				
Benzo(a)pyrene	1	1	1		<3.8	--	--	--	--	--				
Benzo(b)fluoranthene	1	7.8	1		<3.8	--	--	--	--	--				
Benzo(ghi)perylene	1,000	2,500	1		<3.8	--	--	--	--	--				
Benzo(k)fluoranthene	8.4	78	1		<3.8	--	--	--	--	--				
Chrysene	84	780	1		<3.8	--	--	--	--	--				
Dibenz(a,h)anthracene	1	1	1		<3.8	--	--	--	--	--				
Fluoranthene	1,000	2,500	56		<3.8	--	--	--	--	--				
Fluorene	1,000	2,500	56		<3.8	--	--	--	--	--				
Indeno(1,2,3-cd)Pyrene	1	7.8	1		<3.8	--	--	--	--	--				
Naphthalene	1,000	2,500	56		<3.8	--	--	--	--	--				
Phenanthrene	1,000	2,500	40		<3.8	--	--	--	--	--				
Pyrene	1,000	2,500	40		<3.8	--	--	--	--	--				
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		--	<2.7	<0.247	<5.06	<0.214	<4.45				
Aroclor 1221	1	10	0.005		--	<2.7	<0.247	<5.06	<0.214	<4.45				
Aroclor 1232	1	10	0.005		--	<2.7	<0.247	<5.06	<0.214	<4.45				
Aroclor 1242	1	10	0.005		--	<2.7	<0.247	<5.06	<0.214	<4.45				
Aroclor 1248	1	10	0.005		--	65.3	1.72	J 16.8 J	<0.143	<2.97				
Aroclor 1254	1	10	0.005		--	50.1	<0.247	J 11.3 J	3.65	16.8				
Aroclor 1260	1	10	0.005		--	69.2	1.8	J 16 J	1.07	4.55				
Aroclor 1262	1	10	0.005		--	<0.9	<0.0822	<1.69	<0.0715	<1.48				
Aroclor 1268	1	10	0.005		--	<0.9	<0.0822	<1.69	<0.0715	<1.48				
Total PCBs	1	10	0.005	0	--	184.6	J 3.52 J	J 44.1 J	4.72	J 21.35 J				
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>														
	500	2,500	2,500		340	J	--	--	--	--				
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--				

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B204-S3	HA-AOC22-B205-S1	HA-AOC22-B205-S2	HA-AOC22-B205 (0-1)	HA-AOC22-B205-S3	HA-AOC22-B205 (1-2)	
					1-2	0-5	0.5-1	0-1	1-2	1-2 (duplicate)		
					6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010		
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005		<0.467	<0.106	<0.446	<0.509	<1.16	<0.211		
Aroclor 1221	1	10	0.005		<0.467	<0.106	<0.446	<0.509	<1.16	<0.211		
Aroclor 1232	1	10	0.005		<0.467	<0.106	<0.446	<0.509	<1.16	<0.211		
Aroclor 1242	1	10	0.005		<0.467	<0.106	<0.446	<0.509	<1.16	<0.211		
Aroclor 1248	1	10	0.005		<0.311	1.4	3.77	5.02	24.2	J	2.1	J
Aroclor 1254	1	10	0.005		8.79	0.616	3.28	<0.509	20.7	J	<0.211	UU
Aroclor 1260	1	10	0.005		2.34	1.4	3.08	3.82	20	J	1.61	J
Aroclor 1262	1	10	0.005		<0.156	<0.0352	<0.149	<0.17	<0.386		<0.0705	
Aroclor 1268	1	10	0.005		<0.156	<0.0352	<0.149	<0.17	<0.386		<0.0705	
Total PCBs	1	10	0.005		11.13	3.416	10.13	8.84	64.9	J	3.71	J
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	10	10	--		--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B205-S4	HA-AOC22-B205-S5	HA-DUP3-063010	HA-AOC22-B205-S6	HA-AOC22-B206-S1	HA-AOC22-B206-S2	HA-AOC22-B206-S3	
					2-3	3-4	HA-AOC22-B205-S6	4-5	0-0.5	0.5-1	1-2		
					6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005		<0.0249	<0.0252	<0.0199	<0.0228	<0.0892	<0.0911	<0.442		
Aroclor 1221	1	10	0.005		<0.0249	<0.0252	<0.0199	<0.0228	<0.0892	<0.0911	<0.442		
Aroclor 1232	1	10	0.005		<0.0249	<0.0252	<0.0199	<0.0228	<0.0892	<0.0911	<0.442		
Aroclor 1242	1	10	0.005		<0.0249	<0.0252	<0.0199	<0.0228	<0.0892	<0.0911	<0.442		
Aroclor 1248	1	10	0.005		0.806	<0.0168	<0.0132	0.0521	0.266	0.191	4.33		
Aroclor 1254	1	10	0.005		0.497	<0.0252	<0.0199	0.0302	<0.0892	<0.0911	<0.442		
Aroclor 1260	1	10	0.005		0.506	0.0263	<0.0132	<0.0152	0.356	0.334	0.509		
Aroclor 1262	1	10	0.005		<0.00829	<0.0084	<0.00663	<0.00762	<0.0297	<0.0304	<0.147		
Aroclor 1268	1	10	0.005		<0.00829	<0.0084	<0.00663	<0.00762	<0.0297	<0.0304	<0.147		
Total PCBs	1	10	0.005		1.809	0.0263	0	0.0823	0.622	0.525	4.839		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
	500	2,500	2,500		--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>													
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B206-S4	HA-AOC22-B206-S5	HA-AOC22-B207-S1	HA-AOC22-B207-S2	HA-AOC22-B207-S3	HA-AOC22-B207-S4	HA-AOC22-B207-S4	HA-AOC22-B208-S1	
					2-3	3-4	0-0.5	0.5-1	1-2	2-3	0-0.5			
					6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	6/30/2010	
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--	--	--
Dibenzo(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		<0.0242	<0.0254	<0.0202	<0.0198	<0.0222	<0.022	<0.0228			
Aroclor 1221	1	10	0.005		<0.0242	<0.0254	<0.0202	<0.0198	<0.0222	<0.022	<0.0228			
Aroclor 1232	1	10	0.005		<0.0242	<0.0254	<0.0202	<0.0198	<0.0222	<0.022	<0.0228			
Aroclor 1242	1	10	0.005		<0.0242	<0.0254	<0.0202	<0.0198	<0.0222	<0.022	<0.0228			
Aroclor 1248	1	10	0.005		0.0344	<0.0169	<0.0135	<0.0132	<0.0148	<0.0147	<0.0152			
Aroclor 1254	1	10	0.005		<0.0242	<0.0254	0.0712	<0.0198	<0.0222	<0.022	<0.0228			
Aroclor 1260	1	10	0.005		<0.0162	<0.0169	<0.0135	<0.0132	0.0284	0.0476	J	0.051	J	
Aroclor 1262	1	10	0.005		<0.00808	<0.00846	<0.00674	<0.00659	<0.00739	<0.00735	<0.0076			
Aroclor 1268	1	10	0.005		<0.00808	<0.00846	<0.00674	<0.00659	<0.00739	<0.00735	<0.0076			
Total PCBs	1	10	0.005		0.0344	0	0.0712	0	0.0284	0.0476	J	0.051	J	
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID: HA-AOC22-B208-S2	HA-AOC22-B209-S1	HA-AOC22-B301-S1	HA-AOC22-B301-S2	HA-AOC22-B301-S3	HA-AOC22-B302-S1	HA-AOC22-B302-S2	
					0.5-1 6/30/2010	4-5 6/30/2010	10/20/2010	10/20/2010	10/20/2010	10/20/2010	10/20/2010	
					H&A Fill	H&A Q Fill	H&A Fill	H&A Fill	H&A Fill	H&A Fill	H&A Fill	
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--
Dibenzo(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005	<0.0214	<0.0204	<0.105	<1.16	<0.0246	<0.0216	<0.238		
Aroclor 1221	1	10	0.005	<0.0214	<0.0204	<0.105	<1.16	<0.0246	<0.0216	<0.238		
Aroclor 1232	1	10	0.005	<0.0214	<0.0204	<0.105	<1.16	<0.0246	<0.0216	<0.238		
Aroclor 1242	1	10	0.005	<0.0214	<0.0204	<0.105	<1.16	<0.0246	<0.0216	<0.238		
Aroclor 1248	1	10	0.005	<0.0143	<0.0136	<0.07	<0.775	<0.0164	<0.0144	<0.158		
Aroclor 1254	1	10	0.005	<0.0214	<0.0204	0.23	17.3	<0.0246	0.122	1.61		
Aroclor 1260	1	10	0.005	0.0565	J	<0.0136	<0.07	<0.775	0.0589	<0.0144	<0.158	
Aroclor 1262	1	10	0.005	<0.00713	<0.00679	<0.035	<0.388	<0.00821	<0.0072	<0.0793		
Aroclor 1268	1	10	0.005	<0.00713	<0.00679	<0.035	<0.388	<0.00821	<0.0072	<0.0793		
Total PCBs	1	10	0.005	0.0565	J	0	0.23	17.3	0.0589	0.122	1.61	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 16 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID: Date: Consultant: Soil Type:	HA-AOC22-B302-S3	HA-AOC22-B303-S1	HA-AOC22-B303-S2	HA-AOC22-B303-S3	HA-AOC22-B303-S4	HA-AOC22-B303-S5	HA-AOC22-B304-S1	
					10/20/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	
					1-2	0-0.5	0.5-1	1-2	2-3	3-4	0-0.5	
<b>Volatile Organic Compounds (mg/kg):</b>												
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>												
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>												
Aroclor 1016	1	10	0.005		<0.117	<0.023	<0.0228	<0.0239	<0.0223	<0.143	<0.0811	
Aroclor 1221	1	10	0.005		<0.117	<0.023	<0.0228	<0.0239	<0.0223	<0.143	<0.0811	
Aroclor 1232	1	10	0.005		<0.117	<0.023	<0.0228	<0.0239	<0.0223	<0.143	<0.0811	
Aroclor 1242	1	10	0.005		<0.117	<0.023	<0.0228	<0.0239	<0.0223	<0.143	<0.0811	
Aroclor 1248	1	10	0.005		<0.0783	<0.0153	0.0813	<0.016	<0.0149	<0.0956	<0.0541	
Aroclor 1254	1	10	0.005		0.894	<0.023	0.0876	0.244	0.222	<b>1.08</b>	<0.0811	
Aroclor 1260	1	10	0.005		<0.0783	0.0354	0.213	0.243	0.487	<b>1.46</b>	0.351	
Aroclor 1262	1	10	0.005		<0.0392	<0.00766	<0.00759	<0.00798	<0.00744	<0.0478	<0.027	
Aroclor 1268	1	10	0.005		<0.0392	<0.00766	<0.00759	<0.00798	<0.00744	<0.0478	<0.027	
Total PCBs	1	10	0.005		0.894	0.0354	0.3819	0.487	0.709	<b>2.54</b>	0.351	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>												
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 17 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B304-S2	HA-AOC22-B304-S3	HA-AOC22-B305-S1	HA-AOC22-B305-S2	HA-AOC22-B305-S3	HA-AOC22-B306-S1	HA-AOC22-B306-S2	
					10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	
					0.5-1	1-2	0-0.5	0.5-1	1-2	0-0.5	0.5-1	0.5-1	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005	<0.102	<0.105	<0.113	<0.246	<0.0252	<0.049	<0.0255			
Aroclor 1221	1	10	0.005	<0.102	<0.105	<0.113	<0.246	<0.0252	<0.049	<0.0255			
Aroclor 1232	1	10	0.005	<0.102	<0.105	<0.113	<0.246	<0.0252	<0.049	<0.0255			
Aroclor 1242	1	10	0.005	<0.102	<0.105	<0.113	<0.246	<0.0252	<0.049	<0.0255			
Aroclor 1248	1	10	0.005	<0.0683	0.866	<b>1.13</b>	<b>2.34</b>	<0.0168	<0.0327	<0.017			
Aroclor 1254	1	10	0.005	<0.102	<0.105	<0.113	<0.246	<0.0252	<0.049	<0.0255			
Aroclor 1260	1	10	0.005	0.375	<0.0702	<0.0752	0.563	<0.0168	0.128	0.154			
Aroclor 1262	1	10	0.005	<0.0341	<0.0351	<0.0376	<0.082	<0.00842	<0.0164	<0.00851			
Aroclor 1268	1	10	0.005	<0.0341	<0.0351	<0.0376	<0.082	<0.00842	<0.0164	<0.00851			
Total PCBs	1	10	0.005	0.375	0.866	<b>1.13</b>	<b>2.903</b>	0	0.128	0.154			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>													
Arsenic	10	10	--										

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 18 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B306-S3	HA-AOC22-B307-S1	HA-AOC22-B307-S2	HA-AOC22-B307-S3	HA-AOC22-B308-S1	HA-AOC22-B308-S2	HA-AOC22-B308-S3	
					10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	
					H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005	<0.027	<0.0238	<0.0246	<0.0281	<0.128	<0.0237	<0.0257			
Aroclor 1221	1	10	0.005	<0.027	<0.0238	<0.0246	<0.0281	<0.128	<0.0237	<0.0257			
Aroclor 1232	1	10	0.005	<0.027	<0.0238	<0.0246	<0.0281	<0.128	<0.0237	<0.0257			
Aroclor 1242	1	10	0.005	<0.027	<0.0238	<0.0246	<0.0281	<0.128	<0.0237	<0.0257			
Aroclor 1248	1	10	0.005	<0.018	<0.0158	<0.0164	<0.0187	<0.0851	<0.0158	<0.0171			
Aroclor 1254	1	10	0.005	<0.027	0.165	0.279	<0.0281	0.974	0.34	0.043			
Aroclor 1260	1	10	0.005	0.134	0.223	0.305	<0.0187	<b>2.16</b>	0.758	0.102			
Aroclor 1262	1	10	0.005	<0.009	<0.00792	<0.00821	<0.00936	<0.0426	<0.00789	<0.00857			
Aroclor 1268	1	10	0.005	<0.009	<0.00792	<0.00821	<0.00936	<0.0426	<0.00789	<0.00857			
Total PCBs	1	10	0.005	0.134	0.388	0.584	0	<b>3.134</b>	<b>1.098</b>	0.145			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>													
Arsenic	10	10	--										

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 19 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B309-S1	HA-AOC22-B309-S2	HA-AOC22-B310-S1	HA-AOC22-B310-S2	HA-AOC22-B310-S3	HA-AOC22-B311-S1	HA-AOC22-B311-S2	
					10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	
					H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005		<0.0269	<1.27	<0.0418	<0.0442	<0.489	<0.0644	<0.0243		
Aroclor 1221	1	10	0.005		<0.0269	<1.27	<0.0418	<0.0442	<0.489	<0.0644	<0.0243		
Aroclor 1232	1	10	0.005		<0.0269	<1.27	<0.0418	<0.0442	<0.489	<0.0644	<0.0243		
Aroclor 1242	1	10	0.005		<0.0269	<1.27	<0.0418	<0.0442	<0.489	<0.0644	<0.0243		
Aroclor 1248	1	10	0.005		0.225	<b>7.71</b>	<0.0278	0.289	<b>4.68</b>	<0.0429	0.15		
Aroclor 1254	1	10	0.005		0.126	<b>7.64</b>	<0.0418	0.205	<b>2.84</b>	0.0775	0.182		
Aroclor 1260	1	10	0.005		0.145	<b>13.3</b>	<0.0278	0.104	<b>3.97</b>	0.0469	0.104		
Aroclor 1262	1	10	0.005		<0.00898	<0.424	<0.0139	<0.0147	<0.163	<0.0215	<0.0081		
Aroclor 1268	1	10	0.005		<0.00898	<0.424	<0.0139	<0.0147	<0.163	<0.0215	<0.0081		
Total PCBs	1	10	0.005		0.496	<b>28.65</b>	0	0.598	<b>11.49</b>	0.1244	0.436		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>													
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 20 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC22-B311-S3	HA-DUP3-101010	HA-AOC22-B312-S1	HA-AOC22-B312-S2	HA-AOC22-B312-S3	HA-AOC22-B312-S4	HA-AOC22-B312-S5	
					10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	10/19/2010	
					H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
<b>Volatile Organic Compounds (mg/kg):</b>													
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>													
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>													
Aroclor 1016	1	10	0.005	<0.0236	<0.0256	<0.0655	<0.0222	<0.0233	<0.0252	<0.0237			
Aroclor 1221	1	10	0.005	<0.0236	<0.0256	<0.0655	<0.0222	<0.0233	<0.0252	<0.0237			
Aroclor 1232	1	10	0.005	<0.0236	<0.0256	<0.0655	<0.0222	<0.0233	<0.0252	<0.0237			
Aroclor 1242	1	10	0.005	<0.0236	<0.0256	<0.0655	<0.0222	<0.0233	<0.0252	<0.0237			
Aroclor 1248	1	10	0.005	0.299	0.15	<0.0437	<0.0148	<0.0155	<0.0168	<0.0158			
Aroclor 1254	1	10	0.005	0.36	0.11	0.188	0.198	0.0348	<0.0252	<0.0237	J		
Aroclor 1260	1	10	0.005	0.412	0.264	0.189	0.199	<0.0155	<0.0168	<0.0158			
Aroclor 1262	1	10	0.005	<0.00786	<0.00852	<0.0218	<0.00742	0.0578	<0.0084	<0.00789			
Aroclor 1268	1	10	0.005	<0.00786	<0.00852	<0.0218	<0.00742	<0.00776	<0.0084	<0.00789			
Total PCBs	1	10	0.005	1.071	0.524	0.377	0.397	0.0926	0	0			
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500	--	--	--	--	--	--	--			
<b>Total Metals (mg/kg):</b>													
Arsenic	10	10	--										

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 21 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	601-S1	601-S2	601-S3	601-S4	601-S5	602-S1	602-S2	602-S3	602-S4	602-S5
					Date:	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3	3-4	4-5
					Consultant:	H&A									
					Soil Type:	L1108898-01	L1108898-02	L1108898-03	L1108898-04	L1108898-05	L1108898-06	L1108898-07	L1108898-08	L1108898-09	L1108900-01
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0644)	ND(0.0692)	ND(0.0689)	ND(0.0632)	ND(0.066)	ND(0.0712)	ND(0.797)	ND(0.0713)	ND(0.0777)	ND(0.0717)	
Aroclor 1221	1	10	0.005		ND(0.0644)	ND(0.0692)	ND(0.0689)	ND(0.0632)	ND(0.066)	ND(0.0712)	ND(0.797)	ND(0.0713)	ND(0.0777)	ND(0.0717)	
Aroclor 1232	1	10	0.005		ND(0.0644)	ND(0.0692)	ND(0.0689)	ND(0.0632)	ND(0.066)	ND(0.0712)	ND(0.797)	ND(0.0713)	ND(0.0777)	ND(0.0717)	
Aroclor 1242	1	10	0.005		ND(0.0644)	ND(0.0692)	ND(0.0689)	ND(0.0632)	ND(0.066)	ND(0.0712)	ND(0.797)	ND(0.0713)	ND(0.0777)	ND(0.0717)	
Aroclor 1248	1	10	0.005		ND(0.043)	ND(0.0461)	ND(0.0459)	ND(0.0421)	ND(0.044)	ND(0.0474)	4.3	ND(0.0475)	ND(0.0518)	ND(0.0478)	
Aroclor 1254	1	10	0.005		ND(0.0644)	ND(0.0692)	ND(0.0689)	ND(0.0632)	ND(0.066)	0.0874	ND(0.797)	ND(0.0713)	ND(0.0777)	ND(0.0717)	
Aroclor 1260	1	10	0.005		ND(0.043)	ND(0.0461)	0.219	ND(0.0421)	ND(0.044)	0.0851	3.66	ND(0.0475)	ND(0.0518)	ND(0.0478)	
Aroclor 1262	1	10	0.005		ND(0.0215)	ND(0.023)	ND(0.0211)	ND(0.022)	ND(0.0237)	ND(0.266)	ND(0.0238)	ND(0.0259)	ND(0.0239)		
Aroclor 1268	1	10	0.005		ND(0.0215)	ND(0.023)	ND(0.0211)	ND(0.022)	ND(0.0237)	ND(0.266)	ND(0.0238)	ND(0.0259)	ND(0.0239)		
Total PCBs	1	10	0.005		0	0	0.219	0	0	0.1725	7.96	0	0	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 22 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	603-S1	603-S2	603-S3	603-S4	603-S5	604 (0-2)	604-S1	604-S2	604-S3	605 (0-2)
					Date:	0.5-1	1-2	2-3	3-4	4-5	0-2	0-5	0.5-1	1-2	0-2
					Consultant:	H&A	H&A								
				Soil Type:	L1108900-02	L1108900-03	L1108900-04	L1108900-05	L1108900-06	L1108904-01	L1108900-07	L1108900-08	L1108900-09	L1108904-02	
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	ND(0.0035)	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	ND(0.0069)	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	ND(0.025)	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	ND(0.00069)	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	ND(0.00069)	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	ND(0.0014)	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	ND(0.0035)	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	ND(0.00069)	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	ND(0.001)	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	ND(0.001)	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	ND(0.00069)	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.821)	ND(0.0694)	ND(0.0795)	ND(0.0668)	ND(0.0609)	--	ND(0.0727)	ND(0.0789)	ND(0.0727)	--	--
Aroclor 1221	1	10	0.005		ND(0.821)	ND(0.0694)	ND(0.0795)	ND(0.0668)	ND(0.0609)	--	ND(0.0727)	ND(0.0789)	ND(0.0727)	--	--
Aroclor 1232	1	10	0.005		ND(0.821)	ND(0.0694)	ND(0.0795)	ND(0.0668)	ND(0.0609)	--	ND(0.0727)	ND(0.0789)	ND(0.0727)	--	--
Aroclor 1242	1	10	0.005		ND(0.821)	ND(0.0694)	ND(0.0795)	ND(0.0668)	ND(0.0609)	--	ND(0.0727)	ND(0.0789)	ND(0.0727)	--	--
Aroclor 1248	1	10	0.005		5.33	ND(0.0462)	ND(0.053)	ND(0.0446)	ND(0.0406)	--	ND(0.0485)	ND(0.0526)	ND(0.0485)	--	--
Aroclor 1254	1	10	0.005		ND(0.821)	0.0699	ND(0.0795)	ND(0.0668)	ND(0.0609)	--	ND(0.0727)	ND(0.0789)	ND(0.0727)	--	--
Aroclor 1260	1	10	0.005		1.3	ND(0.0462)	ND(0.053)	ND(0.0446)	ND(0.0406)	--	0.0947	0.113	ND(0.0485)	--	--
Aroclor 1262	1	10	0.005		ND(0.274)	ND(0.0231)	ND(0.0265)	ND(0.0223)	ND(0.0203)	--	ND(0.0242)	ND(0.0263)	ND(0.0242)	--	--
Aroclor 1268	1	10	0.005		ND(0.274)	ND(0.0231)	ND(0.0265)	ND(0.0223)	ND(0.0203)	--	ND(0.0242)	ND(0.0263)	ND(0.0242)	--	--
Total PCBs	1	10	0.005		6.63	0.0699	0	0	0	--	0.0947	0.113	0	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	3.6	

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 23 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	605 (2-4)	605-S1	605-S2	605-S3	605-S4	605-S5	606 (0-2)	606 (2-4)	606-S1	606-S2	
					Date:	2-4	0.5-1	1-2	2-3	3-4	4-5	0-2	2-4	0.5-1	1-2	
					Consultant:	H&A										
					Soil Type:	L1108904-03	L1108902-01	L1108902-02	L1108902-03	L1108902-04	L1108902-05	L1108904-04	L1108904-05	L1108902-06	L1108902-07	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	ND(0.0042)	ND(0.0043)	--	--	
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	ND(0.0083)	ND(0.0086)	--	--	
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	ND(0.03)	ND(0.031)	--	--	
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	ND(0.00083)	ND(0.00086)	--	--	
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	ND(0.00083)	ND(0.00086)	--	--	
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	ND(0.0017)	ND(0.0017)	--	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	ND(0.0042)	ND(0.0043)	--	--	
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	ND(0.00083)	ND(0.00086)	--	--	
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	ND(0.0012)	ND(0.0013)	--	--	
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	ND(0.0012)	ND(0.0013)	--	--	
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	0.0058	0.0009	--	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	--	ND(0.0706)	ND(0.0717)	ND(0.0723)	ND(0.0804)	ND(0.0712)	--	--	ND(0.0721)	ND(0.0706)	--	--	--
Aroclor 1221	1	10	0.005	--	ND(0.0706)	ND(0.0717)	ND(0.0723)	ND(0.0804)	ND(0.0712)	--	--	ND(0.0721)	ND(0.0706)	--	--	--
Aroclor 1232	1	10	0.005	--	ND(0.0706)	ND(0.0717)	ND(0.0723)	ND(0.0804)	ND(0.0712)	--	--	ND(0.0721)	ND(0.0706)	--	--	--
Aroclor 1242	1	10	0.005	--	ND(0.0706)	ND(0.0717)	ND(0.0723)	ND(0.0804)	ND(0.0712)	--	--	ND(0.0721)	ND(0.0706)	--	--	--
Aroclor 1248	1	10	0.005	--	0.461	0.582	ND(0.0482)	ND(0.0536)	ND(0.0474)	--	--	0.0674	0.422	--	--	--
Aroclor 1254	1	10	0.005	--	ND(0.0706)	ND(0.0717)	ND(0.0723)	ND(0.0804)	ND(0.0712)	--	--	ND(0.0721)	ND(0.0706)	--	--	--
Aroclor 1260	1	10	0.005	--	0.371	0.407	0.053	ND(0.0536)	ND(0.0474)	--	--	0.117	0.528	--	--	--
Aroclor 1262	1	10	0.005	--	ND(0.0235)	ND(0.0239)	ND(0.0241)	ND(0.0268)	ND(0.0237)	--	--	ND(0.024)	ND(0.0235)	--	--	--
Aroclor 1268	1	10	0.005	--	ND(0.0235)	ND(0.0239)	ND(0.0241)	ND(0.0268)	ND(0.0237)	--	--	ND(0.024)	ND(0.0235)	--	--	--
Total PCBs	1	10	0.005	--	0.832	0.989	0.053	0	0	--	--	0.1844	0.95	--	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>																
Arsenic	10	10	--	2.7	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 24 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	606-S3	606-S4	606-S5	607 (0-2)	607 (2-4)	607-S1	607-S2	607-S3	607-S4	607-S5	
					Date:	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	
					Consultant:	H&A										
					Soil Type:	L1108902-08	L1108902-09	L1108903-01	L1108904-06	L1108904-07	L1108903-02	L1108903-03	L1108903-04	L1108903-05	L1108903-06	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	ND(0.0716)	ND(0.0826)	ND(0.0741)	--	--	ND(0.0731)	ND(0.0715)	ND(0.075)	ND(0.072)	ND(0.0662)			
Aroclor 1221	1	10	0.005	ND(0.0716)	ND(0.0826)	ND(0.0741)	--	--	ND(0.0731)	ND(0.0715)	ND(0.075)	ND(0.072)	ND(0.0662)			
Aroclor 1232	1	10	0.005	ND(0.0716)	ND(0.0826)	ND(0.0741)	--	--	ND(0.0731)	ND(0.0715)	ND(0.075)	ND(0.072)	ND(0.0662)			
Aroclor 1242	1	10	0.005	ND(0.0716)	ND(0.0826)	ND(0.0741)	--	--	ND(0.0731)	ND(0.0715)	ND(0.075)	ND(0.072)	ND(0.0662)			
Aroclor 1248	1	10	0.005	0.103	ND(0.055)	ND(0.0494)	--	--	ND(0.0487)	ND(0.0477)	ND(0.05)	ND(0.048)	ND(0.0441)			
Aroclor 1254	1	10	0.005	ND(0.0716)	ND(0.0826)	ND(0.0741)	--	--	<b>1.26</b>	ND(0.0715)	ND(0.075)	ND(0.072)	ND(0.0662)			
Aroclor 1260	1	10	0.005	0.234	ND(0.055)	ND(0.0494)	--	--	<b>1.92</b>	0.171	ND(0.05)	ND(0.048)	ND(0.0441)			
Aroclor 1262	1	10	0.005	ND(0.0238)	ND(0.0275)	ND(0.0247)	--	--	ND(0.0244)	ND(0.0238)	ND(0.025)	ND(0.024)	ND(0.0221)			
Aroclor 1268	1	10	0.005	ND(0.0238)	ND(0.0275)	ND(0.0247)	--	--	ND(0.0244)	ND(0.0238)	ND(0.025)	ND(0.024)	ND(0.0221)			
Total PCBs	1	10	0.005	0.337	0	0	--	--	<b>3.18</b>	0.171	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 25 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	608-S1	608-S2	608-S3	608-S4	608-S5	609-S1	609-S2	DUP1-062011	609-S3	609-S4
					Date:	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	609-S2	6/20/2011	6/20/2011
					Consultant:	H&A									
					Soil Type:	L1108903-07	L1108903-08	L1108903-09	L1108986-01	L1108986-02	L1108986-03	L1108986-04	L1108986-05	L1108986-06	L1108986-07
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0626)	ND(0.0741)	ND(0.0774)	ND(0.0232)	ND(0.023)	ND(0.0242)	ND(0.125)	ND(0.13)	ND(0.123)	ND(0.0318)	
Aroclor 1221	1	10	0.005		ND(0.0626)	ND(0.0741)	ND(0.0774)	ND(0.0232)	ND(0.023)	ND(0.0242)	ND(0.125)	ND(0.13)	ND(0.123)	ND(0.0318)	
Aroclor 1232	1	10	0.005		ND(0.0626)	ND(0.0741)	ND(0.0774)	ND(0.0232)	ND(0.023)	ND(0.0242)	ND(0.125)	ND(0.13)	ND(0.123)	ND(0.0318)	
Aroclor 1242	1	10	0.005		ND(0.0626)	ND(0.0741)	ND(0.0774)	ND(0.0232)	ND(0.023)	ND(0.0242)	ND(0.125)	ND(0.13)	ND(0.123)	ND(0.0318)	
Aroclor 1248	1	10	0.005		ND(0.0418)	ND(0.0494)	ND(0.0516)	ND(0.0155)	ND(0.0153)	ND(0.0161)	0.35	0.303	0.56	ND(0.0212)	
Aroclor 1254	1	10	0.005		ND(0.0626)	ND(0.0741)	ND(0.0774)	ND(0.0232)	ND(0.023)	ND(0.0242)	ND(0.125)	ND(0.13)	ND(0.123)	ND(0.0318)	
Aroclor 1260	1	10	0.005		0.774	1.13	ND(0.0516)	ND(0.0155)	ND(0.0153)	0.658	1.43	1.35	1.32	ND(0.0212)	
Aroclor 1262	1	10	0.005		ND(0.0209)	ND(0.0247)	ND(0.0258)	ND(0.00773)	ND(0.00767)	ND(0.00806)	ND(0.0418)	ND(0.0434)	ND(0.0409)	ND(0.0106)	
Aroclor 1268	1	10	0.005		ND(0.0209)	ND(0.0247)	ND(0.0258)	ND(0.00773)	ND(0.00767)	ND(0.00806)	ND(0.0418)	ND(0.0434)	ND(0.0409)	ND(0.0106)	
Total PCBs	1	10	0.005		0.774	1.13	0	0	0	0.883	1.78	1.653	1.88	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 26 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	609-S5	610-S1	610-S2	610-S3	610-S4	610-S5	611-S1	611-S2	611-S3	611-S4
					Date:	4-5	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3	3-4
					Consultant:	H&A									
					Soil Type:	L1108986-07	L1108986-09	L1108987-01	L1108987-02	L1108987-03	L1108987-04	L1108987-05	L1108987-06	L1108987-07	L1108987-08
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0237)	ND(0.0241)	ND(0.0293)	ND(0.0267)	ND(0.0243)	ND(0.0252)	ND(0.0232)	ND(0.0324)	ND(0.0418)	ND(0.0259)	
Aroclor 1221	1	10	0.005		ND(0.0237)	ND(0.0241)	ND(0.0293)	ND(0.0267)	ND(0.0243)	ND(0.0252)	ND(0.0232)	ND(0.0324)	ND(0.0418)	ND(0.0259)	
Aroclor 1232	1	10	0.005		ND(0.0237)	ND(0.0241)	ND(0.0293)	ND(0.0267)	ND(0.0243)	ND(0.0252)	ND(0.0232)	ND(0.0324)	ND(0.0418)	ND(0.0259)	
Aroclor 1242	1	10	0.005		ND(0.0237)	ND(0.0241)	ND(0.0293)	ND(0.0267)	ND(0.0243)	ND(0.0252)	ND(0.0232)	ND(0.0324)	ND(0.0418)	ND(0.0259)	
Aroclor 1248	1	10	0.005		ND(0.0158)	ND(0.0161)	ND(0.0195)	ND(0.0178)	ND(0.0162)	ND(0.0168)	ND(0.0155)	ND(0.0216)	ND(0.0279)	ND(0.0173)	
Aroclor 1254	1	10	0.005		ND(0.0237)	0.118	0.17	ND(0.0267)	ND(0.0243)	ND(0.0252)	ND(0.0232)	ND(0.0324)	ND(0.0418)	ND(0.0259)	
Aroclor 1260	1	10	0.005		ND(0.0158)	0.314	0.485	ND(0.0178)	ND(0.0162)	ND(0.0168)	0.109	0.466	0.384	0.0338	
Aroclor 1262	1	10	0.005		ND(0.00791)	ND(0.00803)	ND(0.00977)	ND(0.00891)	ND(0.00809)	ND(0.00839)	ND(0.00774)	ND(0.0108)	ND(0.014)	ND(0.00865)	
Aroclor 1268	1	10	0.005		ND(0.00791)	ND(0.00803)	ND(0.00977)	ND(0.00891)	ND(0.00809)	ND(0.00839)	ND(0.00774)	ND(0.0108)	ND(0.014)	ND(0.00865)	
Total PCBs	1	10	0.005		0	0.432	0.655	0	0	0	0.109	0.466	0.384	0.0338	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 27 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	611-S5	612-S1	612-S2	612-S3	612-S4	612-S5	613-S1	DUP2-062011	613-S2	613-S3	
					Date:	4-5	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3	2-3	
					Consultant:	H&A										
					Soil Type:	L1108987-09	L1108988-01	L1108988-02	L1108988-03	L1108988-04	L1108988-05	L1108988-06	L1108985-02	L1108988-07	L1108988-08	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.0241)	ND(0.0256)	ND(3.04)	ND(0.0249)	ND(0.0266)	ND(0.0246)	ND(0.0309)	ND(0.152)	ND(0.0283)	ND(0.0249)		
Aroclor 1221	1	10	0.005		ND(0.0241)	ND(0.0256)	ND(3.04)	ND(0.0249)	ND(0.0266)	ND(0.0246)	ND(0.0309)	ND(0.152)	ND(0.0283)	ND(0.0249)		
Aroclor 1232	1	10	0.005		ND(0.0241)	ND(0.0256)	ND(3.04)	ND(0.0249)	ND(0.0266)	ND(0.0246)	ND(0.0309)	ND(0.152)	ND(0.0283)	ND(0.0249)		
Aroclor 1242	1	10	0.005		ND(0.0241)	ND(0.0256)	ND(3.04)	ND(0.0249)	ND(0.0266)	ND(0.0246)	ND(0.0309)	ND(0.152)	ND(0.0283)	ND(0.0249)		
Aroclor 1248	1	10	0.005		ND(0.0161)	ND(0.0171)	59	ND(0.0166)	ND(0.0178)	ND(0.0164)	0.344	2.09	ND(0.0189)	ND(0.0166)		
Aroclor 1254	1	10	0.005		ND(0.0241)	0.59	ND(3.04)	0.0463	ND(0.0266)	ND(0.0246)	ND(0.0309)	ND(0.152)	ND(0.0283)	ND(0.0249)		
Aroclor 1260	1	10	0.005		0.0279	0.241	58.9	0.132	0.0516	ND(0.0164)	0.549	2.82	ND(0.0189)	ND(0.0166)		
Aroclor 1262	1	10	0.005		ND(0.00805)	ND(0.00855)	ND(1.01)	ND(0.00831)	ND(0.00888)	ND(0.00819)	ND(0.0103)	ND(0.0506)	ND(0.00944)	ND(0.00831)		
Aroclor 1268	1	10	0.005		ND(0.00805)	ND(0.00855)	ND(1.01)	ND(0.00831)	ND(0.00888)	ND(0.00819)	ND(0.0103)	ND(0.0506)	ND(0.00944)	ND(0.00831)		
Total PCBs	1	10	0.005		0.0279	0.831	117.9	0.1783	0.0516	0	0.893	4.91	0	0		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 28 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	613-S4	613-S5	614 (0-2)	614 (2-4)	614-S1	614-S2	614-S3	614-S4	615 (0-2)	615 (2-4)	
					Date:	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
					Soil Type:	L1108988-09	L1108985-01	L1108991-01	L1108991-02	L1108985-03	L1108985-04	L1108985-05	L1108985-06	L1108991-03	L1108991-04	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	ND(0.0032)	ND(0.0034)	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	ND(0.0065)	ND(0.0068)	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	ND(0.023)	ND(0.025)	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	ND(0.00065)	ND(0.00068)	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	ND(0.00065)	ND(0.00068)	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	ND(0.0013)	ND(0.0014)	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	ND(0.0032)	ND(0.0034)	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	ND(0.00065)	ND(0.00068)	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	ND(0.00097)	ND(0.001)	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	ND(0.00097)	ND(0.001)	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	ND(0.00065)	ND(0.00068)	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	ND(0.0244)	ND(0.0236)	--	--	ND(0.022)	ND(0.0248)	ND(1.48)	ND(0.0247)	--	--	--	--	--
Aroclor 1221	1	10	0.005	ND(0.0244)	ND(0.0236)	--	--	ND(0.022)	ND(0.0248)	ND(1.48)	ND(0.0247)	--	--	--	--	--
Aroclor 1232	1	10	0.005	ND(0.0244)	ND(0.0236)	--	--	ND(0.022)	ND(0.0248)	ND(1.48)	ND(0.0247)	--	--	--	--	--
Aroclor 1242	1	10	0.005	ND(0.0244)	ND(0.0236)	--	--	ND(0.022)	ND(0.0248)	ND(1.48)	ND(0.0247)	--	--	--	--	--
Aroclor 1248	1	10	0.005	ND(0.0162)	ND(0.0157)	--	--	ND(0.0147)	ND(0.0166)	<b>6.94</b>	ND(0.0165)	--	--	--	--	--
Aroclor 1254	1	10	0.005	ND(0.0244)	ND(0.0236)	--	--	0.0437	0.155	ND(1.48)	ND(0.0247)	--	--	--	--	--
Aroclor 1260	1	10	0.005	ND(0.0162)	ND(0.0157)	--	--	0.0562	0.0842	<b>15.9</b>	ND(0.0165)	--	--	--	--	--
Aroclor 1262	1	10	0.005	ND(0.00812)	ND(0.00785)	--	--	ND(0.00734)	ND(0.00828)	ND(0.494)	ND(0.00824)	--	--	--	--	--
Aroclor 1268	1	10	0.005	ND(0.00812)	ND(0.00785)	--	--	ND(0.00734)	0.03	ND(0.494)	ND(0.00824)	--	--	--	--	--
Total PCBs	1	10	0.005	0	0	--	--	0.0999	0.2692	<b>22.84</b>	0	--	--	--	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	5.5	<b>11</b>	

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 29 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	615-S1	615-S2	615-S3	615-S4	615-S5	616-S1	616-S2	616-S3	616-S4	616-S5
				Depth (ft bgs):	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	
				Date:	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3	3-4	4-5
				Consultant:	H&A									
				Soil Type:	L1108985-07	L1108985-08	L1108985-09	L1108989-01	L1108989-02	L1108989-03	L1108989-04	L1108989-05	L1108989-06	L1108989-07
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0235)	ND(0.0265)	ND(0.0255)	ND(0.025)	ND(0.0241)	ND(0.0232)	ND(0.026)	ND(0.0253)	ND(0.0224)	ND(0.024)
Aroclor 1221	1	10	0.005		ND(0.0235)	ND(0.0265)	ND(0.0255)	ND(0.025)	ND(0.0241)	ND(0.0232)	ND(0.026)	ND(0.0253)	ND(0.0224)	ND(0.024)
Aroclor 1232	1	10	0.005		ND(0.0235)	ND(0.0265)	ND(0.0255)	ND(0.025)	ND(0.0241)	ND(0.0232)	ND(0.026)	ND(0.0253)	ND(0.0224)	ND(0.024)
Aroclor 1242	1	10	0.005		ND(0.0235)	ND(0.0265)	ND(0.0255)	ND(0.025)	ND(0.0241)	ND(0.0232)	ND(0.026)	ND(0.0253)	ND(0.0224)	ND(0.024)
Aroclor 1248	1	10	0.005		ND(0.0157)	ND(0.0176)	ND(0.017)	ND(0.0166)	ND(0.0161)	ND(0.0155)	ND(0.0174)	ND(0.0169)	ND(0.0149)	ND(0.016)
Aroclor 1254	1	10	0.005		0.0892	ND(0.0265)	ND(0.0255)	ND(0.025)	ND(0.0241)	ND(0.0232)	0.22	ND(0.0253)	ND(0.0224)	ND(0.024)
Aroclor 1260	1	10	0.005		0.109	ND(0.0176)	ND(0.017)	ND(0.0166)	ND(0.0161)	ND(0.0155)	ND(0.0174)	ND(0.0169)	ND(0.0149)	ND(0.016)
Aroclor 1262	1	10	0.005		ND(0.00785)	ND(0.00882)	ND(0.00849)	ND(0.00833)	ND(0.00805)	ND(0.00774)	ND(0.00868)	ND(0.00843)	ND(0.00745)	ND(0.00801)
Aroclor 1268	1	10	0.005		0.0579	ND(0.00882)	ND(0.00849)	ND(0.00833)	ND(0.00805)	0.147	0.203	ND(0.00843)	ND(0.00745)	ND(0.00801)
Total PCBs	1	10	0.005		0.2561	0	0	0	0	0.147	0.423	0	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 30 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	617 (0-2)	617 (2-4)	617 (4-5)	617-S1	617-S2	617-S3	617-S4	617-S5	618-S1	618-S2	
					Date:	6/20/2011	6/20/2011	6/20/2011	6/20/2014	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
					Soil Type:	L1109479-01	L1109479-02	L1109479-03	L1108989-08	L1108989-09	L1108990-01	L1108990-02	L1108990-03	L1108990-04	L1108990-05	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	--	--	--	--	ND(0.0297)	ND(0.125)	ND(0.0239)	ND(0.023)	ND(0.0238)	ND(0.0254)	ND(0.0243)		
Aroclor 1221	1	10	0.005	--	--	--	--	ND(0.0297)	ND(0.125)	ND(0.0239)	ND(0.023)	ND(0.0238)	ND(0.0254)	ND(0.0243)		
Aroclor 1232	1	10	0.005	--	--	--	--	ND(0.0297)	ND(0.125)	ND(0.0239)	ND(0.023)	ND(0.0238)	ND(0.0254)	ND(0.0243)		
Aroclor 1242	1	10	0.005	--	--	--	--	ND(0.0297)	ND(0.125)	ND(0.0239)	ND(0.023)	ND(0.0238)	ND(0.0254)	ND(0.0243)		
Aroclor 1248	1	10	0.005	--	--	--	--	0.255	ND(0.0833)	ND(0.0159)	ND(0.0153)	ND(0.0159)	ND(0.0169)	ND(0.0162)		
Aroclor 1254	1	10	0.005	--	--	--	--	ND(0.0297)	<b>1.74</b>	ND(0.0239)	ND(0.023)	ND(0.0238)	ND(0.0254)	ND(0.0243)		
Aroclor 1260	1	10	0.005	--	--	--	--	0.363	0.523	0.37	ND(0.0153)	ND(0.0159)	ND(0.0169)	0.276		
Aroclor 1262	1	10	0.005	--	--	--	--	ND(0.00991)	ND(0.0416)	ND(0.00796)	ND(0.00766)	ND(0.00794)	ND(0.00847)	ND(0.0081)		
Aroclor 1268	1	10	0.005	--	--	--	--	0.0836	ND(0.0416)	ND(0.00796)	ND(0.00766)	ND(0.00794)	0.342	ND(0.0081)		
Total PCBs	1	10	0.005	--	--	--	--	0.7016	<b>2.263</b>	0.37	0	0	0.342	0.276		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 31 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	618-S3	618-S4	618-S5	619 (0-2)	619 (2-4)	619 (4-5)	619-S1	619-S2	619-S3	619-S4
					Date:	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011	6/20/2011
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
					Soil Type:	L1108990-06	L1108990-07 R1	L1108990-08	L1108991-05	L1108991-06	L1108991-07	L1108990-09	L1108983-01	L1108983-02	L1108983-03
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	ND(0.45)	ND(0.48)	ND(0.51)	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	ND(0.3)	ND(0.32)	ND(0.34)	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	ND(0.3)	ND(0.32)	ND(0.34)	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	ND(0.3)	ND(0.32)	ND(0.34)	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	ND(0.3)	ND(0.32)	ND(0.34)	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	ND(0.38)	ND(0.4)	ND(0.42)	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	ND(0.3)	ND(0.32)	ND(0.34)	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	ND(0.38)	ND(0.4)	ND(0.42)	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	ND(0.23)	ND(0.24)	ND(0.25)	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	ND(0.0254)	ND(0.025)	ND(0.0251)	--	--	--	ND(0.0229)	ND(0.0233)	ND(0.0249)	ND(0.0241)		
Aroclor 1221	1	10	0.005	ND(0.0254)	ND(0.025)	ND(0.0251)	--	--	--	ND(0.0229)	ND(0.0233)	ND(0.0249)	ND(0.0241)		
Aroclor 1232	1	10	0.005	ND(0.0254)	ND(0.025)	ND(0.0251)	--	--	--	ND(0.0229)	ND(0.0233)	ND(0.0249)	ND(0.0241)		
Aroclor 1242	1	10	0.005	ND(0.0254)	ND(0.025)	ND(0.0251)	--	--	--	ND(0.0229)	ND(0.0233)	ND(0.0249)	ND(0.0241)		
Aroclor 1248	1	10	0.005	ND(0.017)	ND(0.0167)	ND(0.0167)	--	--	--	ND(0.0153)	ND(0.0155)	ND(0.0166)	ND(0.0161)		
Aroclor 1254	1	10	0.005	ND(0.0254)	ND(0.025)	ND(0.0251)	--	--	--	ND(0.0229)	ND(0.0233)	ND(0.0249)	ND(0.0241)		
Aroclor 1260	1	10	0.005	ND(0.017)	ND(0.0167)	ND(0.0167)	--	--	--	ND(0.0153)	ND(0.0155)	ND(0.0166)	ND(0.0161)		
Aroclor 1262	1	10	0.005	ND(0.00848)	ND(0.00834)	ND(0.00836)	--	--	--	ND(0.00763)	ND(0.00776)	ND(0.00829)	ND(0.00805)		
Aroclor 1268	1	10	0.005	ND(0.00848)	ND(0.00834)	ND(0.00836)	--	--	--	0.0712	0.00792	ND(0.00829)	ND(0.00805)		
Total PCBs	1	10	0.005	0	0	0	--	--	--	0.0712	0.00792	0	0		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	17	3.8	4.6	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 32 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	619-S5	619-S6	620 (0-2)	620 (2-4)	620 (4-5)	620-S1	620-S2	620-S3	621-S1	621-S2	
					Date:	4-5	5-6	0-2	2-4	4-5	0.5-1	1-1	1-2	0.5-1	1-2	
					Consultant:	H&A										
					Soil Type:	L1108983-04	L1108980-03	L1108991-08	L1108991-09	L1108995-01	L1108983-05	L1108983-06	L1108983-07	L1108983-08	L1108980-01	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	ND(0.0266)	ND(0.0238)	--	--	--	--	ND(0.0241)	ND(0.028)	ND(0.0244)	ND(0.0219)	ND(2.3)		
Aroclor 1221	1	10	0.005	ND(0.0266)	ND(0.0238)	--	--	--	--	ND(0.0241)	ND(0.028)	ND(0.0244)	ND(0.0219)	ND(2.3)		
Aroclor 1232	1	10	0.005	ND(0.0266)	ND(0.0238)	--	--	--	--	ND(0.0241)	ND(0.028)	ND(0.0244)	ND(0.0219)	ND(2.3)		
Aroclor 1242	1	10	0.005	ND(0.0266)	ND(0.0238)	--	--	--	--	ND(0.0241)	ND(0.028)	ND(0.0244)	ND(0.0219)	ND(2.3)		
Aroclor 1248	1	10	0.005	0.0951	ND(0.0159)	--	--	--	--	ND(0.0161)	ND(0.0187)	ND(0.0163)	0.558	13.1		
Aroclor 1254	1	10	0.005	ND(0.0266)	0.046	--	--	--	--	ND(0.0241)	ND(0.028)	ND(0.0244)	ND(0.0219)	ND(2.3)		
Aroclor 1260	1	10	0.005	0.0318	0.0662	--	--	--	--	0.0421	ND(0.0187)	ND(0.0163)	0.184	ND(1.53)		
Aroclor 1262	1	10	0.005	ND(0.00887)	ND(0.00794)	--	--	--	--	ND(0.00803)	ND(0.00934)	ND(0.00814)	ND(0.00729)	ND(0.765)		
Aroclor 1268	1	10	0.005	ND(0.00887)	ND(0.00794)	--	--	--	--	ND(0.00803)	ND(0.00934)	ND(0.00814)	ND(0.00729)	ND(0.765)		
Total PCBs	1	10	0.005	0.1269	0.1122	--	--	--	--	0.0421	0	0	0.742	13.1		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 33 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	621-S3	622 (0-2)	622 (2-4)	622-S1	622-S2	622-S3	622-S4	623 (0-2)	623 (2-4)	623-S2	
					Date:	6/20/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	
					Consultant:	H&A										
					Soil Type:	L1108980-02	L1108995-03	L1108995-04	L1108980-05	L1108980-06	L1111762-01	L1111762-02	L1108995-06	L1108995-07	L1108992-01	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	ND(0.0037)	ND(0.0032)	--	
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	ND(0.0074)	ND(0.0064)	--	
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	ND(0.027)	ND(0.023)	--	
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	ND(0.00074)	0.006	--	
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	ND(0.00074)	ND(0.00064)	--	
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	ND(0.0015)	ND(0.0013)	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	ND(0.0037)	ND(0.0032)	--	
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	ND(0.00074)	ND(0.00064)	--	
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	ND(0.0011)	ND(0.00096)	--	
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	ND(0.0011)	ND(0.00096)	--	
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	ND(0.00074)	ND(0.00064)	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	ND(0.44)	ND(0.47)	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	ND(0.3)	ND(0.31)	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	5.2	ND(0.31)	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	3.4	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	7	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	6.5	ND(0.31)	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	7.7	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Benzo(g,h)perylene	1,000	2,500	1	--	4.3	ND(0.31)	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	2.8	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	7.1	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	1	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	6.3	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	0.77	ND(0.39)	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	3.5	ND(0.31)	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	ND(0.37)	ND(0.39)	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	1.2	ND(0.23)	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	8.7	ND(0.23)	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	ND(0.0232)	--	--	ND(0.46)	ND(26.2)	ND(0.262)	ND(0.024)	--	--	--	ND(0.024)	--	--
Aroclor 1221	1	10	0.005	ND(0.0232)	--	--	ND(0.46)	ND(26.2)	ND(0.262)	ND(0.024)	--	--	--	ND(0.024)	--	--
Aroclor 1232	1	10	0.005	ND(0.0232)	--	--	ND(0.46)	ND(26.2)	ND(0.262)	ND(0.024)	--	--	--	ND(0.024)	--	--
Aroclor 1242	1	10	0.005	ND(0.0232)	--	--	ND(0.46)	ND(26.2)	ND(0.262)	ND(0.024)	--	--	--	ND(0.024)	--	--
Aroclor 1248	1	10	0.005	ND(0.0154)	--	--	6.39	273	ND(0.0175)	ND(0.016)	--	--	--	0.107	--	--
Aroclor 1254	1	10	0.005	ND(0.0232)	--	--	ND(0.46)	ND(26.2)	ND(0.262)	ND(0.024)	--	--	--	ND(0.024)	--	--
Aroclor 1260	1	10	0.005	0.0218	--	--	0.397	ND(17.5)	ND(0.0175)	ND(0.016)	--	--	--	0.114	--	--
Aroclor 1262	1	10	0.005	ND(0.00772)	--	--	ND(0.153)	ND(8.75)	ND(0.00874)	ND(0.008)	--	--	--	ND(0.008)	--	--
Aroclor 1268	1	10	0.005	ND(0.00772)	--	--	ND(0.153)	ND(8.75)	ND(0.00874)	ND(0.008)	--	--	--	ND(0.008)	--	--
Total PCBs	1	10	0.005	0.0218	--	--	6.787	273	0	0	--	--	--	0.221	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	1.7	2.7	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 34 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	623-S3	624 (2-4)	624-S1	624-S2	625-S1	625-S2	625-S3	626 (0-2)	626-S1	626-S2
					Date:	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011
					Consultant:	H&A									
					Soil Type:	L1108982-02	L1108992-01	L1108982-03	L1108982-04	L1108982-06	L1108982-07	L1108982-08	L1108995-09	L1108982-09	L1108982-10
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	ND(0.0237)	--	ND(0.062)	ND(0.0225)	ND(0.0245)	ND(0.0258)	ND(0.0239)	--	ND(0.0228)	ND(0.0234)		
Aroclor 1221	1	10	0.005	ND(0.0237)	--	ND(0.062)	ND(0.0225)	ND(0.0245)	ND(0.0258)	ND(0.0239)	--	ND(0.0228)	ND(0.0234)		
Aroclor 1232	1	10	0.005	ND(0.0237)	--	ND(0.062)	ND(0.0225)	ND(0.0245)	ND(0.0258)	ND(0.0239)	--	ND(0.0228)	ND(0.0234)		
Aroclor 1242	1	10	0.005	ND(0.0237)	--	ND(0.062)	ND(0.0225)	ND(0.0245)	ND(0.0258)	ND(0.0239)	--	ND(0.0228)	ND(0.0234)		
Aroclor 1248	1	10	0.005	ND(0.0158)	--	0.484	ND(0.015)	ND(0.0163)	0.0336	ND(0.0159)	--	ND(0.0152)	ND(0.0156)		
Aroclor 1254	1	10	0.005	ND(0.0237)	--	ND(0.062)	ND(0.0225)	0.0383	ND(0.0258)	ND(0.0239)	--	ND(0.0228)	ND(0.0234)		
Aroclor 1260	1	10	0.005	ND(0.0158)	--	0.183	ND(0.015)	0.113	ND(0.0172)	ND(0.0159)	--	0.139	0.0236		
Aroclor 1262	1	10	0.005	ND(0.00789)	--	ND(0.0206)	ND(0.00752)	ND(0.00816)	ND(0.00861)	ND(0.00797)	--	ND(0.00761)	ND(0.00779)		
Aroclor 1268	1	10	0.005	ND(0.00789)	--	ND(0.0206)	ND(0.00752)	ND(0.00816)	ND(0.00861)	ND(0.00797)	--	ND(0.00761)	ND(0.00779)		
Total PCBs	1	10	0.005	0	--	0.667	0	0.1513	0.0336	0	--	0.139	0.0236		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	3.2	--	--	--	--	--	3.8	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 35 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	627-S1	627-S2	DUP1-062111	627-S3	628 (0-2)	628 (2-4)	628-S1	628-S2	629 (0-2)	629 (2-4)
					Date:	0-0.5	0.5-1.5	627-S2	1.5-2.5	0-2	2-4	0.5-1	1-2	0-2	2-4
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
Soil Type:															
L1108981-02	L1108981-03	L1108981-09	L1108981-04	L1108992-02	L1108992-03	L1108981-05	L1108981-06	L1108992-04	L1108992-05						
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	ND(0.084)	ND(0.0035)	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	ND(0.017)	ND(0.007)	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	ND(0.061)	ND(0.025)	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	ND(0.0017)	ND(0.0007)	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	ND(0.0017)	ND(0.0007)	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	ND(0.034)	ND(0.0014)	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	ND(0.0084)	ND(0.0035)	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	ND(0.0017)	ND(0.0007)	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	ND(0.0025)	ND(0.001)	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	ND(0.0025)	ND(0.001)	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	ND(0.0017)	ND(0.0007)	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	ND(0.44)	ND(0.45)
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	ND(0.29)	ND(0.3)
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	ND(0.29)	ND(0.3)
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	ND(0.22)	ND(0.22)
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	0.42	ND(0.22)
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	0.4	ND(0.3)
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	0.57	ND(0.22)
Benzo(g,h,i)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	0.4	ND(0.3)
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	0.24	ND(0.22)
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	0.51	ND(0.22)
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	ND(0.22)	ND(0.22)
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	0.65	ND(0.22)
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	ND(0.36)	ND(0.37)
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	0.37	ND(0.3)
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	ND(0.36)	ND(0.37)
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	0.37	ND(0.22)
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	0.62	ND(0.22)
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	ND(0.0226)	ND(0.0221)	ND(0.0237)	ND(0.0211)	--	--	ND(0.119)	ND(0.0239)	--	--	--	--
Aroclor 1221	1	10	0.005	ND(0.0226)	ND(0.0221)	ND(0.0237)	ND(0.0211)	--	--	ND(0.119)	ND(0.0239)	--	--	--	--
Aroclor 1232	1	10	0.005	ND(0.0226)	ND(0.0221)	ND(0.0237)	ND(0.0211)	--	--	ND(0.119)	ND(0.0239)	--	--	--	--
Aroclor 1242	1	10	0.005	ND(0.0226)	ND(0.0221)	ND(0.0237)	ND(0.0211)	--	--	ND(0.119)	ND(0.0239)	--	--	--	--
Aroclor 1248	1	10	0.005	ND(0.015)	ND(0.0148)	ND(0.0158)	ND(0.0141)	--	--	ND(0.0794)	ND(0.016)	--	--	--	--
Aroclor 1254	1	10	0.005	ND(0.0226)	ND(0.0221)	ND(0.0237)	ND(0.0211)	--	--	1.28	ND(0.0239)	--	--	--	--
Aroclor 1260	1	10	0.005	0.207	0.0372	0.0876	ND(0.0141)	--	--	0.349	ND(0.016)	--	--	--	--
Aroclor 1262	1	10	0.005	ND(0.00752)	ND(0.00738)	ND(0.0079)	ND(0.00704)	--	--	ND(0.0397)	ND(0.00798)	--	--	--	--
Aroclor 1268	1	10	0.005	ND(0.00752)	ND(0.00738)	ND(0.0079)	ND(0.00704)	--	--	ND(0.0397)	ND(0.00798)	--	--	--	--
Total PCBs	1	10	0.005	0.207	0.0372	0.0876	0	--	--	1.629	0	--	--	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	3.4	8.7

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 36 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	629-S1	629-S2	629-S3	629-S4	629-S5	630-S1	630-S2	630-S3	630-S4	631 (0-2)
					Date:	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3	3-4	0-2
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1108981-10	L1108978-01	L1108978-02	L1108978-03	L1110107-01	L1108978-05	L1108978-06	L1108978-07	L1108978-08	L1108992-07	
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	10
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	4.3
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	0.83
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	0.8
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	2.4
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	2
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	4.9
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	1.2
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	1.8
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	4
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	0.39
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	5.8
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	1.9
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	1.5
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	15
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	2.1
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	4.2
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.118)	ND(0.238)	ND(0.0229)	ND(0.0226)	ND(0.0587)	ND(0.23)	ND(0.0241)	ND(0.0243)	ND(0.0221)	--	
Aroclor 1221	1	10	0.005		ND(0.118)	ND(0.238)	ND(0.0229)	ND(0.0226)	ND(0.0587)	ND(0.23)	ND(0.0241)	ND(0.0243)	ND(0.0221)	--	
Aroclor 1232	1	10	0.005		ND(0.118)	ND(0.238)	ND(0.0229)	ND(0.0226)	ND(0.0587)	ND(0.23)	ND(0.0241)	ND(0.0243)	ND(0.0221)	--	
Aroclor 1242	1	10	0.005		ND(0.118)	ND(0.238)	ND(0.0229)	ND(0.0226)	ND(0.0587)	ND(0.23)	ND(0.0241)	ND(0.0243)	ND(0.0221)	--	
Aroclor 1248	1	10	0.005		ND(0.0787)	ND(0.158)	ND(0.0153)	ND(0.0151)	ND(0.0391)	ND(0.154)	ND(0.0161)	ND(0.0162)	ND(0.0147)	--	
Aroclor 1254	1	10	0.005		<b>2.23</b>	<b>2.68</b>	0.381	0.278	ND(0.0587)	<b>1.12</b>	0.327	ND(0.0243)	ND(0.0221)	--	
Aroclor 1260	1	10	0.005		ND(0.0787)	0.777	0.112	0.072	ND(0.0391)	ND(0.154)	0.627	ND(0.0162)	ND(0.0147)	--	
Aroclor 1262	1	10	0.005		ND(0.0394)	ND(0.0793)	ND(0.00764)	ND(0.00755)	ND(0.0196)	ND(0.0768)	ND(0.00805)	ND(0.00811)	ND(0.00736)	--	
Aroclor 1268	1	10	0.005		ND(0.0394)	ND(0.0793)	ND(0.00764)	ND(0.00755)	ND(0.0196)	0.447	ND(0.00805)	ND(0.00811)	ND(0.00736)	--	
Total PCBs	1	10	0.005		<b>2.23</b>	<b>3.457</b>	0.493	0.35	0	<b>1.567</b>	0.954	0	0	--	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	18

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 37 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	631 (2-4)	631 (4-5)	631-S1	631-S2	631-S3	631-S4	631-S5	632 (0.5-2.5)	632 (2.5-4.5)	632-S1
					Date:	2-4	4-5	0.5-1	1-2	2-3	3-4	4-5	0.5-2.5	2.5-4.5	0.5-1
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
					Soil Type:	L1108992-08	L1108992-09	L1108978-10	L1109094-01	L1109094-02	L1109094-03	L1109094-04	L1108993-01	L1108993-02	L1109094-05
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	0.44	ND(0.92)	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	ND(0.51)	ND(1.8)	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	ND(1.8)	ND(6.6)	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	0.092	2.6	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	0.052	ND(0.18)	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	0.17	ND(0.37)	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	4.9	ND(0.92)	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	ND(0.051)	0.36	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	0.14	0.4	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	ND(0.077)	0.34	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	0.062	26	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4		ND(0.44)	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		ND(0.29)	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		ND(0.29)	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		ND(0.29)	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		ND(0.29)	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		ND(0.36)	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		ND(0.29)	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		0.4	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		ND(0.22)	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		ND(0.22)	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		--	--	ND(0.229)	ND(0.0257)	ND(0.0274)	ND(0.0251)	ND(0.0236)	--	--	ND(0.0227)	--
Aroclor 1221	1	10	0.005		--	--	ND(0.229)	ND(0.0257)	ND(0.0274)	ND(0.0251)	ND(0.0236)	--	--	ND(0.0227)	--
Aroclor 1232	1	10	0.005		--	--	ND(0.229)	ND(0.0257)	ND(0.0274)	ND(0.0251)	ND(0.0236)	--	--	ND(0.0227)	--
Aroclor 1242	1	10	0.005		--	--	ND(0.229)	ND(0.0257)	ND(0.0274)	ND(0.0251)	ND(0.0236)	--	--	ND(0.0227)	--
Aroclor 1248	1	10	0.005		--	--	ND(0.153)	ND(0.0171)	ND(0.0182)	ND(0.0167)	ND(0.0157)	--	--	ND(0.0152)	--
Aroclor 1254	1	10	0.005		--	--	<b>1.09</b>	0.126	ND(0.0274)	ND(0.0251)	ND(0.0236)	--	--	ND(0.0227)	--
Aroclor 1260	1	10	0.005		--	--	ND(0.153)	0.371	ND(0.0182)	ND(0.0167)	ND(0.0157)	--	--	ND(0.0152)	--
Aroclor 1262	1	10	0.005		--	--	ND(0.0764)	ND(0.00856)	ND(0.00912)	ND(0.00836)	ND(0.00787)	--	--	ND(0.00758)	--
Aroclor 1268	1	10	0.005		--	--	0.793	ND(0.00856)	ND(0.00912)	ND(0.00836)	ND(0.00787)	--	--	0.0316	--
Total PCBs	1	10	0.005		--	--	<b>1.883</b>	0.497	0	0	0	--	--	0.0316	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--		6	3.3	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 38 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	632-S2	632-S3	632-S4	633-S1	633-S2	633-S3	633-S4	634-S1	634-S2	DUP2-062111
					Date:	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011
					Consultant:	H&A									
					Soil Type:	L1109094-06	L1109094-07	L1109094-08	L1109094-10	L1109093-01	L1109093-02	L1109093-03	L1109093-04	L1109093-05	L1109093-07
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	ND(0.0243)	ND(0.0284)	ND(0.0278)	ND(0.0257)	ND(0.0244)	ND(0.0239)	ND(0.0231)	ND(0.113)	ND(0.0256)	ND(0.0232)		
Aroclor 1221	1	10	0.005	ND(0.0243)	ND(0.0284)	ND(0.0278)	ND(0.0257)	ND(0.0244)	ND(0.0239)	ND(0.0231)	ND(0.113)	ND(0.0256)	ND(0.0232)		
Aroclor 1232	1	10	0.005	ND(0.0243)	ND(0.0284)	ND(0.0278)	ND(0.0257)	ND(0.0244)	ND(0.0239)	ND(0.0231)	ND(0.113)	ND(0.0256)	ND(0.0232)		
Aroclor 1242	1	10	0.005	ND(0.0243)	ND(0.0284)	ND(0.0278)	ND(0.0257)	ND(0.0244)	ND(0.0239)	ND(0.0231)	ND(0.113)	ND(0.0256)	ND(0.0232)		
Aroclor 1248	1	10	0.005	ND(0.0162)	ND(0.0189)	ND(0.0186)	ND(0.0171)	ND(0.0163)	ND(0.0159)	ND(0.0154)	ND(0.0756)	ND(0.0171)	ND(0.0155)		
Aroclor 1254	1	10	0.005	ND(0.0243)	0.0502	ND(0.0278)	0.0392	ND(0.0244)	ND(0.0239)	ND(0.0231)	2.64	ND(0.0256)	ND(0.0232)		
Aroclor 1260	1	10	0.005	ND(0.0162)	0.114	ND(0.0186)	0.0756	0.0263	ND(0.0159)	ND(0.0154)	ND(0.0756)	ND(0.0171)	ND(0.0155)		
Aroclor 1262	1	10	0.005	ND(0.00809)	ND(0.00945)	ND(0.00928)	ND(0.00856)	ND(0.00814)	ND(0.00796)	ND(0.0077)	ND(0.0378)	ND(0.00853)	ND(0.00774)		
Aroclor 1268	1	10	0.005	0.0652	ND(0.00945)	ND(0.00928)	ND(0.00856)	ND(0.00814)	ND(0.00796)	ND(0.0077)	ND(0.0378)	ND(0.00853)	ND(0.00774)		
Total PCBs	1	10	0.005	0.0652	0.1642	0	0.1148	0.0263	0	0	2.64	0	0		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 39 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	634-S9	635 (0-2)	635 (2-4)	635-S1	635-S2	635-S3	635-S4	636-S1	636-S2	636-S3	
					Date:	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
					Soil Type:	L1109093-06	L1109110-01	L1109110-02	L1109093-08	L1109093-09	L1109093-10	L1109092-01	L1109092-02	L1109092-03	L1109092-04	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005	ND(0.0245)	--	--	ND(0.0222)	ND(0.0226)	ND(0.0227)	ND(0.0243)	ND(0.115)	ND(0.0226)	ND(0.0219)			
Aroclor 1221	1	10	0.005	ND(0.0245)	--	--	ND(0.0222)	ND(0.0226)	ND(0.0227)	ND(0.0243)	ND(0.115)	ND(0.0226)	ND(0.0219)			
Aroclor 1232	1	10	0.005	ND(0.0245)	--	--	ND(0.0222)	ND(0.0226)	ND(0.0227)	ND(0.0243)	ND(0.115)	ND(0.0226)	ND(0.0219)			
Aroclor 1242	1	10	0.005	ND(0.0245)	--	--	ND(0.0222)	ND(0.0226)	ND(0.0227)	ND(0.0243)	ND(0.115)	ND(0.0226)	ND(0.0219)			
Aroclor 1248	1	10	0.005	ND(0.0163)	--	--	ND(0.0148)	ND(0.0151)	ND(0.0152)	ND(0.0162)	<b>1.18</b>	ND(0.0151)	ND(0.0146)			
Aroclor 1254	1	10	0.005	ND(0.0245)	--	--	ND(0.0222)	0.26	ND(0.0227)	ND(0.0243)	0.954	0.409	ND(0.0219)			
Aroclor 1260	1	10	0.005	ND(0.0163)	--	--	ND(0.0148)	0.0425	ND(0.0152)	ND(0.0162)	0.765	0.0801	ND(0.0146)			
Aroclor 1262	1	10	0.005	ND(0.00816)	--	--	ND(0.0074)	ND(0.00754)	ND(0.00758)	ND(0.00811)	ND(0.0383)	ND(0.00754)	ND(0.0073)			
Aroclor 1268	1	10	0.005	ND(0.00816)	--	--	ND(0.0074)	ND(0.00754)	ND(0.00758)	ND(0.00811)	ND(0.0383)	ND(0.00754)	ND(0.0073)			
Total PCBs	1	10	0.005	0	--	--	0	0.3025	0	0	<b>2.899</b>	0.4891	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 40 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	637 (2-3)	637-S1	637-S2	637-S3	637-S4	637-S5	637-S6	638-S1	638-S2	638-S3
					Date:	2-3	0.5-1	1-2	2-3	3-4	4-5	5-6	0.5-1	1-2	2-3
					Consultant:	H&A									
					Soil Type:	L1109110-03	L1109092-06	L1109092-07	L1109092-08	L1109092-09	L1109092-10	L1109096-06	L1109091-01	L1109091-02	L1109091-03
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4		<b>21</b>	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		10	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		ND(0.31)	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		1.6	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		<b>1.6</b>	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		0.81	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		<b>1.8</b>	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		0.6	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		<b>1.8</b>	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		<b>1.6</b>	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		ND(0.24)	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		2.9	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		9.1	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		0.78	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		24	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		8.6	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		2.1	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		--	ND(0.023)	ND(0.232)	ND(0.269)	ND(0.0254)	ND(0.0231)	ND(0.0224)	ND(0.0215)	ND(0.0239)	ND(0.0255)	
Aroclor 1221	1	10	0.005		--	ND(0.023)	ND(0.232)	ND(0.269)	ND(0.0254)	ND(0.0231)	ND(0.0224)	ND(0.0215)	ND(0.0239)	ND(0.0255)	
Aroclor 1232	1	10	0.005		--	ND(0.023)	ND(0.232)	ND(0.269)	ND(0.0254)	ND(0.0231)	ND(0.0224)	ND(0.0215)	ND(0.0239)	ND(0.0255)	
Aroclor 1242	1	10	0.005		--	ND(0.023)	ND(0.232)	ND(0.269)	ND(0.0254)	ND(0.0231)	ND(0.0224)	ND(0.0215)	ND(0.0239)	ND(0.0255)	
Aroclor 1248	1	10	0.005		--	ND(0.0153)	ND(0.154)	ND(0.179)	ND(0.0169)	ND(0.0154)	ND(0.0149)	ND(0.0143)	ND(0.016)	ND(0.017)	
Aroclor 1254	1	10	0.005		--	0.0531	<b>3.65</b>	<b>3.41</b>	ND(0.0254)	ND(0.0231)	ND(0.0224)	ND(0.0215)	0.0602	0.0339	
Aroclor 1260	1	10	0.005		--	ND(0.0153)	ND(0.154)	ND(0.179)	0.0327	ND(0.0154)	ND(0.0149)	ND(0.0143)	0.0879	0.0705	
Aroclor 1262	1	10	0.005		--	ND(0.00766)	ND(0.0772)	ND(0.0896)	ND(0.00847)	ND(0.00772)	ND(0.00747)	ND(0.00717)	ND(0.00798)	ND(0.00851)	
Aroclor 1268	1	10	0.005		--	0.0576	ND(0.0772)	ND(0.0896)	ND(0.00847)	ND(0.00772)	ND(0.00747)	0.0834	ND(0.00798)	ND(0.00851)	
Total PCBs	1	10	0.005		--	0.1107	<b>3.65</b>	<b>3.41</b>	0.0327	0	0	0.0834	0.1481	0.1044	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 41 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	638-S4	638-S6	638-S7	639-S1	639-S2	640-S1	640-S2	640-S3	640-S4	640-S5
					Date:	3-4	5-6	6-7	0.5-1	1-2	0.5-1	1-2	2-3	3-4	4-5
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
					Soil Type:	L110402-01	L110906-08	L110906-07	L110901-06	L110901-07	L110901-09	L110901-10	L110901-01	L110901-02	L110901-03
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	ND(0.438)	ND(0.024)	ND(0.0206)	ND(0.0235)	ND(0.0201)	ND(0.0229)	ND(0.0231)	ND(0.455)	ND(1.16)	ND(0.11)		
Aroclor 1221	1	10	0.005	ND(0.438)	ND(0.024)	ND(0.0206)	ND(0.0235)	ND(0.0201)	ND(0.0229)	ND(0.0231)	ND(0.455)	ND(1.16)	ND(0.11)		
Aroclor 1232	1	10	0.005	ND(0.438)	ND(0.024)	ND(0.0206)	ND(0.0235)	ND(0.0201)	ND(0.0229)	ND(0.0231)	ND(0.455)	ND(1.16)	ND(0.11)		
Aroclor 1242	1	10	0.005	ND(0.438)	ND(0.024)	ND(0.0206)	ND(0.0235)	ND(0.0201)	ND(0.0229)	ND(0.0231)	ND(0.455)	ND(1.16)	ND(0.11)		
Aroclor 1248	1	10	0.005	ND(0.292)	ND(0.016)	ND(0.0137)	ND(0.0157)	ND(0.0134)	ND(0.0152)	ND(0.0154)	ND(0.304)	ND(0.773)	ND(0.0734)		
Aroclor 1254	1	10	0.005	4.79	0.0656	ND(0.0206)	ND(0.0235)	ND(0.0201)	0.0474	ND(0.0231)	3.4	7.28	1.06		
Aroclor 1260	1	10	0.005	ND(0.292)	0.0217	ND(0.0137)	ND(0.0157)	ND(0.0134)	0.0767	ND(0.0154)	ND(0.304)	ND(0.773)	ND(0.0734)		
Aroclor 1262	1	10	0.005	ND(0.146)	ND(0.00801)	ND(0.00687)	ND(0.00784)	ND(0.0067)	ND(0.00762)	ND(0.0077)	ND(0.152)	ND(0.386)	ND(0.0367)		
Aroclor 1268	1	10	0.005	ND(0.146)	ND(0.00801)	ND(0.00687)	ND(0.00784)	ND(0.0067)	ND(0.00762)	ND(0.0077)	ND(0.152)	ND(0.386)	0.0847		
Total PCBs	1	10	0.005	4.79	0.0873	0	0	0	0.1241	0	3.4	7.28	1.1447		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 42 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	641-S1	641-S2	641-S3	641-S4	DUP3-062111	641-S5	641-S6	642-S1	642-S2	642-S3	
					Date:	0.5-1	1-2	2-3	3-4	641-S4	4-5	5-6	0.5-1	1-2	2-3	
					Consultant:	H&A										
					Soil Type:	L1109090-04	L1109090-05	L1109090-06	L1109090-07	L1109089-04	L1109090-08	L1109096-09	L1109090-09	L1109090-10	L1109090-01	
<b>Volatile Organic Compounds (mg/kg):</b>																
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>																
Aroclor 1016	1	10	0.005		ND(0.024)	ND(2.29)	ND(1.14)	ND(0.021)	ND(0.0218)	ND(0.0233)	ND(0.022)	ND(0.221)	ND(0.026)	ND(0.0229)		
Aroclor 1221	1	10	0.005		ND(0.024)	ND(2.29)	ND(1.14)	ND(0.021)	ND(0.0218)	ND(0.0233)	ND(0.022)	ND(0.221)	ND(0.026)	ND(0.0229)		
Aroclor 1232	1	10	0.005		ND(0.024)	ND(2.29)	ND(1.14)	ND(0.021)	ND(0.0218)	ND(0.0233)	ND(0.022)	ND(0.221)	ND(0.026)	ND(0.0229)		
Aroclor 1242	1	10	0.005		ND(0.024)	ND(2.29)	ND(1.14)	ND(0.021)	ND(0.0218)	ND(0.0233)	ND(0.022)	ND(0.221)	ND(0.026)	ND(0.0229)		
Aroclor 1248	1	10	0.005		ND(0.016)	ND(1.53)	4.99	ND(0.014)	ND(0.0145)	ND(0.0156)	ND(0.0147)	ND(0.147)	ND(0.0173)	ND(0.0152)		
Aroclor 1254	1	10	0.005		ND(0.024)	15.6	7.6	0.0787	ND(0.0218)	ND(0.0233)	ND(0.022)	1.18	ND(0.026)	ND(0.0229)		
Aroclor 1260	1	10	0.005		ND(0.016)	ND(1.53)	ND(0.762)	0.0705	ND(0.0145)	ND(0.0156)	ND(0.0147)	ND(0.147)	0.0654	ND(0.0152)		
Aroclor 1262	1	10	0.005		ND(0.00801)	ND(0.764)	ND(0.381)	ND(0.00702)	ND(0.00726)	ND(0.00778)	ND(0.00734)	ND(0.0736)	ND(0.00867)	ND(0.00762)		
Aroclor 1268	1	10	0.005		ND(0.00801)	ND(0.764)	ND(0.381)	ND(0.00702)	ND(0.00726)	ND(0.00778)	ND(0.00734)	ND(0.0736)	ND(0.00867)	ND(0.00762)		
Total PCBs	1	10	0.005		0	15.6	12.59	0.1492	0	0	0	1.18	0.0654	0		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>																
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 43 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	642-S4	642-S5	643-S1	643-S2	643-S3	643-S4	644-S1	644-S2	644-S3	645-S1
				Depth (ft bgs):	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011
				Date:	3-4	4-5	0.5-1	1-2	2-3	3-4	0.5-1	1-2	2-3	0-0.5
				Consultant:	H&A									
				Soil Type:	L1109089-02	L1109089-03	L1109089-05	L1109089-06	L1109089-07	L1109089-08	L1109089-10	L1109087-01	L1109087-02	L1109087-04
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0218)	ND(0.0218)	ND(0.112)	ND(0.023)	ND(0.0236)	ND(0.0228)	ND(0.223)	ND(0.0244)	ND(0.0211)	ND(0.0212)
Aroclor 1221	1	10	0.005		ND(0.0218)	ND(0.0218)	ND(0.112)	ND(0.023)	ND(0.0236)	ND(0.0228)	ND(0.223)	ND(0.0244)	ND(0.0211)	ND(0.0212)
Aroclor 1232	1	10	0.005		ND(0.0218)	ND(0.0218)	ND(0.112)	ND(0.023)	ND(0.0236)	ND(0.0228)	ND(0.223)	ND(0.0244)	ND(0.0211)	ND(0.0212)
Aroclor 1242	1	10	0.005		ND(0.0218)	ND(0.0218)	ND(0.112)	ND(0.023)	ND(0.0236)	ND(0.0228)	ND(0.223)	ND(0.0244)	ND(0.0211)	ND(0.0212)
Aroclor 1248	1	10	0.005		ND(0.0145)	ND(0.0146)	ND(0.0748)	0.325	ND(0.0157)	ND(0.0152)	ND(0.149)	ND(0.0163)	ND(0.0141)	ND(0.0141)
Aroclor 1254	1	10	0.005		ND(0.0218)	ND(0.0218)	1.27	0.471	0.272	ND(0.0228)	1.9	ND(0.0244)	ND(0.0211)	0.032
Aroclor 1260	1	10	0.005		ND(0.0145)	ND(0.0146)	ND(0.0748)	ND(0.0153)	0.111	ND(0.0152)	ND(0.149)	ND(0.0163)	ND(0.0141)	0.0337
Aroclor 1262	1	10	0.005		ND(0.00725)	ND(0.00728)	ND(0.0374)	ND(0.00766)	ND(0.00787)	ND(0.00759)	ND(0.0743)	ND(0.00814)	ND(0.00704)	ND(0.00706)
Aroclor 1268	1	10	0.005		ND(0.00725)	ND(0.00728)	0.204	ND(0.00766)	ND(0.00787)	ND(0.00759)	ND(0.0743)	ND(0.00814)	ND(0.00704)	ND(0.00706)
Total PCBs	1	10	0.005		0	0	1.474	0.796	0.383	0	1.9	0	0	0.0657
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 44 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	645-S2	645-S3	645-S4	646-S1	646-S2	646-S3	646-S4	647-S1	647-S2	647-S3	
				Depth (ft bgs):	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	
				Date:	0.5-1.5	1.5-2.5	2.5-3.5	0.5-1	1-2	2-3	3-4	0.5-1	1-2	2-3	
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	
Soil Type:				L1109087-05	L1109087-06	L11090403-01	L1109087-08	L1109087-09	L1109087-10	L1109086-01	L1109086-02	L1109086-03	L1109086-04		
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0208)	ND(0.0207)	ND(0.0219)	ND(1.11)	ND(0.0654)	ND(0.0229)	ND(0.0228)	ND(0.223)	ND(0.0257)	ND(0.023)	
Aroclor 1221	1	10	0.005		ND(0.0208)	ND(0.0207)	ND(0.0219)	ND(1.11)	ND(0.0654)	ND(0.0229)	ND(0.0228)	ND(0.223)	ND(0.0257)	ND(0.023)	
Aroclor 1232	1	10	0.005		ND(0.0208)	ND(0.0207)	ND(0.0219)	ND(1.11)	ND(0.0654)	ND(0.0229)	ND(0.0228)	ND(0.223)	ND(0.0257)	ND(0.023)	
Aroclor 1242	1	10	0.005		ND(0.0208)	ND(0.0207)	ND(0.0219)	ND(1.11)	ND(0.0654)	ND(0.0229)	ND(0.0228)	ND(0.223)	ND(0.0257)	ND(0.023)	
Aroclor 1248	1	10	0.005		ND(0.0139)	ND(0.0138)	ND(0.0146)	ND(0.743)	ND(0.0436)	ND(0.0152)	ND(0.0152)	ND(0.148)	ND(0.0171)	ND(0.0153)	
Aroclor 1254	1	10	0.005		0.0447	ND(0.0207)	ND(0.0219)	20.7	0.144	ND(0.0229)	ND(0.0228)	2.3	ND(0.0257)	ND(0.023)	
Aroclor 1260	1	10	0.005		0.0892	0.0276	ND(0.0146)	ND(0.743)	0.109	0.0205	ND(0.0152)	ND(0.148)	0.288	ND(0.0153)	
Aroclor 1262	1	10	0.005		ND(0.00694)	ND(0.00691)	ND(0.00731)	ND(0.371)	ND(0.0218)	ND(0.00763)	ND(0.00759)	ND(0.0743)	ND(0.00856)	ND(0.00766)	
Aroclor 1268	1	10	0.005		ND(0.00694)	ND(0.00691)	ND(0.00731)	ND(0.371)	ND(0.0218)	ND(0.00763)	ND(0.00759)	1.05	ND(0.00856)	ND(0.00766)	
Total PCBs	1	10	0.005		0.1339	0.0276	0	20.7	0.253	0.0205	0	3.35	0.288	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 45 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	647-S4	DUP4-062111	647-S5	648 (1-3)	648-S1	648-S2	648-S3	648-S4	648-S5	649-S1
				Depth (ft bgs):	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	
				Date:	3-4	647-S4	4-5	1-3	0.5-1	1-2	2-3	3-4	4-5	0.5-1
				Consultant:	H&A	H&A	H&A	H&A						
				Soil Type:	L1109086-05	L1109086-07	L1109086-06	L1109110-04	L1109086-08	L1109086-09	L1109086-10 R1	L1109085-01	L1109085-02	L1109085-03
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	5.9	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	2.9	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	ND(0.5)	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	3.7	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	ND(0.38)	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	ND(0.5)	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	ND(0.38)	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	ND(0.5)	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	ND(0.38)	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	ND(0.38)	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	ND(0.38)	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	1.6	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	2.4	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	ND(0.5)	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	7.1	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	3.8	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	1.1	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0219)	ND(0.0232)	ND(0.0231)	--	ND(0.222)	ND(0.22)	ND(0.0391)	ND(0.0225)	ND(0.0213)	ND(0.0227)
Aroclor 1221	1	10	0.005		ND(0.0219)	ND(0.0232)	ND(0.0231)	--	ND(0.222)	ND(0.22)	ND(0.0391)	ND(0.0225)	ND(0.0213)	ND(0.0227)
Aroclor 1232	1	10	0.005		ND(0.0219)	ND(0.0232)	ND(0.0231)	--	ND(0.222)	ND(0.22)	ND(0.0391)	ND(0.0225)	ND(0.0213)	ND(0.0227)
Aroclor 1242	1	10	0.005		ND(0.0219)	ND(0.0232)	ND(0.0231)	--	ND(0.222)	ND(0.22)	ND(0.0391)	ND(0.0225)	ND(0.0213)	ND(0.0227)
Aroclor 1248	1	10	0.005		ND(0.0146)	ND(0.0154)	ND(0.0154)	--	ND(0.148)	ND(0.147)	ND(0.0261)	ND(0.015)	ND(0.0142)	ND(0.0151)
Aroclor 1254	1	10	0.005		ND(0.0219)	ND(0.0232)	ND(0.0231)	--	1.11	6.19	ND(0.0391)	ND(0.0225)	ND(0.0213)	ND(0.0227)
Aroclor 1260	1	10	0.005		ND(0.0146)	ND(0.0154)	ND(0.0154)	--	ND(0.148)	ND(0.147)	ND(0.0261)	ND(0.015)	ND(0.0142)	ND(0.0151)
Aroclor 1262	1	10	0.005		ND(0.00731)	ND(0.00772)	ND(0.0077)	--	ND(0.0741)	ND(0.0734)	ND(0.013)	ND(0.00749)	ND(0.0071)	ND(0.00756)
Aroclor 1268	1	10	0.005		ND(0.00731)	ND(0.00772)	ND(0.0077)	--	0.124	ND(0.0734)	ND(0.013)	ND(0.00749)	ND(0.0071)	0.109
Total PCBs	1	10	0.005		0	0	0	--	1.234	6.19	0	0	0	0.109
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	130	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 46 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	649-S2	649-S3	650-S1	650-S2	651-S1	651-S2	651-S3	DUP5-062111	651-S4	651-S5
					Date:	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011	6/21/2011
					Consultant:	H&A	H&A	H&A	H&A						
					Soil Type:	L1109085-04	L1109085-05	L1109085-07	L1109085-08	L1109085-10	L1109096-01	L1109096-02 R1L1109096-05 R1	L1109096-03	L1109096-04	
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.025)	ND(0.0244)	ND(0.0222)	ND(0.0238)	ND(0.0215)	ND(0.0225)	ND(0.232)	ND(0.222)	ND(0.0241)	ND(0.0258)	
Aroclor 1221	1	10	0.005		ND(0.025)	ND(0.0244)	ND(0.0222)	ND(0.0238)	ND(0.0215)	ND(0.0225)	ND(0.232)	ND(0.222)	ND(0.0241)	ND(0.0258)	
Aroclor 1232	1	10	0.005		ND(0.025)	ND(0.0244)	ND(0.0222)	ND(0.0238)	ND(0.0215)	ND(0.0225)	ND(0.232)	ND(0.222)	ND(0.0241)	ND(0.0258)	
Aroclor 1242	1	10	0.005		ND(0.025)	ND(0.0244)	ND(0.0222)	ND(0.0238)	ND(0.0215)	ND(0.0225)	ND(0.232)	ND(0.222)	ND(0.0241)	ND(0.0258)	
Aroclor 1248	1	10	0.005		ND(0.0167)	ND(0.0162)	ND(0.0148)	ND(0.0159)	ND(0.0143)	ND(0.015)	ND(0.155)	ND(0.148)	ND(0.0161)	ND(0.0172)	
Aroclor 1254	1	10	0.005		ND(0.025)	ND(0.0244)	ND(0.0222)	ND(0.0238)	ND(0.0215)	ND(0.0225)	1.31	ND(0.222)	ND(0.0241)	ND(0.0258)	
Aroclor 1260	1	10	0.005		ND(0.0167)	ND(0.0162)	ND(0.0148)	ND(0.0159)	ND(0.0143)	ND(0.015)	ND(0.155)	ND(0.148)	ND(0.0161)	ND(0.0172)	
Aroclor 1262	1	10	0.005		ND(0.00833)	ND(0.00813)	ND(0.0074)	ND(0.00793)	ND(0.00717)	ND(0.0075)	ND(0.0775)	ND(0.0742)	ND(0.00804)	ND(0.00859)	
Aroclor 1268	1	10	0.005		ND(0.00833)	ND(0.00813)	0.0413	ND(0.00793)	0.0648	0.477	1.12	4.2	ND(0.00804)	ND(0.00859)	
Total PCBs	1	10	0.005		0	0	0.0413	0	0.0648	0.477	2.43	4.2	0	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 47 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	651-S6	652 (0.5-2)	652-S1	652-S2	652-S3	652-S4	652-S5	653-S1	653-S2	653-S3
					Date:	5-6	0.5-2	0.5-1	1-2	2-3	3-4	4-5	0.5-1	1-2	2-3
					Consultant:	H&A									
					Soil Type:	L1109096-10	L1109106-01	L1109105-01	L1109105-02	L1109105-03	L1109105-04	L1109105-05	L1109105-06	L1109105-07	L1109105-08
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	1.9	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	1.7	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	ND(0.28)	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	0.78	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	0.38	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	0.33	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	0.46	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	ND(0.28)	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	ND(0.21)	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	0.44	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	ND(0.21)	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	1.9	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	1.6	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	0.41	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	1.7	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	4.2	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	1.2	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005	--	ND(0.0206)	--	ND(2.24)	ND(0.037)	ND(0.0239)	ND(0.0258)	ND(0.0244)	ND(0.0227)	ND(0.116)	ND(0.0471)	
Aroclor 1221	1	10	0.005	--	ND(0.0206)	--	ND(2.24)	ND(0.037)	ND(0.0239)	ND(0.0258)	ND(0.0244)	ND(0.0227)	ND(0.116)	ND(0.0471)	
Aroclor 1232	1	10	0.005	--	ND(0.0206)	--	ND(2.24)	ND(0.037)	ND(0.0239)	ND(0.0258)	ND(0.0244)	ND(0.0227)	ND(0.116)	ND(0.0471)	
Aroclor 1242	1	10	0.005	--	ND(0.0206)	--	ND(2.24)	ND(0.037)	ND(0.0239)	ND(0.0258)	ND(0.0244)	ND(0.0227)	ND(0.116)	ND(0.0471)	
Aroclor 1248	1	10	0.005	--	ND(0.0138)	--	ND(1.49)	ND(0.0247)	ND(0.016)	ND(0.0172)	ND(0.0163)	ND(0.0151)	ND(0.0776)	0.434	
Aroclor 1254	1	10	0.005	--	ND(0.0206)	--	17.5	ND(0.037)	ND(0.0239)	ND(0.0258)	ND(0.0244)	ND(0.0227)	1.06	ND(0.0471)	
Aroclor 1260	1	10	0.005	--	ND(0.0138)	--	ND(1.49)	ND(0.0247)	0.0249	ND(0.0172)	ND(0.0163)	ND(0.0151)	ND(0.0776)	0.0917	
Aroclor 1262	1	10	0.005	--	ND(0.00688)	--	ND(0.747)	ND(0.0124)	ND(0.00798)	ND(0.00862)	ND(0.00814)	ND(0.00756)	ND(0.0388)	ND(0.0157)	
Aroclor 1268	1	10	0.005	--	ND(0.00688)	--	ND(0.747)	ND(0.0124)	ND(0.00798)	ND(0.00862)	ND(0.00814)	ND(0.00756)	0.321	ND(0.0157)	
Total PCBs	1	10	0.005	0	--	17.5	0	0.0249	0	0	0	0	1.381	0.5257	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 48 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	653-S5	654-S1	654-S2	654-S3	654-S4	655-S1	655-S2	655-S3	655-S4	656-S1
					Date:	4-5	0.5-1	1-2	2-3	3-4	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5
					Consultant:	H&A									
					Soil Type:	L1109100-01	L1109100-08	L1109100-09	L1109100-10	L1109099-01	L1109099-03	L1109099-04	L1109099-05	L1109099-06	L1109100-02
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benz(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benz(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benz(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benz(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benz(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenzo(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0241)	ND(2.28)	ND(2.28)	ND(0.0254)	ND(0.0226)	ND(0.11)	ND(0.108)	ND(0.0232)	ND(0.0228)	ND(0.0646)	
Aroclor 1221	1	10	0.005		ND(0.0241)	ND(2.28)	ND(2.28)	ND(0.0254)	ND(0.0226)	ND(0.11)	ND(0.108)	ND(0.0232)	ND(0.0228)	ND(0.0646)	
Aroclor 1232	1	10	0.005		ND(0.0241)	ND(2.28)	ND(2.28)	ND(0.0254)	ND(0.0226)	ND(0.11)	ND(0.108)	ND(0.0232)	ND(0.0228)	ND(0.0646)	
Aroclor 1242	1	10	0.005		ND(0.0241)	ND(2.28)	ND(2.28)	ND(0.0254)	ND(0.0226)	ND(0.11)	ND(0.108)	ND(0.0232)	ND(0.0228)	ND(0.0646)	
Aroclor 1248	1	10	0.005		ND(0.016)	ND(1.52)	ND(1.52)	ND(0.017)	ND(0.015)	ND(0.0736)	ND(0.0717)	ND(0.0154)	ND(0.0152)	ND(0.0431)	
Aroclor 1254	1	10	0.005		ND(0.0241)	13.2	10.4	0.4	ND(0.0226)	1.54	1.52	0.0425	ND(0.0228)	0.47	
Aroclor 1260	1	10	0.005		ND(0.016)	ND(1.52)	ND(1.52)	0.275	ND(0.015)	ND(0.0736)	ND(0.0717)	0.0281	ND(0.0152)	ND(0.0431)	
Aroclor 1262	1	10	0.005		ND(0.00803)	ND(0.761)	ND(0.76)	ND(0.00848)	ND(0.00753)	ND(0.0368)	ND(0.0359)	ND(0.00773)	ND(0.00762)	ND(0.0215)	
Aroclor 1268	1	10	0.005		ND(0.00803)	ND(0.761)	ND(0.76)	ND(0.00848)	ND(0.00753)	ND(0.0368)	ND(0.0359)	ND(0.00773)	ND(0.00762)	ND(0.0215)	
Total PCBs	1	10	0.005		0	13.2	10.4	0.675	0	1.54	1.52	0.0706	0	0.47	
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 49 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	656-S2	656-S3	DUP1-062211	656-S4	656-S5	657-S1	657-S2	657-S3	657-S4	658-S1
					Date:	0.5-1.5	1.5-2.5	656-S3	2.5-3.5	3.5-4.5	0.5-1	1-2	2-3	3-4	0.5-1
					Consultant:	H&A									
					Soil Type:	L1109100-03	L1109100-04	L1109100-06	L1109100-05	L1110604-01	L1109099-07	L1109099-08	L1109099-09	L1109099-10	L1109098-02
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.226)	ND(0.23)	ND(0.224)	ND(0.0448)	ND(0.0224)	ND(0.0206)	ND(0.108)	ND(0.0204)	ND(0.0228)	ND(0.0209)	
Aroclor 1221	1	10	0.005		ND(0.226)	ND(0.23)	ND(0.224)	ND(0.0448)	ND(0.0224)	ND(0.0206)	ND(0.108)	ND(0.0204)	ND(0.0228)	ND(0.0209)	
Aroclor 1232	1	10	0.005		ND(0.226)	ND(0.23)	ND(0.224)	ND(0.0448)	ND(0.0224)	ND(0.0206)	ND(0.108)	ND(0.0204)	ND(0.0228)	ND(0.0209)	
Aroclor 1242	1	10	0.005		ND(0.226)	ND(0.23)	ND(0.224)	ND(0.0448)	ND(0.0224)	ND(0.0206)	ND(0.108)	ND(0.0204)	ND(0.0228)	ND(0.0209)	
Aroclor 1248	1	10	0.005		ND(0.151)	ND(0.154)	ND(0.149)	ND(0.0299)	ND(0.015)	ND(0.0138)	ND(0.0719)	ND(0.0136)	ND(0.0152)	ND(0.014)	
Aroclor 1254	1	10	0.005		3.23	7.26	5.72	0.171	ND(0.0224)	0.0439	1.05	0.0608	ND(0.0228)	0.023	
Aroclor 1260	1	10	0.005		0.755	2.02	1.07	0.108	ND(0.015)	ND(0.0138)	0.266	0.0763	ND(0.0152)	ND(0.014)	
Aroclor 1262	1	10	0.005		ND(0.0755)	ND(0.0768)	ND(0.0747)	ND(0.0149)	ND(0.00748)	ND(0.00688)	ND(0.036)	ND(0.0068)	ND(0.00759)	0.0204	
Aroclor 1268	1	10	0.005		ND(0.0755)	ND(0.0768)	ND(0.0747)	ND(0.0149)	ND(0.00748)	ND(0.00688)	ND(0.036)	ND(0.0068)	ND(0.00759)	0.00965	
Total PCBs	1	10	0.005		3.985	9.28	6.79	0.279	0	0.0439	1.316	0.1371	0	0.05305	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 50 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	658-S2	658-S3	DUP2-062211	658-S4	659 (0.5-2.5)	659 (2.5-3.5)	659-S1	659-S2	659-S3	659-S4		
					Date:	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011		
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A		
					Soil Type:	L1109098-03	L1109098-04	L1109098-07	L1109098-05	L1109108-01	L1109108-02	L1109098-08	L1109098-09	L1109098-10	L1109102-01		
<b>Volatile Organic Compounds (mg/kg):</b>																	
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--	--	
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--	--	
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--	--	
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--	--	
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--	--	
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--	--	
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--	--	
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--	
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--	--	
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>																	
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	310	35	--	--	--	--	--	--	
Acenaphthene	1,000	2,500	84	--	--	--	--	--	160	14	--	--	--	--	--	--	
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	12	2.1	--	--	--	--	--	--	
Anthracene	1,000	2,500	400	--	--	--	--	--	91	4.4	--	--	--	--	--	--	
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	58	2.4	--	--	--	--	--	--	
Benzo(a)pyrene	1	1	1	--	--	--	--	--	30	1.1	--	--	--	--	--	--	
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	43	1.7	--	--	--	--	--	--	
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	8.2	0.6	--	--	--	--	--	--	
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	6.4	0.58	--	--	--	--	--	--	
Chrysene	84	780	1	--	--	--	--	--	50	2.2	--	--	--	--	--	--	
Dibenzo(a,h)anthracene	1	1	1	--	--	--	--	--	2.5	ND(0.24)	--	--	--	--	--	--	
Fluoranthene	1,000	2,500	56	--	--	--	--	--	200	8	--	--	--	--	--	--	
Fluorene	1,000	2,500	56	--	--	--	--	--	150	9.5	--	--	--	--	--	--	
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	8.4	0.76	--	--	--	--	--	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	350	45	--	--	--	--	--	--	
Phenanthrene	1,000	2,500	40	--	--	--	--	--	300	14	--	--	--	--	--	--	
Pyrene	1,000	2,500	40	--	--	--	--	--	140	5.5	--	--	--	--	--	--	
<b>Polychlorinated Biphenyls (mg/kg):</b>																	
Aroclor 1016	1	10	0.005		ND(0.0223)	ND(0.0232)	ND(0.0224)	ND(0.0238)	--	--	ND(0.0212)	ND(0.0367)	ND(0.0233)	ND(0.0232)			
Aroclor 1221	1	10	0.005		ND(0.0223)	ND(0.0232)	ND(0.0224)	ND(0.0238)	--	--	ND(0.0212)	ND(0.0367)	ND(0.0233)	ND(0.0232)			
Aroclor 1232	1	10	0.005		ND(0.0223)	ND(0.0232)	ND(0.0224)	ND(0.0238)	--	--	ND(0.0212)	ND(0.0367)	ND(0.0233)	ND(0.0232)			
Aroclor 1242	1	10	0.005		ND(0.0223)	ND(0.0232)	ND(0.0224)	ND(0.0238)	--	--	ND(0.0212)	ND(0.0367)	ND(0.0233)	ND(0.0232)			
Aroclor 1248	1	10	0.005		ND(0.0149)	ND(0.0155)	ND(0.015)	ND(0.0159)	--	--	ND(0.0142)	ND(0.0245)	ND(0.0155)	ND(0.0155)			
Aroclor 1254	1	10	0.005		0.114	0.0247	ND(0.0224)	ND(0.0238)	--	--	0.379	ND(0.0367)	ND(0.0233)	ND(0.0232)			
Aroclor 1260	1	10	0.005		0.14	0.0389	0.0247	ND(0.0159)	--	--	0.139	ND(0.0245)	ND(0.0155)	ND(0.0155)			
Aroclor 1262	1	10	0.005		ND(0.00744)	ND(0.00774)	ND(0.00748)	ND(0.00795)	--	--	ND(0.00708)	ND(0.0122)	ND(0.00777)	ND(0.00773)			
Aroclor 1268	1	10	0.005		0.0677	ND(0.00774)	ND(0.00748)	ND(0.00795)	--	--	0.101	ND(0.0122)	ND(0.00777)	ND(0.00773)			
Total PCBs	1	10	0.005		0.3217	0.0636	0.0247	0	--	--	0.619	0	0	0			
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	950	210	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>																	
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 51 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	660-S1	660-S2	660-S3	661-S1	661-S2	661-S3	661-S4	661-S5	661-S7	662-S1
				Depth (ft bgs):	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011
				Date:	0.5-1	1-2	2-3	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	3.5-4.5	5.5-6.5	0-0.5
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1109267-01	L1109267-02	L1109267-03	L1109267-05	L1109267-06	L1109267-07	L1109267-08	L1109267-09	L1109266-01	L1109266-02
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0236)	ND(0.119)	ND(0.0228)	ND(0.134)	ND(0.224)	ND(0.246)	ND(0.0521)	ND(0.0248)	ND(0.0236)	ND(0.131)
Aroclor 1221	1	10	0.005		ND(0.0236)	ND(0.119)	ND(0.0228)	ND(0.134)	ND(0.224)	ND(0.246)	ND(0.0521)	ND(0.0248)	ND(0.0236)	ND(0.131)
Aroclor 1232	1	10	0.005		ND(0.0236)	ND(0.119)	ND(0.0228)	ND(0.134)	ND(0.224)	ND(0.246)	ND(0.0521)	ND(0.0248)	ND(0.0236)	ND(0.131)
Aroclor 1242	1	10	0.005		ND(0.0236)	ND(0.119)	ND(0.0228)	ND(0.134)	ND(0.224)	ND(0.246)	ND(0.0521)	ND(0.0248)	ND(0.0236)	ND(0.131)
Aroclor 1248	1	10	0.005		ND(0.0157)	ND(0.0792)	ND(0.0152)	ND(0.0892)	ND(0.15)	ND(0.164)	ND(0.0347)	ND(0.0166)	ND(0.0157)	ND(0.0875)
Aroclor 1254	1	10	0.005		0.506	0.844	ND(0.0228)	<b>1.56</b>	<b>4.75</b>	<b>6.18</b>	0.349	ND(0.0248)	ND(0.0236)	<b>1.63</b>
Aroclor 1260	1	10	0.005		0.193	0.292	ND(0.0152)	ND(0.0892)	ND(0.15)	ND(0.164)	0.156	ND(0.0166)	ND(0.0157)	ND(0.0875)
Aroclor 1262	1	10	0.005		ND(0.00785)	ND(0.0396)	ND(0.0076)	ND(0.0446)	ND(0.0748)	ND(0.082)	ND(0.0174)	ND(0.00828)	ND(0.00786)	ND(0.0437)
Aroclor 1268	1	10	0.005		ND(0.00785)	ND(0.0396)	ND(0.0076)	ND(0.0446)	ND(0.0748)	ND(0.082)	ND(0.0174)	ND(0.00828)	ND(0.00786)	ND(0.0437)
Total PCBs	1	10	0.005		0.699	<b>1.136</b>	0	<b>1.56</b>	<b>4.75</b>	<b>6.18</b>	0.505	0	0	<b>1.63</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 52 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	662-S2	662-S3	662-S3	663-S1	663-S2	663-S3	663-S4	663-S5	664-S1	664-S2
					Date:	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
					Soil Type:	L1109266-03	L1109266-04	L1110756-01	L1109266-06 R1	L1109266-07	L1109266-08	L1109266-09	L1109266-10	L1109270-02	L1109270-03
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.123)	ND(0.0251)	ND(0.0241)	ND(0.088)	ND(0.0219)	ND(0.0231)	ND(0.0318)	ND(0.0274)	ND(0.0238)	ND(0.0249)	
Aroclor 1221	1	10	0.005		ND(0.123)	ND(0.0251)	ND(0.0241)	ND(0.088)	ND(0.0219)	ND(0.0231)	ND(0.0318)	ND(0.0274)	ND(0.0238)	ND(0.0249)	
Aroclor 1232	1	10	0.005		ND(0.123)	ND(0.0251)	ND(0.0241)	ND(0.088)	ND(0.0219)	ND(0.0231)	ND(0.0318)	ND(0.0274)	ND(0.0238)	ND(0.0249)	
Aroclor 1242	1	10	0.005		ND(0.123)	ND(0.0251)	ND(0.0241)	ND(0.088)	ND(0.0219)	ND(0.0231)	ND(0.0318)	ND(0.0274)	ND(0.0238)	ND(0.0249)	
Aroclor 1248	1	10	0.005		ND(0.0822)	ND(0.0167)	ND(0.0161)	ND(0.0587)	ND(0.0146)	ND(0.0154)	ND(0.0212)	ND(0.0182)	ND(0.0159)	ND(0.0166)	
Aroclor 1254	1	10	0.005		1.44	0.0399	ND(0.0241)	2.04	0.296	0.0462	ND(0.0318)	ND(0.0274)	0.171	ND(0.0249)	
Aroclor 1260	1	10	0.005		ND(0.0822)	ND(0.0167)	ND(0.0161)	ND(0.0587)	0.0756	0.155	ND(0.0212)	ND(0.0182)	0.0231	0.0251	
Aroclor 1262	1	10	0.005		ND(0.0411)	ND(0.00837)	ND(0.00804)	ND(0.0293)	ND(0.00731)	ND(0.00771)	ND(0.0106)	ND(0.00912)	ND(0.00793)	ND(0.0083)	
Aroclor 1268	1	10	0.005		ND(0.0411)	ND(0.00837)	ND(0.00804)	ND(0.0293)	ND(0.00731)	ND(0.00771)	ND(0.0106)	ND(0.00912)	ND(0.00793)	ND(0.0083)	
Total PCBs	1	10	0.005		1.44	0.0399	0	2.04	0.3716	0.2012	0	0	0.1941	0.0251	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 53 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	664-S3	DUP3-062211	664-S4	665-S1	665-S2	665-S3	665-S4	666-S1	666-S2	666-S3	
					Depth (ft bgs):	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	
					Date:	2-3	664-S3	3-4	0.5-1	1-2	2-3	3-4	0-0.5	0.5-1.5	1.5-2.5
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A	H&A
Soil Type:				L1109270-04	L1109270-06	L1109270-05	L1109270-07	L1109270-08	L1109270-09	L1109270-10	L1109268-02 R1L1109268-03 R1	L1109268-04			
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0243)	ND(0.119)	ND(0.0244)	ND(0.0232)	ND(0.0219)	ND(0.025)	ND(0.0216)	ND(0.475)	ND(0.256)	ND(0.0248)	
Aroclor 1221	1	10	0.005		ND(0.0243)	ND(0.119)	ND(0.0244)	ND(0.0232)	ND(0.0219)	ND(0.025)	ND(0.0216)	ND(0.475)	ND(0.256)	ND(0.0248)	
Aroclor 1232	1	10	0.005		ND(0.0243)	ND(0.119)	ND(0.0244)	ND(0.0232)	ND(0.0219)	ND(0.025)	ND(0.0216)	ND(0.475)	ND(0.256)	ND(0.0248)	
Aroclor 1242	1	10	0.005		ND(0.0243)	ND(0.119)	ND(0.0244)	ND(0.0232)	ND(0.0219)	ND(0.025)	ND(0.0216)	ND(0.475)	ND(0.256)	ND(0.0248)	
Aroclor 1248	1	10	0.005		ND(0.0162)	ND(0.0791)	ND(0.0163)	ND(0.0155)	ND(0.0146)	ND(0.0166)	ND(0.0144)	ND(0.317)	ND(0.171)	ND(0.0166)	
Aroclor 1254	1	10	0.005		0.271	ND(0.119)	ND(0.0244)	ND(0.0232)	0.198	ND(0.025)	ND(0.0216)	5.17	2.11	ND(0.0248)	
Aroclor 1260	1	10	0.005		0.467	ND(0.0791)	ND(0.0163)	ND(0.0155)	0.108	ND(0.0166)	ND(0.0144)	ND(0.317)	ND(0.171)	ND(0.0166)	
Aroclor 1262	1	10	0.005		ND(0.0081)	ND(0.0396)	ND(0.00813)	ND(0.00775)	ND(0.00729)	ND(0.00832)	ND(0.0072)	ND(0.158)	ND(0.0854)	ND(0.00828)	
Aroclor 1268	1	10	0.005		ND(0.0081)	ND(0.0396)	ND(0.00813)	ND(0.00775)	ND(0.00729)	ND(0.00832)	ND(0.0072)	ND(0.158)	ND(0.0854)	ND(0.00828)	
Total PCBs	1	10	0.005		0.738	0	0	0	0.306	0	0	5.17	2.11	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 54 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	667-S1	667-S2	667-S3	668-S1	668-S2	668-S3	668-S4	669-S1	669-S2	669-S3
					Date:	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011
					Consultant:	H&A									
					Soil Type:	L1109268-06	L1109268-07	L1109268-08	L1109269-01	L1109269-02	L1109269-03	L1110851-01	L1109269-05	L1109269-06	L1109269-07
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.0222)	ND(0.0238)	ND(0.0214)	ND(0.0257)	ND(0.0258)	ND(0.0221)	ND(0.0229)	ND(0.0247)	ND(0.0234)	ND(0.0228)	
Aroclor 1221	1	10	0.005		ND(0.0222)	ND(0.0238)	ND(0.0214)	ND(0.0257)	ND(0.0258)	ND(0.0221)	ND(0.0229)	ND(0.0247)	ND(0.0234)	ND(0.0228)	
Aroclor 1232	1	10	0.005		ND(0.0222)	ND(0.0238)	ND(0.0214)	ND(0.0257)	ND(0.0258)	ND(0.0221)	ND(0.0229)	ND(0.0247)	ND(0.0234)	ND(0.0228)	
Aroclor 1242	1	10	0.005		ND(0.0222)	ND(0.0238)	ND(0.0214)	ND(0.0257)	ND(0.0258)	ND(0.0221)	ND(0.0229)	ND(0.0247)	ND(0.0234)	ND(0.0228)	
Aroclor 1248	1	10	0.005		ND(0.0148)	ND(0.0158)	ND(0.0142)	ND(0.0171)	ND(0.0172)	ND(0.0148)	ND(0.0153)	ND(0.0165)	ND(0.0156)	ND(0.0152)	
Aroclor 1254	1	10	0.005		0.268	0.23	ND(0.0214)	0.741	0.0389	0.0335	ND(0.0229)	ND(0.0247)	ND(0.0234)	0.142	
Aroclor 1260	1	10	0.005		0.0806	0.115	ND(0.0142)	0.137	0.0592	0.049	ND(0.0153)	ND(0.0165)	ND(0.0156)	0.241	
Aroclor 1262	1	10	0.005		ND(0.00739)	ND(0.00792)	ND(0.00712)	ND(0.00856)	ND(0.00861)	ND(0.00738)	ND(0.00764)	ND(0.00824)	ND(0.00779)	ND(0.00762)	
Aroclor 1268	1	10	0.005		ND(0.00739)	ND(0.00792)	ND(0.00712)	ND(0.00856)	ND(0.00861)	ND(0.00738)	ND(0.00764)	ND(0.00824)	ND(0.00779)	ND(0.00762)	
Total PCBs	1	10	0.005		0.3486	0.345	0	0.878	0.0981	0.0825	0	0	0	0.383	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>															
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 55 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	669-S4	670-S1	670-S2	670-S3	670-S4	671-S1	671-S2	671-S3	671-S4	672-S1
				Depth (ft bgs):	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	
				Date:	3-4	0.5-1	1-2	2-3	3-4	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5
				Consultant:	H&A									
				Soil Type:	L1109269-08	L1109269-09	L1109269-10	L1109271-01	L1110606-01	L1109271-03	L1109271-04	L1109271-05	L1110606-02	L1109271-07
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70		--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80		--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140		--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14		--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1		--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1,000	19.5		--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1		--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20		--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1		--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4		--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84		--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84		--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400		--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1		--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1		--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1		--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1		--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1		--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1		--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56		--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40		--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.0224)	ND(0.0261)	ND(0.0954)	ND(0.0218)	ND(0.0252)	ND(0.0282)	ND(0.0249)	ND(0.0243)	ND(0.0246)	ND(0.0238)
Aroclor 1221	1	10	0.005		ND(0.0224)	ND(0.0261)	ND(0.0954)	ND(0.0218)	ND(0.0252)	ND(0.0282)	ND(0.0249)	ND(0.0243)	ND(0.0246)	ND(0.0238)
Aroclor 1232	1	10	0.005		ND(0.0224)	ND(0.0261)	ND(0.0954)	ND(0.0218)	ND(0.0252)	ND(0.0282)	ND(0.0249)	ND(0.0243)	ND(0.0246)	ND(0.0238)
Aroclor 1242	1	10	0.005		ND(0.0224)	ND(0.0261)	ND(0.0954)	ND(0.0218)	ND(0.0252)	ND(0.0282)	ND(0.0249)	ND(0.0243)	ND(0.0246)	ND(0.0238)
Aroclor 1248	1	10	0.005		ND(0.0149)	ND(0.0174)	ND(0.0636)	ND(0.0145)	ND(0.0168)	ND(0.0188)	ND(0.0166)	ND(0.0162)	ND(0.0164)	ND(0.0158)
Aroclor 1254	1	10	0.005		ND(0.0224)	ND(0.0261)	ND(0.0954)	0.0448	ND(0.0252)	0.0574	0.0295	0.0335	ND(0.0246)	0.363
Aroclor 1260	1	10	0.005		ND(0.0149)	ND(0.0174)	0.0947	0.0463	ND(0.0168)	0.0396	0.0207	ND(0.0162)	ND(0.0164)	ND(0.0158)
Aroclor 1262	1	10	0.005		ND(0.00745)	ND(0.00869)	ND(0.0318)	ND(0.00727)	ND(0.0084)	ND(0.0094)	ND(0.00829)	ND(0.0081)	ND(0.00821)	ND(0.00792)
Aroclor 1268	1	10	0.005		ND(0.00745)	ND(0.00869)	ND(0.0318)	ND(0.00727)	ND(0.0084)	ND(0.0094)	ND(0.00829)	ND(0.0081)	ND(0.00821)	0.147
Total PCBs	1	10	0.005		0	0	0.0947	0.0911	0	0.097	0.0502	0.0335	0	0.51
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--		--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 56 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	672-S2	DUR4-062211	672-S3	672-S4	673-S1	673-S2	673-S3	HA-AOC6-301S1	HA-AOC6-301S2	HA-AOC6-301S3	
				Depth (ft bgs):	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/22/2011	6/24/2011	6/24/2011	6/24/2011	
				Date:	0.5-1.5	672-S2	1.5-2.5	2.5-3.5	0.0-5	0.5-1.5	1.5-2.5	0.5-1	1-2	2-3	
				Consultant:	H&A	H&A	H&A								
Soil Type:				L1109271-08	L1109478-03	L1109271-09	L1109271-10	L1109265-02	L1109265-03	L1110605-01	L1109382-10	L1109381-01	L1109381-02 R1		
<b>Volatile Organic Compounds (mg/kg):</b>															
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--	
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--	
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--	
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--	
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--	
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--	
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--	
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--	
<b>Semi-Volatile Organic Compounds (mg/kg):</b>															
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--	
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--	
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--	
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--	
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--	
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--	
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--	
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--	
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--	
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--	
<b>Polychlorinated Biphenyls (mg/kg):</b>															
Aroclor 1016	1	10	0.005		ND(0.219)	ND(0.432)	ND(0.0236)	ND(0.0226)	ND(0.0226)	ND(0.0223)	ND(0.023)	ND(0.0204)	ND(0.0221)	ND(0.104)	
Aroclor 1221	1	10	0.005		ND(0.219)	ND(0.432)	ND(0.0236)	ND(0.0226)	ND(0.0226)	ND(0.0223)	ND(0.023)	ND(0.0204)	ND(0.0221)	ND(0.104)	
Aroclor 1232	1	10	0.005		ND(0.219)	ND(0.432)	ND(0.0236)	ND(0.0226)	ND(0.0226)	ND(0.0223)	ND(0.023)	ND(0.0204)	ND(0.0221)	ND(0.104)	
Aroclor 1242	1	10	0.005		ND(0.219)	ND(0.432)	ND(0.0236)	ND(0.0226)	ND(0.0226)	ND(0.0223)	ND(0.023)	ND(0.0204)	ND(0.0221)	ND(0.104)	
Aroclor 1248	1	10	0.005		ND(0.146)	ND(0.288)	ND(0.0157)	ND(0.0151)	ND(0.0151)	ND(0.0149)	ND(0.0153)	ND(0.0136)	ND(0.0147)	ND(0.069)	
Aroclor 1254	1	10	0.005		1.34	3.06	ND(0.0236)	ND(0.0226)	0.0676	0.166	ND(0.023)	0.0466	ND(0.0221)	ND(0.104)	
Aroclor 1260	1	10	0.005		ND(0.146)	ND(0.288)	ND(0.0157)	ND(0.0151)	0.0426	0.284	ND(0.0153)	0.0141	ND(0.0147)	ND(0.069)	
Aroclor 1262	1	10	0.005		ND(0.073)	ND(0.144)	ND(0.00787)	ND(0.00755)	ND(0.00754)	ND(0.00745)	ND(0.00766)	ND(0.00679)	ND(0.00736)	ND(0.0345)	
Aroclor 1268	1	10	0.005		ND(0.073)	ND(0.144)	ND(0.00787)	ND(0.00755)	ND(0.00754)	ND(0.00745)	ND(0.00766)	ND(0.00679)	0.197	ND(0.0345)	
Total PCBs	1	10	0.005		1.34	3.06	0	0	0.1102	0.45	0	0.0607	0.197	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--	
<b>Total Metals (mg/kg):</b>															
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--	

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 57 of 58

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC6-301S4	HA-AOC6-301S5	HA-AOC6-302S1	HA-AOC6-302S2	HA-AOC6-302S3	HA-AOC6-302S4	HA-AOC6-302S5	HA-AOC6-303S1	
					Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	
					Consultant:	H&A								
				Soil Type:	L1109381-03	L1109381-04	L1109382-05	L1109382-06	L1109382-07	L1109382-08	L1109382-09	L1109383-09		
<b>Volatile Organic Compounds (mg/kg):</b>														
1,2,4-Trimethylbenzene	500	1,000	70	--	--	--	--	--	--	--	--	--	--	--
2-Butone (MEK)	500	1,000	80	--	--	--	--	--	--	--	--	--	--	--
Acetone	500	1,000	140	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene	500	1,000	14	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	500	1,000	10.1	--	--	--	--	--	--	--	--	--	--	--
m+p Xylenes	500	1000	19.5	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene	12	110	1	--	--	--	--	--	--	--	--	--	--	--
Toluene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-Dichloroethene	500	1,000	20	--	--	--	--	--	--	--	--	--	--	--
Trichloroethene	56	520	1	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>														
2-Methyl Naphthalene	474	2,500	7.4	--	--	--	--	--	--	--	--	--	--	--
Acenaphthene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	1,000	2,500	84	--	--	--	--	--	--	--	--	--	--	--
Anthracene	1,000	2,500	400	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	1,000	2,500	1	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	8.4	78	1	--	--	--	--	--	--	--	--	--	--	--
Chrysene	84	780	1	--	--	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Fluorene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)Pyrene	1	7.8	1	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	1,000	2,500	56	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
Pyrene	1,000	2,500	40	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):</b>														
Aroclor 1016	1	10	0.005		ND(0.139)	ND(0.0233)	ND(0.023)	ND(0.118)	ND(0.228)	ND(0.0241)	ND(0.0232)	ND(0.0226)		
Aroclor 1221	1	10	0.005		ND(0.139)	ND(0.0233)	ND(0.023)	ND(0.118)	ND(0.228)	ND(0.0241)	ND(0.0232)	ND(0.0226)		
Aroclor 1232	1	10	0.005		ND(0.139)	ND(0.0233)	ND(0.023)	ND(0.118)	ND(0.228)	ND(0.0241)	ND(0.0232)	ND(0.0226)		
Aroclor 1242	1	10	0.005		ND(0.139)	ND(0.0233)	ND(0.023)	ND(0.118)	ND(0.228)	ND(0.0241)	ND(0.0232)	ND(0.0226)		
Aroclor 1248	1	10	0.005		ND(0.0927)	ND(0.0155)	ND(0.0153)	ND(0.079)	ND(0.152)	ND(0.016)	ND(0.0154)	ND(0.0151)		
Aroclor 1254	1	10	0.005		0.297	ND(0.0233)	ND(0.023)	ND(0.118)	4.65	ND(0.0241)	ND(0.0232)	ND(0.0226)		
Aroclor 1260	1	10	0.005		0.464	ND(0.0155)	ND(0.0153)	ND(0.079)	ND(0.152)	ND(0.016)	ND(0.0154)	ND(0.0151)		
Aroclor 1262	1	10	0.005		ND(0.0464)	ND(0.00776)	ND(0.00767)	ND(0.0395)	ND(0.0761)	ND(0.00802)	ND(0.00772)	ND(0.00753)		
Aroclor 1268	1	10	0.005		ND(0.0464)	ND(0.00776)	0.216	2.86	1.62	ND(0.00802)	ND(0.00772)	0.0538		
Total PCBs	1	10	0.005		0.761	0	0.216	2.86	6.27	0	0	0.0538		
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--	--	--	--
<b>Total Metals (mg/kg):</b>														
Arsenic	10	10	--	--	--	--	--	--	--	--	--	--	--	--

See page 58 for notes.

TABLE II - AOC22 PCBs IN SOIL AREA 2  
SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
23 BARRY PLACE  
STAMFORD, CONNECTICUT

Page 58 of 58

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.
9. Sample was submitted for petroleum hydrocarbon identification. Results are provided in Alpha Analytical Report #L1010394
10. PCB extraction methods vary by consultant. Ultrasonic method was used for GZA samples; Accelerated Solvent Extraction (ASE) was used for Woodward & Curran samples; and Soxhlet extraction was used on Haley & Aldrich samples.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 1 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-10A		GZ-10B		GZ-IIA		GZ-11B		GZ-49		GZ-49		GZ-50	
					Depth (ft bgs):		0.5-1	1-2	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2
					Date:	12/9/2005	12/9/2005	12/9/2005	12/9/2005	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006
					Consultant:	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA
					Soil Type:	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>																		
Aroclor 1016	1	10	0.005		<2.5	<0.30	<2.5	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1221	1	10	0.005		<2.5	<0.30	<2.5	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1232	1	10	0.005		<2.5	<0.30	<2.5	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1242	1	10	0.005		<2.5	<0.30	<2.5	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1248	1	10	0.005		<b>3.2</b>	<b>2.6</b>	<b>7.4</b>	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1254	1	10	0.005		<b>13</b>	<0.30	<b>6.4</b>	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40	<0.30	<0.40
Aroclor 1260	1	10	0.005		<b>21</b>	<b>3.2</b>	<b>10</b>	<0.40	<0.70	<0.40	<0.30	<0.40	<0.30	<b>4.6</b>	<0.40	<b>4.6</b>	<0.40	<0.40
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total PCBs	1	10	0.005		<b>37.2</b>	<b>5.8</b>	<b>23.8</b>	0	0	0	0	0	<b>4.6</b>	0				
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 2 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-51	GZ-51	GZ-52	GZ-52	GZ-53	GZ-53	GZ-54	GZ-54
				Depth (ft bgs):	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2
				Date:	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006
				Consultant:	GZA	GZA	GZA	GZA	GZA	GZA	GZA	GZA
				Soil Type:	Fill	Fill	Fill	Fill	Fill	Fill	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>												
Aroclor 1016	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1221	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1232	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1242	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1248	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1254	1	10	0.005		<0.40	<0.40	<0.40	<0.30	<0.70	<0.40	<0.70	<0.30
Aroclor 1260	1	10	0.005		0.4	<0.40	<b>1.1</b>	<0.30	<b>4.8</b>	0.56	<0.70	<0.30
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--	--
Total PCBs	1	10	0.005		0.4	0	<b>1.1</b>	0	<b>4.8</b>	0.56	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 3 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	GZ-55	GZ-55	GZ-56	GZ-56	GZ-57	GZ-57	AOC23-SS-SB01-40
				Depth (ft bgs):	0.5-1	1-2	0.5-1	1-2	0.5-1	1-2	0.5-1
				Date:	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	1/6/2006	12/4/2006
				Consultant:	GZA	GZA	GZA	GZA	GZA	GZA	W&C
				Soil Type:	Fill	Fill	Fill	Fill	Fill	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1221	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1232	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1242	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1248	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1254	1	10	0.005		<0.30	<0.30	<0.70	<0.40	<0.70	<0.30	ND
Aroclor 1260	1	10	0.005		<0.30	<0.30	0.9	<0.40	<0.70	<0.30	ND
Aroclor 1262	1	10	0.005		--	--	--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--	--	--
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0</b>	<b>0</b>	<b>0.9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 4 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	AOC23-SS-SB02-41	AOC23-SS-SB03-42	AOC23-SS-SB04-43	AOC23-SS-SB05-44	AOC23-SS-SB06-45
				Depth (ft bgs):	0.5-1	0.5-1	0.5-1	0.5-1	0.5-1
				Date:	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006
				Consultant:	W&C	W&C	W&C	W&C	W&C
				Soil Type:	Fill	Fill	Fill	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1254	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1260	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1262	1	10	0.005		--	--	--	--	--
Aroclor 1268	1	10	0.005		--	--	--	--	--
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 5 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	AOC23-SS-SB07-46	AOC23-SS-SB08-47	AOC23-SS-SB09-48	AOC23-SS-SB10-49	AOC23-SS-SB11-50
				Depth (ft bgs):	0.5-1	0.5-1	0.5-1	0.5-1	0.5-1
				Date:	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006
				Consultant:	W&C	W&C	W&C	W&C	W&C
				Soil Type:	Fill	Fill	Fill	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1254	1	10	0.005		ND	ND	<b>3.4</b>	ND	ND
Aroclor 1260	1	10	0.005		ND	ND	<b>9.4</b>	0.6	ND
Aroclor 1262	1	10	0.005	--	--	--	--	--	--
Aroclor 1268	1	10	0.005	--	--	--	--	--	--
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0</b>	<b>0</b>	<b>12.8</b>	<b>0.6</b>	<b>0</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 6 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: AOC23-SS-SB12-51 AOC23-SS-SB13-52 AOC23-SS-SB14-53 AOC23-SS-SB15-54 AOC23-SS-SB16-55					
				Depth (ft bgs):		0.5-1	0.5-1	0.5-1	0.5-1
				Date:	Consultant:	12/5/2006	W&C	12/5/2006	W&C
Soil Type:		Fill		Fill		Fill		Fill	
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1221	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1232	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1242	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1248	1	10	0.005		ND	ND	ND	ND	ND
Aroclor 1254	1	10	0.005		ND	ND	ND	ND	0.97
Aroclor 1260	1	10	0.005	<b>1.3</b>	0.8	<b>3.2</b>	<b>9.3</b>	1	
Aroclor 1262	1	10	0.005	--	--	--	--	--	
Aroclor 1268	1	10	0.005	--	--	--	--	--	
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>	<b>1.3</b>	<b>0.8</b>	<b>3.2</b>	<b>9.3</b>	<b>1.97</b>	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 7 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant:	HA-AOC23-B201-S1 0-0.5 6/30/2010	HA-AOC23-B201-S2 0.5-1 6/30/2010	HA-AOC23-B201-S3 1-2 6/30/2010	HA-AOC23-B201(0-2) 0-2 6/30/2010
					Soil Type: Fill	H&A Fill	H&A Fill	H&A Fill
					Q	Q	Q	Q
Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	<0.0018
Semi-Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	<0.37
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>								
Aroclor 1016	1	10	0.005		<0.0241	<0.0223	<0.0224	--
Aroclor 1221	1	10	0.005		<0.0241	<0.0223	<0.0224	--
Aroclor 1232	1	10	0.005		<0.0241	<0.0223	<0.0224	--
Aroclor 1242	1	10	0.005		<0.0241	UJ	<0.0223	<0.0224
Aroclor 1248	1	10	0.005		<0.0161	UJ	<0.0149	<0.0149
Aroclor 1254	1	10	0.005		<0.0241	UJ	<0.0223	<0.0224
Aroclor 1260	1	10	0.005		0.171	J	0.143	0.0285
Aroclor 1262	1	10	0.005		<0.00803	<0.00743	<0.00747	--
Aroclor 1268	1	10	0.005		<0.00803	<0.00743	<0.00747	--
Total PCBs	1	10	0.005		0.171	J	0.143	0.0285
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500		--	--	--	59

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 8 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC23-B202-S1	HA-AOC23-B202-S2	HA-AOC23-B202-S3	HA-AOC23-B203-S1	HA-AOC23-B203-S2
					Date:	0-0.5 6/30/2010	0.5-1 6/30/2010	1-2 6/30/2010	0-0.5 6/30/2010	0.5-1 6/30/2010
					Consultant:	H&A	H&A	H&A	H&A	H&A
Volatile Organic Compounds (mg/kg):					Soil Type:	Fill	Fill	Fill	Fill	Fill
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Semi-Volatile Organic Compounds (mg/kg):						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Polychlorinated Biphenyls (mg/kg): <sup>8</sup>						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1016						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1221						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1232						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1242						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1248						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1254						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1260						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1262						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Aroclor 1268						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
Total PCBs						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--
						--	--	--	--	--

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 9 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	HA-AOC23-B203-S3	HA-DUP4-063010	HA-AOC23-B204-S1	HA-AOC23-B204-S2
					Depth (ft bgs):	1-2	HA-AOC23-B202-S3	0-0.5
					Date:	6/30/2010	6/30/2010	0.5-1
				Consultant:	H&A	H&A	H&A	H&A
				Soil Type:	Fill	Q	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>								
Aroclor 1016	1	10	0.005		<0.0246	<0.0235	<4.3	<0.109
Aroclor 1221	1	10	0.005		<0.0246	<0.0235	<4.3	<0.109
Aroclor 1232	1	10	0.005		<0.0246	<0.0235	<4.3	<0.109
Aroclor 1242	1	10	0.005		<0.0246	<0.0235	<4.3	<0.109
Aroclor 1248	1	10	0.005		<0.0164	<0.0157	78.5	2.58
Aroclor 1254	1	10	0.005		<0.0246	<0.0235	35.7	1.14
Aroclor 1260	1	10	0.005		<0.0164	UJ	0.0634	J 61
Aroclor 1262	1	10	0.005		<0.00819	<0.00784	<1.43	<0.0364
Aroclor 1268	1	10	0.005		<0.00819	<0.00784	<1.43	<0.0364
Total PCBs	1	10	0.005		0	0.0634	J 175.2	4.94
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 10 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-A0C23-B204-S3	HA-A0C23-B204-S4	HA-A0C23-B205-S1	HA-A0C23-B205-S2	HA-A0C23-B205-S3
					Date:	1-2 6/30/2010	2-3 6/30/2010	0-0.5 6/30/2010	0.5-1 6/30/2010	1-2 6/30/2010
					Consultant:	H&A	H&A	H&A	H&A	H&A
				Soil Type:	Fill	Fill	Fill	Fill	Fill	Natural
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>5</sup></b>										
Aroclor 1016	1	10	0.005		<0.0211	<0.0215	<0.411	<0.214	<0.0229	
Aroclor 1221	1	10	0.005		<0.0211	<0.0215	<0.411	<0.214	<0.0229	
Aroclor 1232	1	10	0.005		<0.0211	<0.0215	<0.411	<0.214	<0.0229	
Aroclor 1242	1	10	0.005		<0.0211	<0.0215	<0.411	<0.214	<0.0229	
Aroclor 1248	1	10	0.005		<0.0141	<0.0144	<0.274	<0.143	<0.0153	
Aroclor 1254	1	10	0.005		<0.0211	<0.0215	<0.411	<0.214	<0.0229	
Aroclor 1260	1	10	0.005		<0.0141	<0.0144	<b>7.34</b>	<b>2.96</b>	0.0203	
Aroclor 1262	1	10	0.005		<0.00704	<0.00718	<0.137	<0.0714	<0.00765	
Aroclor 1268	1	10	0.005		<0.00704	<0.00718	<0.137	<0.0714	<0.00765	
Total PCBs	1	10	0.005		0	0	<b>7.34</b>	<b>2.96</b>	0.0203	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 11 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC23-B206-S1	HA-AOC23-B206-S2	HA-AOC23-B206-S3	HA-AOC23-B206-S4	HA-AOC23-B207-S1
					Date:	0-0.5	0.5-1	1-2	2-3	0-0.5
					Consultant:	H&A	H&A	H&A	H&A	H&A
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--			--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--			--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>										
Aroclor 1016	1	10	0.005		<0.0215	<0.0203	<0.0205	<0.021	<0.0248	
Aroclor 1221	1	10	0.005		<0.0215	<0.0203	<0.0205	<0.021	<0.0248	
Aroclor 1232	1	10	0.005		<0.0215	<0.0203	<0.0205	<0.021	<0.0248	
Aroclor 1242	1	10	0.005		<0.0215	<0.0203	<0.0205	<0.021	<0.0248	
Aroclor 1248	1	10	0.005		<0.0143	<0.0135	<0.0136	<0.014	<0.0165	
Aroclor 1254	1	10	0.005		<0.0215	<0.0203	<0.0205	<0.021	<0.0248	
Aroclor 1260	1	10	0.005		<0.0143	<0.0135	<0.0136	<0.014	<0.0165	
Aroclor 1262	1	10	0.005		<0.00716	<0.00675	<0.00683	<0.00699	<0.00827	
Aroclor 1268	1	10	0.005		<0.00716	<0.00675	<0.00683	<0.00699	<0.00827	
Total PCBs	1	10	0.005		0	0	0	0	0	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 12 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	HA-AOC23-B207-S2	HA-AOC23-B207-S3	HA-AOC23-B207-S4	HA-AOC23-B301-S1	HA-AOC23-B301-S2
					Depth (ft bgs):	0.5-1	1-2	2-3	0.5-1
					Date:	6/30/2010	6/30/2010	6/30/2010	10/13/2010
				Consultant:	H&A	H&A	H&A	H&A	H&A
				Soil Type:	Fill	Weathered Rock	Weathered Rock	Fill	Fill
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		<0.0223	<0.023	<0.0222	<0.104	<0.11
Aroclor 1221	1	10	0.005		<0.0223	<0.023	<0.0222	<0.104	<0.11
Aroclor 1232	1	10	0.005		<0.0223	<0.023	<0.0222	<0.104	<0.11
Aroclor 1242	1	10	0.005		<0.0223	<0.023	<0.0222	<0.104	<0.11
Aroclor 1248	1	10	0.005		<0.0149	<0.0153	<0.0148	<0.0693	<0.0734
Aroclor 1254	1	10	0.005		<0.0223	<0.023	<0.0222	<0.104	0.576
Aroclor 1260	1	10	0.005		<0.0149	<0.0153	<0.0148	<b>2.41</b>	<b>1.19</b>
Aroclor 1262	1	10	0.005		<0.00743	<0.00766	<0.0074	<0.0346	<0.0367
Aroclor 1268	1	10	0.005		<0.00743	<0.00766	<0.0074	<0.0346	<0.0367
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>2.41</b>	<b>1.766</b>
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 13 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC23-B302-S1	HA-AOC23-B302-S2	HA-AOC23-B303-S1	HA-AOC23-B303-S2
					Date:	0-0.5 10/13/2010	0.5-1 10/13/2010	0-2 10/14/2010	2-4 10/14/2010
					Consultant:	H&A Fill	H&A Fill	H&A Fill	H&A Fill
Soil Type:									
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		<0.0807	<0.0196	<0.0391	<0.251	
Aroclor 1221	1	10	0.005		<0.0807	<0.0196	<0.0391	<0.251	
Aroclor 1232	1	10	0.005		<0.0807	<0.0196	<0.0391	<0.251	
Aroclor 1242	1	10	0.005		<0.0807	<0.0196	<0.0391	<0.251	
Aroclor 1248	1	10	0.005		<0.0538	<0.0131	0.096	<b>1.81</b>	
Aroclor 1254	1	10	0.005		<0.0807	<0.0196	<0.0391	<b>1.66</b>	
Aroclor 1260	1	10	0.005		<0.0538	0.0468	<0.0261	<b>2.35</b>	
Aroclor 1262	1	10	0.005		<0.0269	<0.00655	<0.013	<0.0836	
Aroclor 1268	1	10	0.005		<0.0269	<0.00655	<0.013	<0.0836	
Total PCBs	1	10	0.005		0	0.0468	0.096	<b>5.82</b>	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 14 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs): Date: Consultant: Soil Type:	Sample ID:	HA-AOC23-B304-S1 0-0.5 10/14/2010 H&A Fill	HA-AOC23-B304-S2 0.5-1 10/14/2010 H&A Fill	HA-AOC23-B304-S3 1-2 10/14/2010 H&A Fill	HA-AOC23-B305-S1 0-1 10/14/2010 H&A Fill
					HA-AOC23-B304-S1 0-0.5 10/14/2010 H&A Fill	HA-AOC23-B304-S2 0.5-1 10/14/2010 H&A Fill	HA-AOC23-B304-S3 1-2 10/14/2010 H&A Fill	HA-AOC23-B305-S1 0-1 10/14/2010 H&A Fill	HA-AOC23-B305-S1 0-1 10/14/2010 H&A Fill
					--	--	--	--	--
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--		--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		<0.081	<0.0245	<0.0235	<0.0217	
Aroclor 1221	1	10	0.005		<0.081	<0.0245	<0.0235	<0.0217	
Aroclor 1232	1	10	0.005		<0.081	<0.0245	<0.0235	<0.0217	
Aroclor 1242	1	10	0.005		<0.081	<0.0245	<0.0235	<0.0217	
Aroclor 1248	1	10	0.005		0.758	<0.0164	<0.0157	0.0713	
Aroclor 1254	1	10	0.005		0.478	<0.0245	<0.0235	<0.0217	
Aroclor 1260	1	10	0.005		0.829	<0.0164	<0.0157	0.27	
Aroclor 1262	1	10	0.005		<0.027	<0.00818	<0.00784	<0.00722	
Aroclor 1268	1	10	0.005		<0.027	<0.00818	<0.00784	<0.00722	
Total PCBs	1	10	0.005		<b>2.065</b>	0	0	0.3413	
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 15 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC23-B307-S1	HA-AOC23-B307-S2	HA-AOC23-B307-S3	HA-AOC23-B306-S1
					Date:	0-0.5	0.5-1	1-2	0-0.5
					Consultant:	10/14/2010	10/14/2010	10/14/2010	10/13/2010
				Soil Type:		H&A Fill	H&A Fill	H&A Fill	H&A Fill
Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	--	--
Semi-Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>									
Aroclor 1016	1	10	0.005		<0.0225	<0.25	<1.2	<2	
Aroclor 1221	1	10	0.005		<0.0225	<0.25	<1.2	<2	
Aroclor 1232	1	10	0.005		<0.0225	<0.25	<1.2	<2	
Aroclor 1242	1	10	0.005		<0.0225	<0.25	<1.2	<2	
Aroclor 1248	1	10	0.005		<0.015	<b>1.04</b>	<b>10.2</b>	<b>&lt;1.33</b>	
Aroclor 1254	1	10	0.005		<0.0225	<b>1.4</b>	<b>11.6</b>	<b>&lt;2</b>	
Aroclor 1260	1	10	0.005		0.133	<b>3.12</b>	<b>23.4</b>	<b>28.3</b>	
Aroclor 1262	1	10	0.005		<0.00752	<0.0833	<0.4	<0.665	
Aroclor 1268	1	10	0.005		<0.00752	<0.0833	<0.4	<0.665	
Total PCBs	1	10	0.005		0.133	<b>5.56</b>	<b>45.2</b>	<b>28.3</b>	
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500		--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 16 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Depth (ft bgs):	Sample ID:	HA-AOC23-B306-S2	HA-AOC23-B306-S3	701-S1	701-S2	701-S3	701-S4
					Date:	0.5-1 10/13/2010	1-2 10/13/2010	0.5-1 6/24/2011	1-2 6/24/2011	2-3 6/24/2011	3-4 6/24/2011
					Consultant:	H&A	H&A	H&A	H&A	H&A	H&A
					Soil Type:	Fill	Fill	L1109471-06	L1109471-07	L1109471-08	L1109471-09
Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	--	--	--	--
Semi-Volatile Organic Compounds (mg/kg):	--	--	--		--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>5</sup></b>											
Aroclor 1016	1	10	0.005		<1.03	<0.0255	ND(0.116)	ND(0.116)	ND(0.0268)	ND(0.0297)	
Aroclor 1221	1	10	0.005		<1.03	<0.0255	ND(0.116)	ND(0.116)	ND(0.0268)	ND(0.0297)	
Aroclor 1232	1	10	0.005		<1.03	<0.0255	ND(0.116)	ND(0.116)	ND(0.0268)	ND(0.0297)	
Aroclor 1242	1	10	0.005		<1.03	<0.0255	ND(0.116)	ND(0.116)	ND(0.0268)	ND(0.0297)	
Aroclor 1248	1	10	0.005		<0.69	<0.017	ND(0.077)	0.342	0.0221	ND(0.0198)	
Aroclor 1254	1	10	0.005		<1.03	<0.0255	0.388	ND(0.116)	ND(0.0268)	ND(0.0297)	
Aroclor 1260	1	10	0.005		11.6	0.0872	0.75	0.858	0.0234	ND(0.0198)	
Aroclor 1262	1	10	0.005		<0.345	<0.00851	ND(0.0385)	ND(0.0385)	ND(0.00894)	ND(0.00989)	
Aroclor 1268	1	10	0.005		<0.345	<0.00851	ND(0.0385)	ND(0.0385)	ND(0.00894)	ND(0.00989)	
Total PCBs	1	10	0.005		11.6	0.0872	1.138	1.2	0.0455	0	
Extractable Total Petroleum Hydrocarbons (mg/kg):	500	2,500	2,500		--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 17 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	701-(4-4.5)	701-S5	702-S1	702-S2	702-S3	702-S4	702-(4-5)
				Depth (ft bgs):	4-4.5	4-5	0.5-1	1-2	2-3	3-4	4-5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1109470-01	L1109471-10	L1109469-01	L1109469-02	L1109469-03	L1109469-04	L1109470-02
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005	--	ND(0.144)	ND(0.0251)	ND(0.0242)	ND(0.0224)	ND(0.0223)	--	--
Aroclor 1221	1	10	0.005	--	ND(0.144)	ND(0.0251)	ND(0.0242)	ND(0.0224)	ND(0.0223)	--	--
Aroclor 1232	1	10	0.005	--	ND(0.144)	ND(0.0251)	ND(0.0242)	ND(0.0224)	ND(0.0223)	--	--
Aroclor 1242	1	10	0.005	--	ND(0.144)	ND(0.0251)	ND(0.0242)	ND(0.0224)	ND(0.0223)	--	--
Aroclor 1248	1	10	0.005	--	<b>2.27</b>	ND(0.0167)	ND(0.0161)	ND(0.0149)	ND(0.0149)	--	--
Aroclor 1254	1	10	0.005	--	ND(0.144)	ND(0.0251)	ND(0.0242)	ND(0.0224)	0.181	--	--
Aroclor 1260	1	10	0.005	--	0.654	0.0196	ND(0.0161)	ND(0.0149)	0.624	--	--
Aroclor 1262	1	10	0.005	--	ND(0.0479)	ND(0.00837)	ND(0.00807)	ND(0.00745)	ND(0.00744)	--	--
Aroclor 1268	1	10	0.005	--	ND(0.0479)	ND(0.00837)	ND(0.00807)	ND(0.00745)	ND(0.00744)	--	--
Total PCBs	1	10	0.005	--	<b>2.924</b>	0.0196	0	0	0.805	--	--
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	130	--	--	--	--	--	ND(17)	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 18 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	702-S5	703-S1	703-S2	703-S3	703-S4	704-S1	704-S2
				Depth (ft bgs):	4-5	0.5-1	1-2	2-3	3-4	0.5-1	1-2
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1109469-05	L1109469-06	L1109469-08	L1109469-09	L1109469-07	L1109469-10	L1109468-01
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.123)	ND(0.485)	ND(0.127)	ND(0.0229)	ND(0.224)	ND(0.0234)	ND(0.025)
Aroclor 1221	1	10	0.005		ND(0.123)	ND(0.485)	ND(0.127)	ND(0.0229)	ND(0.224)	ND(0.0234)	ND(0.025)
Aroclor 1232	1	10	0.005		ND(0.123)	ND(0.485)	ND(0.127)	ND(0.0229)	ND(0.224)	ND(0.0234)	ND(0.025)
Aroclor 1242	1	10	0.005		ND(0.123)	ND(0.485)	ND(0.127)	ND(0.0229)	ND(0.224)	ND(0.0234)	ND(0.025)
Aroclor 1248	1	10	0.005		0.536	<b>8.51</b>	0.565	ND(0.0152)	ND(0.149)	ND(0.0156)	ND(0.0166)
Aroclor 1254	1	10	0.005		ND(0.123)	ND(0.485)	ND(0.127)	ND(0.0229)	ND(0.224)	ND(0.0234)	ND(0.025)
Aroclor 1260	1	10	0.005		0.689	<b>11.8</b>	1	ND(0.0152)	ND(0.149)	0.144	ND(0.0166)
Aroclor 1262	1	10	0.005		ND(0.041)	ND(0.162)	ND(0.0424)	ND(0.00763)	ND(0.0747)	ND(0.00781)	ND(0.00832)
Aroclor 1268	1	10	0.005		ND(0.041)	ND(0.162)	ND(0.0424)	ND(0.00763)	ND(0.0747)	ND(0.00781)	ND(0.00832)
<b>Total PCBs</b>	1	10	0.005		1.225	<b>20.31</b>	<b>1.565</b>	0	0	0.144	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 19 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	DUP3062411	704-S3	704 (2-4)	DUP4-062411	704-S4	705-S1	705-S2	
				Depth (ft bgs):	704-S2	2-3	2-4	704 (2-4)	3-4	0.5-1	1-2	
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	
				Consultant:	H&A							
Volatile Organic Compounds (mg/kg):				Soil Type:	L1109471-03	L1109468-02	L1109470-03	L1109470-04	L1109468-03	L1109468-04	L1109468-05	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
Semi-Volatile Organic Compounds (mg/kg):				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
Polychlorinated Biphenyls (mg/kg): <sup>8</sup>				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
				--	--	--	--	--	--	--	--	
Aroclor 1016				1	10	0.005	ND(0.0233)	ND(0.0248)	--	ND(0.0249)	ND(0.0248)	ND(0.0248)
				1	10	0.005	ND(0.0233)	ND(0.0248)	--	ND(0.0249)	ND(0.0248)	ND(0.0248)
				1	10	0.005	ND(0.0233)	ND(0.0248)	--	ND(0.0249)	ND(0.0248)	ND(0.0248)
				1	10	0.005	ND(0.0233)	ND(0.0248)	--	ND(0.0249)	ND(0.0248)	ND(0.0248)
				1	10	0.005	ND(0.0155)	ND(0.0165)	--	ND(0.0166)	ND(0.0165)	ND(0.0166)
				1	10	0.005	ND(0.0233)	ND(0.0248)	--	ND(0.0249)	ND(0.0248)	ND(0.0248)
				1	10	0.005	ND(0.0155)	ND(0.0165)	--	ND(0.0166)	0.174	0.0302
				1	10	0.005	ND(0.00777)	ND(0.00826)	--	ND(0.0083)	ND(0.00827)	ND(0.00828)
				1	10	0.005	ND(0.00777)	ND(0.00826)	--	ND(0.0083)	ND(0.00827)	ND(0.00828)
				1	10	0.005	0	0	--	0	0.174	0.0302
Extractable Total Petroleum Hydrocarbons (mg/kg):				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--
				500	2,500	2,500	--	--	240	200	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 20 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	705-S3	705-S4	706-S1	706-S2	706-S3	706-S4	707-S1
				Depth (ft bgs):	2-3	3-4	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	H&A						
				Soil Type:	L1109468-06	L1109468-07	L1109468-08	L1109468-09	L1109468-10	L1109474-01	L1109474-02
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0247)	ND(0.0244)	ND(0.0249)	ND(0.0246)	ND(0.0222)	ND(0.0218)	ND(0.0272)
Aroclor 1221	1	10	0.005		ND(0.0247)	ND(0.0244)	ND(0.0249)	ND(0.0246)	ND(0.0222)	ND(0.0218)	ND(0.0272)
Aroclor 1232	1	10	0.005		ND(0.0247)	ND(0.0244)	ND(0.0249)	ND(0.0246)	ND(0.0222)	ND(0.0218)	ND(0.0272)
Aroclor 1242	1	10	0.005		ND(0.0247)	ND(0.0244)	ND(0.0249)	ND(0.0246)	ND(0.0222)	ND(0.0218)	ND(0.0272)
Aroclor 1248	1	10	0.005		ND(0.0165)	ND(0.0162)	ND(0.0166)	ND(0.0164)	ND(0.0148)	ND(0.0146)	ND(0.0181)
Aroclor 1254	1	10	0.005		ND(0.0247)	ND(0.0244)	ND(0.0249)	ND(0.0246)	ND(0.0222)	ND(0.0218)	ND(0.0272)
Aroclor 1260	1	10	0.005		ND(0.0165)	ND(0.0162)	0.119	0.0734	0.0205	ND(0.0146)	ND(0.0181)
Aroclor 1262	1	10	0.005		ND(0.00825)	ND(0.00812)	ND(0.00831)	ND(0.00821)	ND(0.00739)	ND(0.00728)	ND(0.00905)
Aroclor 1268	1	10	0.005		ND(0.00825)	ND(0.00812)	ND(0.00831)	ND(0.00821)	ND(0.00739)	ND(0.00728)	ND(0.00905)
Total PCBs	1	10	0.005		0	0	0.119	0.0734	0.0205	0	0
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 21 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	707-S2	707-S3	707-S4	708-S1	708-S2	708-S3	708-S4		
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5		
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011		
				Consultant:	H&A								
Volatile Organic Compounds (mg/kg):				Soil Type:	L1109474-03	L1109474-04	L1109474-05	L1109474-06	L1109474-07	L1109474-08	L1109474-09		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
Semi-Volatile Organic Compounds (mg/kg):				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
Polychlorinated Biphenyls (mg/kg): <sup>8</sup>				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
				--	--	--	--	--	--	--	--		
Aroclor 1016				1	10	0.005	ND(0.0256)	ND(0.0244)	ND(0.022)	ND(0.0279)	ND(0.0251)	ND(0.021)	ND(0.0218)
				1	10	0.005	ND(0.0256)	ND(0.0244)	ND(0.022)	ND(0.0279)	ND(0.0251)	ND(0.021)	ND(0.0218)
				1	10	0.005	ND(0.0256)	ND(0.0244)	ND(0.022)	ND(0.0279)	ND(0.0251)	ND(0.021)	ND(0.0218)
				1	10	0.005	ND(0.0256)	ND(0.0244)	ND(0.022)	ND(0.0279)	ND(0.0251)	ND(0.021)	ND(0.0218)
				1	10	0.005	ND(0.017)	ND(0.0162)	ND(0.0147)	ND(0.0186)	ND(0.0167)	ND(0.014)	ND(0.0146)
				1	10	0.005	ND(0.0256)	ND(0.0244)	ND(0.022)	ND(0.0279)	ND(0.0251)	ND(0.021)	ND(0.0218)
				1	10	0.005	ND(0.017)	ND(0.0162)	ND(0.0147)	ND(0.0186)	0.11	ND(0.014)	ND(0.0146)
				1	10	0.005	ND(0.00852)	ND(0.00812)	ND(0.00733)	ND(0.0093)	ND(0.00837)	ND(0.007)	ND(0.00728)
				1	10	0.005	ND(0.00852)	ND(0.00812)	ND(0.00733)	ND(0.0093)	ND(0.00837)	ND(0.007)	ND(0.00728)
				Total PCBs	1	10	0.005	0	0	0	0.11	0	0
Extractable Total Petroleum Hydrocarbons (mg/kg):				500	2,500	2,500	--	--	--	--	--	--	

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 22 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	709-S1	709-S2	709-S3	DUP5062411	709-S4	710-S1	710-S2
				Depth (ft bgs):	0-0.5	0.5-1.5	1.5-2.5		2.5-3.5	0-0.5	0.5-1.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	H&A						
				Soil Type:	L1109475-01	L1109475-02	L1109475-03	L1109474-10	L1109475-04	L1109475-05	L1109475-06
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.276)	ND(0.0233)	ND(0.0221)	ND(0.0217)	ND(0.0233)	ND(0.0282)	ND(0.0243)
Aroclor 1221	1	10	0.005		ND(0.276)	ND(0.0233)	ND(0.0221)	ND(0.0217)	ND(0.0233)	ND(0.0282)	ND(0.0243)
Aroclor 1232	1	10	0.005		ND(0.276)	ND(0.0233)	ND(0.0221)	ND(0.0217)	ND(0.0233)	ND(0.0282)	ND(0.0243)
Aroclor 1242	1	10	0.005		ND(0.276)	ND(0.0233)	ND(0.0221)	ND(0.0217)	ND(0.0233)	ND(0.0282)	ND(0.0243)
Aroclor 1248	1	10	0.005		ND(0.184)	ND(0.0155)	ND(0.0147)	ND(0.0144)	ND(0.0155)	ND(0.0188)	ND(0.0162)
Aroclor 1254	1	10	0.005		ND(0.276)	ND(0.0233)	ND(0.0221)	ND(0.0217)	ND(0.0233)	ND(0.0282)	ND(0.0243)
Aroclor 1260	1	10	0.005		ND(0.184)	0.0314	ND(0.0147)	ND(0.0144)	ND(0.0155)	ND(0.0188)	0.0711
Aroclor 1262	1	10	0.005		ND(0.0922)	ND(0.00776)	ND(0.00736)	ND(0.00722)	ND(0.00776)	ND(0.00941)	ND(0.0081)
Aroclor 1268	1	10	0.005		ND(0.0922)	ND(0.00776)	ND(0.00736)	ND(0.00722)	ND(0.00776)	ND(0.00941)	ND(0.0081)
Total PCBs	1	10	0.005		0	0.0314	0	0	0	0	0.0711
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 23 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	710-S3	710-S4	711-S1	711-S2	711-S3	712-S1	712-S2
				Depth (ft bgs):	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5	0.5-1.5
				Date:	6/24/2011	6/24/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1109475-07	L1109475-08	L1109467-01	L1109467-02	L1109467-03	L1109467-04	L1109467-05
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0241)	ND(0.0238)	ND(0.278)	ND(0.24)	ND(0.0226)	ND(0.0257)	ND(0.0232)
Aroclor 1221	1	10	0.005		ND(0.0241)	ND(0.0238)	ND(0.278)	ND(0.24)	ND(0.0226)	ND(0.0257)	ND(0.0232)
Aroclor 1232	1	10	0.005		ND(0.0241)	ND(0.0238)	ND(0.278)	ND(0.24)	ND(0.0226)	ND(0.0257)	ND(0.0232)
Aroclor 1242	1	10	0.005		ND(0.0241)	ND(0.0238)	ND(0.278)	ND(0.24)	ND(0.0226)	ND(0.0257)	ND(0.0232)
Aroclor 1248	1	10	0.005		ND(0.0161)	ND(0.0159)	<b>4.5</b>	<b>3.58</b>	ND(0.0151)	0.448	ND(0.0155)
Aroclor 1254	1	10	0.005		ND(0.0241)	ND(0.0238)	ND(0.278)	ND(0.24)	ND(0.0226)	ND(0.0257)	ND(0.0232)
Aroclor 1260	1	10	0.005		0.0302	ND(0.0159)	<b>3.59</b>	<b>2.09</b>	0.0222	0.677	0.0543
Aroclor 1262	1	10	0.005		ND(0.00804)	ND(0.00795)	ND(0.0928)	ND(0.0801)	ND(0.00754)	ND(0.00856)	ND(0.00775)
Aroclor 1268	1	10	0.005		ND(0.00804)	ND(0.00795)	ND(0.0928)	ND(0.0801)	ND(0.00754)	ND(0.00856)	ND(0.00775)
Total PCBs	1	10	0.005		0.0302	0	<b>8.09</b>	<b>5.67</b>	0.0222	<b>1.125</b>	0.0543
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 24 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	712-S3	713-S1	713-S2	713-S3	714-S1	714-S2	714-S3
				Depth (ft bgs):	1.5-2.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5	0.5-1.5	1.5-2.5
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/27/2011
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A	H&A
				Soil Type:	L1109467-06	L1109467-07	L1109467-08	L1109467-09	L1109467-10	L1109466-01	L1109466-02
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0232)	ND(0.256)	ND(0.0262)	ND(0.026)	ND(0.121)	ND(0.0241)	ND(0.0252)
Aroclor 1221	1	10	0.005		ND(0.0232)	ND(0.256)	ND(0.0262)	ND(0.026)	ND(0.121)	ND(0.0241)	ND(0.0252)
Aroclor 1232	1	10	0.005		ND(0.0232)	ND(0.256)	ND(0.0262)	ND(0.026)	ND(0.121)	ND(0.0241)	ND(0.0252)
Aroclor 1242	1	10	0.005		ND(0.0232)	ND(0.256)	ND(0.0262)	ND(0.026)	ND(0.121)	ND(0.0241)	ND(0.0252)
Aroclor 1248	1	10	0.005		ND(0.0155)	<b>1.62</b>	ND(0.0175)	ND(0.0173)	0.882	ND(0.016)	ND(0.0168)
Aroclor 1254	1	10	0.005		ND(0.0232)	ND(0.256)	ND(0.0262)	ND(0.026)	ND(0.121)	ND(0.0241)	ND(0.0252)
Aroclor 1260	1	10	0.005		0.0178	<b>3.44</b>	0.41	0.155	0.579	0.0606	0.0548
Aroclor 1262	1	10	0.005		ND(0.00774)	ND(0.0853)	ND(0.00874)	ND(0.00867)	ND(0.0403)	ND(0.00803)	ND(0.00841)
Aroclor 1268	1	10	0.005		ND(0.00774)	ND(0.0853)	ND(0.00874)	ND(0.00867)	ND(0.0403)	ND(0.00803)	ND(0.00841)
Total PCBs	1	10	0.005		0.0178	<b>5.06</b>	0.41	0.155	<b>1.461</b>	0.0606	0.0548
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 25 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	715-S1	715-S2	715-S3	715-S4	716-S1	716-S2	716-S3
				Depth (ft bgs):	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5
				Date:	6/27/2011	6/27/2011	6/27/2011	6/27/2011	6/28/2011	6/28/2011	6/28/2011
				Consultant:	H&A						
				Soil Type:	L1109466-03	L1109466-04	L1109466-05	L1110852-01	L1109558-01	L1109558-02	L1109558-03
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0257)	ND(0.0229)	ND(0.0269)	ND(0.0244)	ND(0.0247)	ND(0.0236)	ND(0.0235)
Aroclor 1221	1	10	0.005		ND(0.0257)	ND(0.0229)	ND(0.0269)	ND(0.0244)	ND(0.0247)	ND(0.0236)	ND(0.0235)
Aroclor 1232	1	10	0.005		ND(0.0257)	ND(0.0229)	ND(0.0269)	ND(0.0244)	ND(0.0247)	ND(0.0236)	ND(0.0235)
Aroclor 1242	1	10	0.005		ND(0.0257)	ND(0.0229)	ND(0.0269)	ND(0.0244)	ND(0.0247)	ND(0.0236)	ND(0.0235)
Aroclor 1248	1	10	0.005		ND(0.0171)	ND(0.0153)	ND(0.0179)	ND(0.0163)	ND(0.0164)	ND(0.0157)	ND(0.0157)
Aroclor 1254	1	10	0.005		ND(0.0257)	ND(0.0229)	ND(0.0269)	ND(0.0244)	ND(0.0247)	ND(0.0236)	0.0294
Aroclor 1260	1	10	0.005		0.773	0.256	0.0273	ND(0.0163)	0.0926	0.0405	0.0216
Aroclor 1262	1	10	0.005		ND(0.00857)	ND(0.00765)	ND(0.00896)	ND(0.00814)	ND(0.00822)	ND(0.00787)	ND(0.00785)
Aroclor 1268	1	10	0.005		ND(0.00857)	ND(0.00765)	ND(0.00896)	ND(0.00814)	ND(0.00822)	ND(0.00787)	ND(0.00785)
Total PCBs	1	10	0.005		0.773	0.256	0.0273	0	0.0926	0.0405	0.051
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE III - AOC23 PCBs IN SOIL AREA 3**  
**SUMMARY OF ANALYTICAL RESULTS FOR SOIL**  
**23 BARRY PLACE**  
**STAMFORD, CONNECTICUT**

Page 26 of 26

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID:	717-S1	717-S2	717-S3	718-S1	DUP1062811	718-S2	718-S3
				Depth (ft bgs):	0-0.5	0.5-1.5	1.5-2.5	0-0.5	718-S1	0.5-1.5	1.5-2.5
				Date:	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011	6/28/2011
				Consultant:	H&A						
				Soil Type:	L1109558-04	L1109558-05	L1109558-06	L1109558-07	L1109558-10	L1109558-08	L1109558-09
<b>Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Semi-Volatile Organic Compounds (mg/kg):</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0246)	ND(0.0246)	ND(0.0244)	ND(0.0695)	ND(0.0232)	ND(0.0247)	ND(0.0223)
Aroclor 1221	1	10	0.005		ND(0.0246)	ND(0.0246)	ND(0.0244)	ND(0.0695)	ND(0.0232)	ND(0.0247)	ND(0.0223)
Aroclor 1232	1	10	0.005		ND(0.0246)	ND(0.0246)	ND(0.0244)	ND(0.0695)	ND(0.0232)	ND(0.0247)	ND(0.0223)
Aroclor 1242	1	10	0.005		ND(0.0246)	ND(0.0246)	ND(0.0244)	ND(0.0695)	ND(0.0232)	ND(0.0247)	ND(0.0223)
Aroclor 1248	1	10	0.005		ND(0.0164)	ND(0.0164)	ND(0.0162)	ND(0.0463)	ND(0.0155)	ND(0.0164)	ND(0.0149)
Aroclor 1254	1	10	0.005		ND(0.0246)	ND(0.0246)	ND(0.0244)	ND(0.0695)	ND(0.0232)	ND(0.0247)	ND(0.0223)
Aroclor 1260	1	10	0.005		0.558	0.287	0.033	ND(0.0463)	0.0237	0.078	0.0252
Aroclor 1262	1	10	0.005		ND(0.0082)	ND(0.00822)	ND(0.00813)	ND(0.0232)	ND(0.00773)	ND(0.00822)	ND(0.00743)
Aroclor 1268	1	10	0.005		ND(0.0082)	ND(0.00822)	ND(0.00813)	ND(0.0232)	ND(0.00773)	ND(0.00822)	ND(0.00743)
Total PCBs	1	10	0.005		0.558	0.287	0.033	0	0.0237	0.078	0.0252
<b>Extractable Total Petroleum Hydrocarbons (mg/kg):</b>	500	2,500	2,500	--	--	--	--	--	--	--	--

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. Q: Qualifier; J: Concentration is estimated; UJ: Analyte not detected at a level greater than or equal to the quantitation limit which is approximate.
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 1 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	GZ-23A	GZ-24A	GZ-25A	GZ-26A	HA-AOC24-B201-S1	HA-DUP1-101910
				Depth (ft bgs):	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	HA-AOC24-B201-S1
				Date:	12/9/2005	12/9/2005	12/9/2005	12/9/2005	10/19/2010	10/19/2010
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>										
Aroclor 1016	1	10	0.005		<0.50	<0.50	<1.5	<0.50	<0.0226	<0.0236
Aroclor 1221	1	10	0.005		<0.50	<0.50	<1.5	<0.50	<0.0226	<0.0236
Aroclor 1232	1	10	0.005		<0.50	<0.50	<1.5	<0.50	<0.0226	<0.0236
Aroclor 1242	1	10	0.005		<0.50	<0.50	<1.5	<0.50	<0.0226	<0.0236
Aroclor 1248	1	10	0.005		<0.50	<0.50	<1.5	<0.50	<0.0151	<0.0158
Aroclor 1254	1	10	0.005		0.53	<b>1.2</b>	<b>3.3</b>	<0.50	<0.0226	0.0455
Aroclor 1260	1	10	0.005		<b>1.5</b>	<b>3.7</b>	<b>1.8</b>	0.56	0.0884	0.104
Aroclor 1262	1	10	0.005		--	--	--	--	<0.00755	<0.00788
Aroclor 1268	1	10	0.005		--	--	--	--	<0.00755	<0.00788
Total PCBs	1	10	0.005		<b>2.03</b>	<b>4.9</b>	<b>5.1</b>	<b>0.56</b>	0.0884	0.1495

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 2 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	HA-AOC24-B201-S2	HA-AOC24-B202-S1	HA-AOC24-B202-S2	HA-AOC24-B202-S3
					Depth (ft bgs):	0.5-0.8	0-0.5	0.5-1
				Date:	10/19/2010	10/19/2010	10/19/2010	10/19/2010
				Consultant:	H&A	H&A	H&A	H&A
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>								
Aroclor 1016	1	10	0.005		<0.0226	<0.0225	<0.0255	<0.025
Aroclor 1221	1	10	0.005		<0.0226	<0.0225	<0.0255	<0.025
Aroclor 1232	1	10	0.005		<0.0226	<0.0225	<0.0255	<0.025
Aroclor 1242	1	10	0.005		<0.0226	<0.0225	<0.0255	<0.025
Aroclor 1248	1	10	0.005		<0.0151	<0.015	<0.017	<0.0167
Aroclor 1254	1	10	0.005		<0.0226	<0.0225	<0.0255	<0.025
Aroclor 1260	1	10	0.005		<0.0151	0.132	<0.017	<0.0167
Aroclor 1262	1	10	0.005		<0.00754	<0.00751	<0.00851	<0.00834
Aroclor 1268	1	10	0.005		<0.00754	<0.00751	<0.00851	<0.00834
Total PCBs	1	10	0.005		0	0.132	0	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 3 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant:	HA-AOC24-B203-S1 0-0.5	HA-AOC24-B203-S2 0.5-0.8	HA-AOC24-B204-S1 0-0.5	HA-AOC24-B205-S1 0-0.5
					10/19/2010 H&A	10/19/2010 H&A	10/19/2010 H&A	10/19/2010 H&A
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>								
Aroclor 1016	1	10	0.005		<0.0248	<0.0239	<0.0547	<0.0268
Aroclor 1221	1	10	0.005		<0.0248	<0.0239	<0.0547	<0.0268
Aroclor 1232	1	10	0.005		<0.0248	<0.0239	<0.0547	<0.0268
Aroclor 1242	1	10	0.005		<0.0248	<0.0239	<0.0547	<0.0268
Aroclor 1248	1	10	0.005		<0.0166	<0.0159	<0.0364	<0.0178
Aroclor 1254	1	10	0.005		0.14	0.0588	0.301	<0.0268
Aroclor 1260	1	10	0.005		0.35	0.198	0.828	<0.0178
Aroclor 1262	1	10	0.005		<0.00828	<0.00797	<0.0182	<0.00892
Aroclor 1268	1	10	0.005		<0.00828	<0.00797	<0.0182	<0.00892
Total PCBs	1	10	0.005		0.49	0.2568	<b>1.129</b>	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 4 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant:	HA-AOC24-B205-S2 0.5-1 10/19/2010 H&A	HA-AOC24-B205-S3 1-1.8 10/19/2010 H&A	HA-AOC24-B206-S1 0-0.5 10/19/2010 H&A	HA-AOC24-B206-S2 0.5-1.0 10/19/2010 H&A
					<0.0257	<0.0236	<0.0558	<0.0297
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>								
Aroclor 1016	1	10	0.005		<0.0257	<0.0236	<0.0558	<0.0297
Aroclor 1221	1	10	0.005		<0.0257	<0.0236	<0.0558	<0.0297
Aroclor 1232	1	10	0.005		<0.0257	<0.0236	<0.0558	<0.0297
Aroclor 1242	1	10	0.005		<0.0257	<0.0236	<0.0558	<0.0297
Aroclor 1248	1	10	0.005		<0.0172	<0.0157	<0.0372	<0.0198
Aroclor 1254	1	10	0.005		<0.0257	<0.0236	0.443	0.221
Aroclor 1260	1	10	0.005		<0.0172	<0.0157	<b>1.39</b>	0.159
Aroclor 1262	1	10	0.005		<0.00858	<0.00785	<0.0186	<0.00991
Aroclor 1268	1	10	0.005		<0.00858	<0.00785	<0.0186	<0.00991
Total PCBs	1	10	0.005		0	0	<b>1.833</b>	0.38

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 5 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID: Depth (ft bgs): Date: Consultant:	HA-AOC24-B200-S3 1-1.5 10/19/2010 H&A	HA-AOC24-B207-S1 0-0.5 10/19/2010 H&A	HA-DUP2-101910 HA-AOC24-B207-S1 10/19/2010 H&A	HA-AOC24-B207-S2 0.5-1 10/19/2010 Q H&A
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>								
Aroclor 1016	1	10	0.005		<0.138	<0.0562	<0.12	<0.0287
Aroclor 1221	1	10	0.005		<0.138	<0.0562	<0.12	<0.0287
Aroclor 1232	1	10	0.005		<0.138	<0.0562	<0.12	<0.0287
Aroclor 1242	1	10	0.005		<0.138	<0.0562	<0.12	<0.0287
Aroclor 1248	1	10	0.005		<0.0924	<0.0374	<0.0802	<0.0191
Aroclor 1254	1	10	0.005		<0.138	0.353	0.905	0.142
Aroclor 1260	1	10	0.005		0.872	<0.0374	0.974	J <0.0191
Aroclor 1262	1	10	0.005		<0.0462	<0.0187	<0.0401	<0.00957
Aroclor 1268	1	10	0.005		<0.0462	<0.0187	<0.0401	<0.00957
Total PCBs	1	10	0.005		0.872	0.353	<b>1.879</b>	0.142

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 6 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	HA-AOC24-B208-S1	HA-AOC24-B208-S2	HA-AOC24-B209-S1	HA-AOC24-B209-S2	901-S1
					Depth (ft bgs):	0-0.5	0.5-1.0	0-0.5	0-0.5
				Date:	10/19/2010	10/19/2010	10/19/2010	10/19/2010	6/24/2011
				Consultant:	H&A	H&A	H&A	H&A	L1109473-01
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>									
Aroclor 1016	1	10	0.005		<0.0258	<0.0245	<0.024	<0.0239	ND(0.0237)
Aroclor 1221	1	10	0.005		<0.0258	<0.0245	<0.024	<0.0239	ND(0.0237)
Aroclor 1232	1	10	0.005		<0.0258	<0.0245	<0.024	<0.0239	ND(0.0237)
Aroclor 1242	1	10	0.005		<0.0258	<0.0245	<0.024	<0.0239	ND(0.0237)
Aroclor 1248	1	10	0.005		<0.0172	<0.0163	<0.016	<0.016	ND(0.0158)
Aroclor 1254	1	10	0.005		0.0294	0.0249	<0.024	<0.0239	ND(0.0237)
Aroclor 1260	1	10	0.005		0.0966	0.058	0.427	0.156	0.116
Aroclor 1262	1	10	0.005		<0.0086	<0.00816	<0.008	<0.00798	ND(0.00789)
Aroclor 1268	1	10	0.005		<0.0086	<0.00816	<0.008	<0.00798	ND(0.00789)
Total PCBs	1	10	0.005		0.126	0.0829	0.427	0.156	0.116

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 7 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	901-S2	901-S3	901-S4	901-S5	902-S1	902-S2	902-S3
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	3.5-4.5	0-0.5	0.5-1.5	1.5-2.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	L1109473-02	L1109473-03	L1109473-04	L1109473-05	L1109473-06	L1109473-07	L1109473-08
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0672)	ND(0.0254)	ND(0.0258)	ND(0.0281)	ND(0.0267)	ND(0.0227)	ND(0.0218)
Aroclor 1221	1	10	0.005		ND(0.0672)	ND(0.0254)	ND(0.0258)	ND(0.0281)	ND(0.0267)	ND(0.0227)	ND(0.0218)
Aroclor 1232	1	10	0.005		ND(0.0672)	ND(0.0254)	ND(0.0258)	ND(0.0281)	ND(0.0267)	ND(0.0227)	ND(0.0218)
Aroclor 1242	1	10	0.005		ND(0.0672)	ND(0.0254)	ND(0.0258)	ND(0.0281)	ND(0.0267)	ND(0.0227)	ND(0.0218)
Aroclor 1248	1	10	0.005		ND(0.0448)	ND(0.0169)	ND(0.0172)	ND(0.0188)	ND(0.0178)	ND(0.0152)	ND(0.0146)
Aroclor 1254	1	10	0.005		ND(0.0672)	ND(0.0254)	ND(0.0258)	ND(0.0281)	ND(0.0267)	ND(0.0227)	ND(0.0218)
Aroclor 1260	1	10	0.005		ND(0.0448)	0.108	0.0202	0.0504	0.275	0.0755	ND(0.0146)
Aroclor 1262	1	10	0.005		ND(0.0224)	ND(0.00847)	ND(0.00859)	ND(0.00938)	ND(0.00891)	ND(0.00758)	ND(0.00728)
Aroclor 1268	1	10	0.005		ND(0.0224)	ND(0.00847)	ND(0.00859)	ND(0.00938)	ND(0.00891)	ND(0.00758)	ND(0.00728)
Total PCBs	1	10	0.005		0	0.108	0.0202	0.0504	0.275	0.0755	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 8 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	902-S4	DUP1002411	902-S5	903-S1	903-S2	903-S3	904-S1
				Depth (ft bgs):	2.5-3.5	902-S4	3.5-4.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011
				Consultant:	L1109473-09	L1109471-01	L1109473-10	L1109264-05	L1109264-06	L1109264-07	L1109264-10
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0304)	ND(0.0315)	ND(0.0289)	ND(0.0242)	ND(0.0231)	ND(0.0234)	ND(0.163)
Aroclor 1221	1	10	0.005		ND(0.0304)	ND(0.0315)	ND(0.0289)	ND(0.0242)	ND(0.0231)	ND(0.0234)	ND(0.163)
Aroclor 1232	1	10	0.005		ND(0.0304)	ND(0.0315)	ND(0.0289)	ND(0.0242)	ND(0.0231)	ND(0.0234)	ND(0.163)
Aroclor 1242	1	10	0.005		ND(0.0304)	ND(0.0315)	ND(0.0289)	ND(0.0242)	ND(0.0231)	ND(0.0234)	ND(0.163)
Aroclor 1248	1	10	0.005		ND(0.0203)	ND(0.021)	ND(0.0192)	ND(0.0162)	ND(0.0154)	ND(0.0156)	ND(0.109)
Aroclor 1254	1	10	0.005		ND(0.0304)	ND(0.0315)	ND(0.0289)	ND(0.0242)	ND(0.0231)	ND(0.0234)	ND(0.163)
Aroclor 1260	1	10	0.005		ND(0.0203)	ND(0.021)	ND(0.0192)	ND(0.0162)	0.0237	ND(0.0156)	0.373
Aroclor 1262	1	10	0.005		ND(0.0101)	ND(0.0105)	ND(0.00962)	ND(0.00808)	ND(0.00771)	ND(0.00778)	ND(0.0545)
Aroclor 1268	1	10	0.005		ND(0.0101)	ND(0.0105)	ND(0.00962)	ND(0.00808)	ND(0.00771)	ND(0.00778)	ND(0.0545)
Total PCBs	1	10	0.005		0	0	0	0	0.0237	0	0.373

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 9 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	904-S2	904-S3	904-S4	905-S1	905-S2	905-S3	906-S1
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5
				Date:	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/24/2011
				Consultant:	L1109262-01	L1109262-02	L1109262-03	L1109264-01	L1109264-02	L1109264-03	L1109472-01
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0244)	ND(0.0236)	ND(0.0238)	ND(0.0368)	ND(0.0246)	ND(0.024)	ND(0.0318)
Aroclor 1221	1	10	0.005		ND(0.0244)	ND(0.0236)	ND(0.0238)	ND(0.0368)	ND(0.0246)	ND(0.024)	ND(0.0318)
Aroclor 1232	1	10	0.005		ND(0.0244)	ND(0.0236)	ND(0.0238)	ND(0.0368)	ND(0.0246)	ND(0.024)	ND(0.0318)
Aroclor 1242	1	10	0.005		ND(0.0244)	ND(0.0236)	ND(0.0238)	ND(0.0368)	ND(0.0246)	ND(0.024)	ND(0.0318)
Aroclor 1248	1	10	0.005		ND(0.0163)	ND(0.0157)	ND(0.0158)	ND(0.0245)	ND(0.0164)	ND(0.016)	ND(0.0212)
Aroclor 1254	1	10	0.005		0.056	ND(0.0236)	ND(0.0238)	ND(0.0368)	ND(0.0246)	ND(0.024)	ND(0.0318)
Aroclor 1260	1	10	0.005		0.185	ND(0.0157)	ND(0.0158)	0.244	ND(0.0164)	ND(0.016)	0.0773
Aroclor 1262	1	10	0.005		ND(0.00815)	ND(0.00787)	ND(0.00792)	ND(0.0122)	ND(0.00822)	ND(0.00801)	ND(0.0106)
Aroclor 1268	1	10	0.005		ND(0.00815)	ND(0.00787)	ND(0.00792)	ND(0.0122)	ND(0.00822)	ND(0.00801)	ND(0.0106)
Total PCBs	1	10	0.005		0.241	0	0	0.244	0	0	0.0773

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 10 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	906-S2	906-S3	906-S4	907-S1	907-S2	907-S3	908-S1
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/23/2011	6/23/2011	6/23/2011	6/24/2011
				Consultant:	L1109472-02	L1109472-03	L1109472-04	L1109262-05	L1109262-06	L1109262-07	L1109472-05
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0254)	ND(0.0232)	ND(0.0254)	ND(0.0436)	ND(0.118)	ND(0.0226)	ND(0.0266)
Aroclor 1221	1	10	0.005		ND(0.0254)	ND(0.0232)	ND(0.0254)	ND(0.0436)	ND(0.118)	ND(0.0226)	ND(0.0266)
Aroclor 1232	1	10	0.005		ND(0.0254)	ND(0.0232)	ND(0.0254)	ND(0.0436)	ND(0.118)	ND(0.0226)	ND(0.0266)
Aroclor 1242	1	10	0.005		ND(0.0254)	ND(0.0232)	ND(0.0254)	ND(0.0436)	ND(0.118)	ND(0.0226)	ND(0.0266)
Aroclor 1248	1	10	0.005		ND(0.017)	ND(0.0154)	ND(0.0169)	ND(0.0291)	ND(0.0789)	ND(0.0151)	ND(0.0177)
Aroclor 1254	1	10	0.005		ND(0.0254)	ND(0.0232)	ND(0.0254)	0.376	1.19	ND(0.0226)	ND(0.0266)
Aroclor 1260	1	10	0.005		ND(0.017)	ND(0.0154)	ND(0.0169)	0.62	1.81	ND(0.0151)	0.0676
Aroclor 1262	1	10	0.005		ND(0.00848)	ND(0.00772)	ND(0.00847)	ND(0.0146)	ND(0.0394)	ND(0.00753)	ND(0.00885)
Aroclor 1268	1	10	0.005		ND(0.00848)	ND(0.00772)	ND(0.00847)	ND(0.0146)	ND(0.0394)	ND(0.00753)	ND(0.00885)
Total PCBs	1	10	0.005		0	0	0	0.996	3	0	0.0676

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 11 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	908-S2	908-S3	908-S4	DUP2062411	909-S1	909-S2	909-S3
				Depth (ft bgs):	0.5-1.5	1.5-2.5	2.5-3.5	908-S4	0-0.5	0.5-1.5	1.5-2.5
				Date:	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	L1109472-06	L1109472-07	L1109472-08	L1109471-02	L1109472-09	L1109472-10	L1109471-04
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.023)	ND(0.0228)	ND(0.025)	ND(0.0242)	ND(0.0278)	ND(0.0256)	ND(0.0237)
Aroclor 1221	1	10	0.005		ND(0.023)	ND(0.0228)	ND(0.025)	ND(0.0242)	ND(0.0278)	ND(0.0256)	ND(0.0237)
Aroclor 1232	1	10	0.005		ND(0.023)	ND(0.0228)	ND(0.025)	ND(0.0242)	ND(0.0278)	ND(0.0256)	ND(0.0237)
Aroclor 1242	1	10	0.005		ND(0.023)	ND(0.0228)	ND(0.025)	ND(0.0242)	ND(0.0278)	ND(0.0256)	ND(0.0237)
Aroclor 1248	1	10	0.005		ND(0.0154)	ND(0.0152)	ND(0.0167)	ND(0.0161)	ND(0.0185)	ND(0.017)	ND(0.0158)
Aroclor 1254	1	10	0.005		ND(0.023)	ND(0.0228)	ND(0.025)	0.0391	0.0779	ND(0.0256)	ND(0.0237)
Aroclor 1260	1	10	0.005		ND(0.0154)	ND(0.0152)	ND(0.0167)	ND(0.0161)	0.24	0.0208	ND(0.0158)
Aroclor 1262	1	10	0.005		ND(0.00768)	ND(0.0076)	ND(0.00833)	ND(0.00806)	ND(0.00926)	ND(0.00853)	ND(0.0079)
Aroclor 1268	1	10	0.005		ND(0.00768)	ND(0.0076)	ND(0.00833)	ND(0.00806)	ND(0.00926)	ND(0.00853)	ND(0.0079)
Total PCBs	1	10	0.005		0	0	0	0.0391	0.3179	0.0208	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 12 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	909-S4	910-S1	910-S2	910-S3	911-S1	911-S2	911-S3
				Depth (ft bgs):	2.5-3.5	0-0.5	0.5-1.5	1.5-2.5	0-0.5	0.5-1.5	1.5-2.5
				Date:	6/24/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011
				Consultant:	L1109471-05	L1109263-01	L1109263-02	L1109263-03	L1109263-05	L1109263-06	L1109263-07
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0239)	ND(0.0254)	ND(0.0205)	ND(0.02)	ND(0.0266)	ND(0.0243)	ND(0.021)
Aroclor 1221	1	10	0.005		ND(0.0239)	ND(0.0254)	ND(0.0205)	ND(0.02)	ND(0.0266)	ND(0.0243)	ND(0.021)
Aroclor 1232	1	10	0.005		ND(0.0239)	ND(0.0254)	ND(0.0205)	ND(0.02)	ND(0.0266)	ND(0.0243)	ND(0.021)
Aroclor 1242	1	10	0.005		ND(0.0239)	ND(0.0254)	ND(0.0205)	ND(0.02)	ND(0.0266)	ND(0.0243)	ND(0.021)
Aroclor 1248	1	10	0.005		ND(0.016)	ND(0.017)	ND(0.0137)	ND(0.0133)	ND(0.0177)	ND(0.0162)	ND(0.014)
Aroclor 1254	1	10	0.005		ND(0.0239)	ND(0.0254)	ND(0.0205)	ND(0.02)	ND(0.0266)	ND(0.0243)	ND(0.021)
Aroclor 1260	1	10	0.005		ND(0.016)	ND(0.017)	0.0173	ND(0.0133)	ND(0.0177)	ND(0.0162)	ND(0.014)
Aroclor 1262	1	10	0.005		ND(0.00798)	ND(0.00848)	ND(0.00684)	ND(0.00667)	ND(0.00887)	ND(0.00811)	ND(0.00699)
Aroclor 1268	1	10	0.005		ND(0.00798)	ND(0.00848)	ND(0.00684)	ND(0.00667)	ND(0.00887)	ND(0.00811)	ND(0.00699)
Total PCBs	1	10	0.005		0	0	0.0173	0	0	0	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 13 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	911-S4	911-S5	911-S6	912-S1	912-S2	912-S3	912-S4
				Depth (ft bgs):	2.5-3.5	3.5-4.5	4.5-5.5	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5
				Date:	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011
				Consultant:	L1109263-08	L1109263-09	L1109263-10	L1109384-01	L1109384-02	L1109384-03	L1109384-04
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0206)	ND(0.0216)	ND(0.0291)	ND(0.0253)	ND(0.0483)	ND(0.0368)	ND(0.0245)
Aroclor 1221	1	10	0.005		ND(0.0206)	ND(0.0216)	ND(0.0291)	ND(0.0253)	ND(0.0483)	ND(0.0368)	ND(0.0245)
Aroclor 1232	1	10	0.005		ND(0.0206)	ND(0.0216)	ND(0.0291)	ND(0.0253)	ND(0.0483)	ND(0.0368)	ND(0.0245)
Aroclor 1242	1	10	0.005		ND(0.0206)	ND(0.0216)	ND(0.0291)	ND(0.0253)	ND(0.0483)	ND(0.0368)	ND(0.0245)
Aroclor 1248	1	10	0.005		ND(0.0137)	ND(0.0144)	ND(0.0194)	ND(0.0168)	ND(0.0322)	ND(0.0245)	ND(0.0164)
Aroclor 1254	1	10	0.005		ND(0.0206)	ND(0.0216)	ND(0.0291)	0.18	ND(0.0483)	ND(0.0368)	ND(0.0245)
Aroclor 1260	1	10	0.005		ND(0.0137)	ND(0.0144)	ND(0.0194)	0.143	ND(0.0322)	ND(0.0245)	ND(0.0164)
Aroclor 1262	1	10	0.005		ND(0.00686)	ND(0.0072)	ND(0.00971)	ND(0.00843)	ND(0.0161)	ND(0.0123)	ND(0.00818)
Aroclor 1268	1	10	0.005		ND(0.00686)	ND(0.0072)	ND(0.00971)	ND(0.00843)	ND(0.0161)	ND(0.0123)	ND(0.00818)
Total PCBs	1	10	0.005		0	0	0	0.323	0	0	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 14 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	915-S1	915-S2	915-S3	915-S4	915-S5	916-S1	916-S2
				Depth (ft bgs):	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	3.5-4.5	0-0.5	0.5-1.5
				Date:	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011
				Consultant:	L1109384-06	L1109384-07	L1109384-08	L1109384-09	L1109384-10	L1109385-01	L1109385-02
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0348)	ND(0.0277)	ND(0.0302)	ND(0.0264)	ND(0.0297)	ND(0.0367)	ND(0.0288)
Aroclor 1221	1	10	0.005		ND(0.0348)	ND(0.0277)	ND(0.0302)	ND(0.0264)	ND(0.0297)	ND(0.0367)	ND(0.0288)
Aroclor 1232	1	10	0.005		ND(0.0348)	ND(0.0277)	ND(0.0302)	ND(0.0264)	ND(0.0297)	ND(0.0367)	ND(0.0288)
Aroclor 1242	1	10	0.005		ND(0.0348)	0.0668	ND(0.0302)	ND(0.0264)	ND(0.0297)	ND(0.0367)	ND(0.0288)
Aroclor 1248	1	10	0.005		ND(0.0232)	ND(0.0185)	ND(0.0201)	ND(0.0176)	ND(0.0198)	ND(0.0245)	ND(0.0192)
Aroclor 1254	1	10	0.005		ND(0.0348)	ND(0.0277)	0.143	0.31	0.338	0.187	0.227
Aroclor 1260	1	10	0.005		ND(0.0232)	ND(0.0185)	0.0881	0.103	ND(0.0198)	ND(0.0245)	0.462
Aroclor 1262	1	10	0.005		ND(0.0116)	ND(0.00924)	ND(0.01)	ND(0.00881)	ND(0.0099)	ND(0.0122)	ND(0.00959)
Aroclor 1268	1	10	0.005		ND(0.0116)	ND(0.00924)	ND(0.01)	ND(0.00881)	ND(0.0099)	ND(0.0122)	ND(0.00959)
Total PCBs	1	10	0.005		0	0.0668	0.2311	0.413	0.338	0.187	0.689

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 15 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	916-S3	916-S4	916-S5	918-S1	918-S2	918-S3	918-S4
				Depth (ft bgs):	1.5-2.5	2.5-3.5	3.5-4.5	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5
				Date:	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011	6/23/2011
				Consultant:	L1109385-03	L1109385-04	L1111278-01	L1109385-06	L1109385-07	L1109385-08	L1109385-09
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.0359)	ND(0.0315)	ND(0.0261)	ND(0.0311)	ND(0.0269)	ND(0.131)	ND(0.112)
Aroclor 1221	1	10	0.005		ND(0.0359)	ND(0.0315)	ND(0.0261)	ND(0.0311)	ND(0.0269)	ND(0.131)	ND(0.112)
Aroclor 1232	1	10	0.005		ND(0.0359)	ND(0.0315)	ND(0.0261)	ND(0.0311)	ND(0.0269)	ND(0.131)	ND(0.112)
Aroclor 1242	1	10	0.005		ND(0.0359)	ND(0.0315)	ND(0.0261)	0.246	0.199	ND(0.131)	ND(0.112)
Aroclor 1248	1	10	0.005		ND(0.0239)	ND(0.021)	ND(0.0174)	ND(0.0207)	ND(0.018)	ND(0.0871)	ND(0.0747)
Aroclor 1254	1	10	0.005		0.308	0.244	0.0296	ND(0.0311)	ND(0.0269)	ND(0.131)	ND(0.112)
Aroclor 1260	1	10	0.005		0.187	0.0977	ND(0.0174)	0.221	ND(0.018)	0.29	ND(0.0747)
Aroclor 1262	1	10	0.005		ND(0.012)	ND(0.0105)	ND(0.0087)	ND(0.0104)	ND(0.00898)	ND(0.0436)	ND(0.0374)
Aroclor 1268	1	10	0.005		ND(0.012)	ND(0.0105)	ND(0.0087)	ND(0.0104)	ND(0.00898)	ND(0.0436)	ND(0.0374)
Total PCBs	1	10	0.005		0.495	0.3417	0.0296	0.467	0.199	0.29	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 16 of 17

Parameter	RES DEC	I/C DEC <sup>a</sup>	GB PMC	Sample ID:	918-S5	918-S6	919-S1	919-S2	919-S3	919-S4	919-S5
				Depth (ft bgs):	3.5-4.5	4.5-5.5	0-0.5	0.5-1.5	1.5-2.5	2.5-3.5	3.5-4.5
				Date:	6/23/2011	6/23/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011	6/24/2011
				Consultant:	L1109385-10	L1109383-01	L1109383-03	L1109383-04	L1109383-05	L1109383-06	L1109383-07
<b>Polychlorinated Biphenyls (mg/kg):<sup>b</sup></b>											
Aroclor 1016	1	10	0.005		ND(0.124)	ND(0.025)	ND(0.032)	ND(0.0268)	ND(0.191)	ND(0.0331)	ND(0.0282)
Aroclor 1221	1	10	0.005		ND(0.124)	ND(0.025)	ND(0.032)	ND(0.0268)	ND(0.191)	ND(0.0331)	ND(0.0282)
Aroclor 1232	1	10	0.005		ND(0.124)	ND(0.025)	ND(0.032)	ND(0.0268)	ND(0.191)	ND(0.0331)	ND(0.0282)
Aroclor 1242	1	10	0.005		ND(0.124)	ND(0.025)	ND(0.032)	ND(0.0268)	ND(0.191)	ND(0.0331)	ND(0.0282)
Aroclor 1248	1	10	0.005		ND(0.083)	ND(0.0167)	ND(0.0214)	ND(0.0178)	ND(0.128)	ND(0.0221)	ND(0.0188)
Aroclor 1254	1	10	0.005		ND(0.124)	ND(0.025)	ND(0.032)	0.0887	0.961	0.223	ND(0.0282)
Aroclor 1260	1	10	0.005		ND(0.083)	ND(0.0167)	0.26	0.338	ND(0.128)	0.0882	ND(0.0188)
Aroclor 1262	1	10	0.005		ND(0.0415)	ND(0.00835)	ND(0.0107)	ND(0.00892)	ND(0.0638)	ND(0.011)	ND(0.00939)
Aroclor 1268	1	10	0.005		ND(0.0415)	ND(0.00835)	ND(0.0107)	ND(0.00892)	ND(0.0638)	ND(0.011)	ND(0.00939)
Total PCBs	1	10	0.005		0	0	0.26	0.4267	0.961	0.3112	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

**TABLE IV - AOC24 PCBs IN SOIL AREA 4**  
 SUMMARY OF ANALYTICAL RESULTS FOR SOIL  
 23 BARRY PLACE  
 STAMFORD, CONNECTICUT

Page 17 of 17

Parameter	RES DEC	I/C DEC <sup>8</sup>	GB PMC	Sample ID: 919-S6
				Depth (ft bgs): 4.5-5.5
				Date: 6/24/2011
				Consultant: L1109383-08
<b>Polychlorinated Biphenyls (mg/kg):<sup>9</sup></b>				
Aroclor 1016	1	10	0.005	ND(0.0234)
Aroclor 1221	1	10	0.005	ND(0.0234)
Aroclor 1232	1	10	0.005	ND(0.0234)
Aroclor 1242	1	10	0.005	ND(0.0234)
Aroclor 1248	1	10	0.005	ND(0.0156)
Aroclor 1254	1	10	0.005	ND(0.0234)
Aroclor 1260	1	10	0.005	ND(0.0156)
Aroclor 1262	1	10	0.005	ND(0.00778)
Aroclor 1268	1	10	0.005	ND(0.00778)
Total PCBs	1	10	0.005	0

Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
 GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria; boxed concentrations exceed I/C DEC

TABLE V- AOC29 PCBs IN SOIL (WEST OF WATER TOWER)

Page 1 of 2

## SUMMARY OF ANALYTICAL RESULTS FOR SOIL

23 BARRY PLACE  
STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC	GB PMC	Sample ID:	GZ-15A	GZ-16A	HA-101-S1	HA-101-S2	HA-102-S1	HA-102-S2	HA-103-S1	HA-103-S2
				Depth (ft bgs):	0-1	0.5-1	6/5/2008	6/5/2008	6/5/2008	6/5/2008	6/5/2008	6/5/2008
				Date:	12/9/2005	12/9/2005	0.5-1.5	1.5-3	0.5-1.5	1.5-3	0.5-1.5	1.5-3
				Consultant:	GZA	GZA	H&A	H&A	H&A	H&A	H&A	H&A
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>												
PCB-1016	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1221	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1232	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1242	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1248	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1254	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1260	1	10	0.005		<0.50	<0.50	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
<b>Total PCBs</b>	<b>1</b>	<b>10</b>	<b>0.005</b>		<b>0</b>							

## Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;
2. GB PMC: Pollutant Mobility Criteria for "GB" area
3. mg/kg: milligrams per kilogram
4. \* Criteria is for hexavalent chromium
5. J: Concentration is estimated
6. ND: Compound not detected above laboratory reporting limits
7. -- not applicable or not analyzed for
8. Concentrations shown in **bold** type exceed one or more RSR criteria;
9. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as defined by 40 CFR 761.123 provided that an ELUR is in effect on the parcel.

TABLE V- AOC29 PCBs IN SOIL (WEST OF WATER TOWER)

Page 2 of 2

## SUMMARY OF ANALYTICAL RESULTS FOR SOIL

23 BARRY PLACE

STAMFORD, CONNECTICUT

Parameter	RES DEC	I/C DEC	GB PMC	Sample ID:	HA-104-S1	HA-104-S2	HA-105-S1	HA-105-S2	HA-106-S1	HA-106-S2
				Depth (ft bgs):	6/5/2008	6/5/2008	6/5/2008	6/5/2008	6/5/2008	6/5/2008
				Date:	0.5-1.5	1.5-3	0.5-1.5	1.5-3	0.5-1.5	1.5-3
				Consultant:	H&A	H&A	H&A	H&A	H&A	H&A
<b>Polychlorinated Biphenyls (mg/kg):<sup>8</sup></b>										
PCB-1016	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1221	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1232	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1242	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1248	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1254	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PCB-1260	1	10	0.005		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Total PCBs	1	10	0.005		0	0	0	0	0	0

## Notes:

1. RES DEC: Residential Direct Exposure Criteria; I/C DEC: Industrial/Commercial Direct Exposure Criteria;  
GB PMC: Pollutant Mobility Criteria for "GB" area
2. mg/kg: milligrams per kilogram
3. \* Criteria is for hexavalent chromium
4. J: Concentration is estimated
5. ND: Compound not detected above laboratory reporting limits
6. -- not applicable or not analyzed for
7. Concentrations shown in **bold** type exceed one or more RSR criteria;
8. I/C DEC for PCBs is only applicable for outdoor electrical substations or other restricted access locations as def  
40 CFR 761.123 provided that an ELUR is in effect on the parcel.